

	Scale RC 700 / 900 SL	Scale RC 700 / 900 Ultimate	Scale RC 700 / 900 World Cup	Scale RC 700 / 900 Pro
new Model	NEW MODEL Lightest Scale Frame - 849g FOX 32 SC Carbon Fork Removable RWS with Tool Sram XX1 1x12 Sram Brakes Syncros Stem / Garmin mount / SL parts EVO Tubes	NEW MODEL FOX 32 SC Fork Removable RWS with Tool Sram XX1 1x12 Sram Brakes Syncros Stem / Garmin mount EVO Tubes	NEW MODEL RS SID Fork Removable RWS with Tool Sram X01/X1 1x12 EVO Tubes	NEW MODEL FOX 32 SC Fork Removable RWS with tool Shimano XT 1x11 Syncros Stem / Garmin mount EVO Tubes
Frame	Scale RC Carbon / IMP technology / HMX SL 1x optimized / BB92 / SW dropouts for Boost 148x12mm SDS2 advanced Shock & Standing Damping System Custom Chainguide / ICCR Cable routing lightest frame 849gr	Scale RC Carbon / IMP technology / HMX 1x optimized / BB92 / SW dropouts for Boost 148x12mm SDS2 advanced Shock & Standing Damping System Custom Chainguide / ICCR Cable routing	Scale RC Carbon / IMP technology / HMX 1x optimized / BB92 / SW dropouts for Boost 148x12mm SDS2 advanced Shock & Standing Damping System Custom Chainguide / ICCR Cable routing	Scale RC Carbon / IMP technology / HMX 1x optimized / BB92 / SW dropouts for Boost 148x12mm SDS2 advanced Shock & Standing Damping System Custom Chainguide / ICCR Cable routing
Travel				
Fork	FOX 32 SC Float Factory Air / Kashima FIT4 3-Modes with low speed adj. / Kabolt 15x110mm axle Tapered steerer / Lockout / Reb. Adj. 100mm travel	FOX 32 SC Float Factory Air / Kashima FIT4 3-Modes with low speed adj. / Kabolt 15x110mm axle Tapered steerer / Lockout / Reb. Adj. 100mm travel	Rock Shox SID RL Air Motion Control DNA / 15x110mm QR Maxle Tapered steerer / Lockout / Reb. Adj. 100mm travel	FOX 32 SC Float Performance Air Grip 3 / 3-Modes / 15x110mm QR axle / tapered steerer Lockout / Reb. Adj. / 100mm travel
Rear Shock				
E.Drive System				
Remote System	SCOTT RideLoc Technology / below bar remote 3 modes / integ. Grip clamp	SCOTT RideLoc Technology / below bar remote 3 modes / integ. Grip clamp	Rock Shox OneLoc Remote	SCOTT RideLoc Technology / below bar remote 3 modes / integ. Grip clamp
Headset	Syncros FL1.5 Drop in / Tapered 1.5" - 1 1/8" Ti bearing diameter size 42mm and 52mm	Syncros FL1.5 Drop in / Tapered 1.5" - 1 1/8" Ti bearing diameter size 42mm and 52mm	Syncros FL1.5 Drop in / Tapered 1.5" - 1 1/8" Ti bearing diameter size 42mm and 52mm	Syncros FL2.0 Drop in / Tapered 1.5" - 1 1/8" Bearing diameter size 42mm and 52mm
Rear Derailleur	Sram XX1 / Eagle 12 Speed	Sram XX1 / Eagle 12 Speed	Sram X01 / Eagle 12 Speed	Shimano XT RD-M8000 SG DM / Shadow Plus / 11 Speed
Front Derailleur	SCOTT Chainguide	SCOTT Chainguide	SCOTT Chainguide	SCOTT Chainguide
Shifters	Sram XX1 Trigger	Sram XX1 Trigger	Sram X01 Trigger	Shimano XT SL-M8000-I / Rapidfire Plus 2 way release / Ispec 2 clamp
Brake Levers				
Brakes	Sram Level Ultimate Disc 180/F and 160/Rmm Centerline CLX Rotor	Sram Level Ultimate Disc 180/F and 160/Rmm Centerline CLX Rotor	Shimano XTR M9000 Disc 180/F and 160/Rmm SM-RT81 CL Ictech Rotor	Shimano XT M8000 Disc 180/F and 160/Rmm SM-RT64 CL Rotor
Crankset	Sram XX1 Eagle GXP Boost PF Carbon crankarm QF 168 / 700 Series: 34T / 900 Series: 32T	Sram XX1 Eagle GXP Boost PF Carbon crankarm QF 168 / 700 Series: 34T / 900 Series: 32T	Sram X1 Eagle GXP Boost PF Carbon crankarm QF 168 / 700 Series: 34T / 900 Series: 32T	Shimano XT FC-M8000-B1 / Hollowtech 2 700 Series: 34T / 900 Series: 32T
BB-Set	Sram GXP PF integrated / shell 41x92mm	Sram GXP PF integrated / shell 41x92mm	Sram GXP PF integrated / shell 41x92mm	Shimano SM-BB7141A / shell 41x92mm
Handlebar	Syncros FL1.0 SL Carbon T-Bar T shape flat / 9° / 720mm Syncros Pro lock-on grips	Syncros FL1.0 SL Carbon T-Bar T shape flat / 9° / 720mm Syncros Pro lock-on grips	Ritchey Carbon WCS 2X T shape Flat / 9° / 720mm Syncros Pro lock-on grips	Syncros FL1.5 T-Bar / Alloy 7050 D.B. T shape Flat / 9° / 720mm Syncros Pro lock-on grips
H'stem	Syncros / 700 Series: FL1.5 +6° / 900 Series: XR1.5 -8° Integrated Spacer & Top Cup / 2014 Alloy / 31.8mm / 1 1/8" Garmin mount	Syncros / 700 Series: FL1.5 +6° / 900 Series: XR1.5 -8° Integrated Spacer & Top Cup / 2014 Alloy / 31.8mm / 1 1/8" Garmin mount	Ritchey WCS C-220 oversize 31.8mm / 700 Series: +6° / 900 Series: -6°	Syncros / 700 Series: FL1.5 +6° / 900 Series: XR1.5 -8° integrated Spacer & Top Cup / 2014 Alloy / 31.8mm / 1 1/8" Garmin mount
Pedal				
Seatpost	Syncros FL1.0 SL Carbon 10mm offset / 31.6 x 400mm	Syncros FL1.0 Carbon 10mm offset / 31.6 x 400mm	Ritchey WCS Carbon Link Flexi 31.6 x 400mm	Syncros FL1.5 / 10mm offset 31.6 x 400mm
Seat	Syncros XR1.0 SL / Carbon rails	Syncros XR1.0 SL / Carbon rails	Syncros XR1.5 / Titanium rails	Syncros XR1.5 / Titanium rails
Hub front	Syncros XR1.0 CL / 15x110mm made by DT Swiss	Syncros XR1.5 CL / 15x110mm made by DT Swiss	Syncros XR RC CL / 15x110mm made by DT Swiss	Syncros XR2.0 CL / 15x110mm made by DT Swiss
Hub rear	Syncros XR1.0 CL / Boost 148x12mm RWS w/Removable Lever / 36T Ratchet System / XD made by DT Swiss	Syncros XR1.5 CL / Boost 148x12mm RWS w/Removable Lever / 36T Ratchet System / XD made by DT Swiss	Syncros XR RC CL / Boost 148x12mm RWS w/Removable Lever / XD made by DT Swiss	Syncros XR2.0 CL / Boost 148x12mm RWS w/Removable Lever made by DT Swiss
Chain	Sram PCXX1 Eagle	Sram PCXX1 Eagle	Sram PCX01 Eagle	Shimano CN-HG601-11
Cassette	Sram XX1 / XG1299 / 10-50 T	Sram XX1 / XG1299 / 10-50 T	Sram X01 / XG1295 / 10-50 T	Shimano XT CS-M8000 / 11-46 T
Spokes	DT Swiss Aero Comp	DT Swiss Aero Comp	DT Swiss Aero Comp	DT Swiss Competition 2.0-1.8-2.0 Black
Rims	Syncros XR1.0 Carbon / 28H / Carbon rim tubeless ready	Syncros XR1.5 / 28H / Tubeless ready	Syncros XR RC / 28H / Tubeless ready	Syncros XR2.0 / 28H / Tubeless ready
Tires	Schwalbe Rocket Ron EVO / 2.25 127EPI Kevlar Bead / Tubeless Easy PaceStar compound / Schwalbe EVO Tubes	Schwalbe Rocket Ron EVO / 2.25 127EPI Kevlar Bead / Tubeless Easy PaceStar compound / Schwalbe EVO Tubes	Schwalbe Rocket Ron EVO / 2.25 127EPI Kevlar Bead / Tubeless Easy PaceStar compound / Schwalbe EVO Tubes	Schwalbe Rocket Ron EVO / 2.25 127EPI Kevlar Bead / Tubeless Easy PaceStar compound / Schwalbe EVO Tubes

	Scale 700 / 900	Scale 710 / 910
new for MY17	NEW MODEL FOX 32 SC Fork Removable RWS with tool Shimano XTR 22 Speed Syncros Stem / Garmin mount EVO Tubes	NEW MODEL FOX 32 SC Fork Shimano XT 22 Speed Syncros Stem EVO Tubes
Frame	Scale 3 Carbon / IMP technology / HMF BB92 / SW DM dropouts for Boost 148x12mm SDS2 advanced Shock & Standing Damping System ICCR Cable routing	Scale 3 Carbon / IMP technology / HMF BB92 / SW DM dropouts for Boost 148x12mm SDS2 advanced Shock & Standing Damping System ICCR Cable routing
Travel		
Fork	FOX 32 SC Float Factory Air / Kashima FIT4 3-Modes with low speed adj. / 15x110mm QR axle tapered steerer / Lockout / Reb. Adj. 100mm travel	FOX 32 SC Float Performance Elite Air FIT4 3-Modes with low speed adj. / 15x110mm QR axle tapered steerer / Lockout / Reb. Adj. 100mm travel
Rear Shock		
E.Drive System		
Remote System	SCOTT RideLoc Remote Technology 3 modes / integ. clamp	SCOTT RideLoc Remote Technology 3 modes / integ. clamp
Headset	Syncros FL2.0 Drop in / Tapered 1.5" - 1 1/8" bearing diameter size 42mm and 52mm	Syncros FL2.0 Drop in / Tapered 1.5" - 1 1/8" bearing diameter size 42mm and 52mm
Rear Derailleur	Shimano XTR RD-M9000 SGS DM / Shadow Plus / 22 Speed	Shimano XT RD-M8000 SGS DM / Shadow Plus / 22 Speed
Front Derailleur	Shimano XTR FD-M9020-D / side swing	Shimano XT FD-M8020-D / side swing
Shifters	Shimano XTR SL-M9000-I / Rapidfire Plus 2 way release / Ispec 2 clamp	Shimano XT SL-M8000-I / Rapidfire Plus 2 way release / Ispec 2 clamp
Brake Levers		
Brakes	Shimano XTR M9000 Disc 180/F and 160/R mm SM-RT99 CL Ictech Rotor	Shimano XT M8000 Disc 180/F and 160/R mm SM-RT64 CL Rotor
Crankset	Shimano XTR FC-M9020-B2 / Hollowtech 2 700 Series: 36x26 T / 900 Series: 34x24 T	Shimano XT FC-M8000-B2 / Hollowtech 2 700 Series: 36x26 T / 900 Series: 34x24 T
BB-Set	Shimano SM-BB9441A / shell 41x92mm	Shimano SM-BB7141A / shell 41x92mm
Handlebar	Syncros FL1.0 SL Carbon T-Bar T shape flat / 9° / 720mm Syncros Pro lock-on grips	Syncros FL1.5 T-Bar / Alloy 7050 D.B. T shape Flat / 9° / 720mm Syncros Pro lock-on grips
H'stem	Syncros / 700 Series: FL1.5 +6° / 900 Series: XR1.5 -8° integrated Spacer & Top Cup / 2014 Alloy / 31.8mm / 1 1/8" Garmin mount	Syncros / 700 Series: FL1.5 +6° / 900 Series: XR1.5 -8° integrated Spacer & Top Cup / 2014 Alloy / 31.8mm / 1 1/8"
Pedal		
Seatpost	Syncros FL1.0 Carbon 10mm offset / 31.6 x 400mm	Syncros FL1.5 / 10mm offset 31.6 x 400mm
Seat	Syncros XR1.5 / Titanium rails	Syncros XR1.5 / Titanium rails
Hub front	Syncros XR1.5 CL / 15x110mm made by DT Swiss	Syncros XR2.0 CL / 15x110mm made by DT Swiss
Hub rear	Syncros XR1.5 CL / Boost 148x12mm RWS w/removable Lever / 36T Ratchet System / XD made by DT Swiss	Syncros XR2.0 CL / Boost 148x12mm RWS axle made by DT Swiss
Chain	Shimano CN-M901-11	Shimano CN-HG601-11
Cassette	Shimano XTR CS-M9001 / 11-40 T	Shimano XT CS-M8000 / 11-42 T
Spokes	DT Swiss Aero Comp	DT Swiss Competition 2.0-1.8-2.0 Black
Rims	Syncros XR1.5 / 28H / Tubeless ready	Syncros XR2.0 / 28H / Tubeless ready
Tires	Schwalbe Rocket Ron EVO / 2.25 127EPI Kevlar Bead / Tubeless Easy PaceStar compound / Schwalbe EVO Tubes	Schwalbe Rocket Ron EVO / 2.25 127EPI Kevlar Bead / Tubeless Easy PaceStar compound / Schwalbe EVO Tubes

	Scale 720 / 920	Scale 730 / 930	Scale 735 / 935	Scale 740 / 940	Scale 745 / 945
new for MY17	NEW MODEL FOX 32 SC Fork Shimano SLX 22 Speed Syncros Stem	Scale 2 Frame Sram GX 1x11 Syncros Stem Tubeless ready	Scale 2 Frame Syncros Stem Tubeless ready	Scale Alloy SL Frame Tubeless ready	Scale Alloy SL Frame Sram GX/NX 1x11 Tubeless ready
Frame	Scale 3 Carbon / IMP technology / HMF BB92 / SW DM dropouts for Boost 148x12mm SDS2 advanced Shock & Standing Damping System ICCR Cable routing	Scale 2 Carbon / IMP technology / Carbon Tapered HT / PM 160 Disc / BB92 / IDS SL 142x12mm dropouts SDS Shock Damping System	Scale 2 Carbon / IMP technology / Carbon Tapered HT / PM 160 Disc / BB92 / IDS SL 135x5mm dropouts SDS Shock Damping System	Scale Alloy 6011 SL Custom Butted Superlight Tubing Tapered HT / BB92 / Bridgeless Seatstays Internal Cable Routing / replaceable hanger / weight 1470gr	Scale Alloy 6011 SL Custom Butted Superlight Tubing Tapered HT / BB92 / Bridgeless Seatstays Internal Cable Routing / replaceable hanger / weight 1470gr
Travel					
Fork	FOX 32 SC Float Performance Air Grip 3 / 3-Modes / 15x110mm QR axle / tapered steerer Lockout / Reb. Adj. / 100mm travel	FOX 32 Float Performance Air Grip 3 / 3-Modes / 15x100mm QR axle / tapered steerer Lockout / Reb. Adj. / 100mm travel	FOX 32 Float Performance Air Grip 3 / 3-Modes / 15x100mm QR axle / tapered steerer Lockout / Reb. Adj. / 100mm travel	FOX 32 Float Performance Air Grip 3 / 3-Modes / 15x100mm QR axle / tapered steerer Lockout / Reb. Adj. / 100mm travel	FOX 32 Float Performance Air Grip 3 / 3-Modes / 15x100mm QR axle / tapered steerer Lockout / Reb. Adj. / 100mm travel
Rear Shock					
E.Drive System					
Remote System	SCOTT RideLoc Remote Technology 3 modes / integ. clamp	SCOTT RideLoc Technology / below Bar Remote 3 modes / integ. Grip clamp	SCOTT RideLoc Remote Technology 3 modes	SCOTT RideLoc Remote Technology 3 modes	SCOTT RideLoc Technology / below Bar Remote 3 modes / integ. Grip clamp
Headset	Syncros Pro Drop in / Tapered 1.5" - 1 1/8" bearing diameter size 42mm and 52mm	Syncros Pro Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros Pro Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros Comp Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros Comp Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm
Rear Derailleur	Shimano XT RD-M8000 SGS DM / Shadow Plus / 22 Speed	Sram GX1 / 11 Speed	Shimano XT RD-M781 SGS Shadow Type / 20 Speed	Shimano XT RD-M8000 SGS Shadow Plus / 22 Speed	Sram GX1 / 11 Speed
Front Derailleur	Shimano SLX FD-M7020-11D / side swing		700 Series: Shimano Deore FD-M618-E 900 Series: Shimano Deore FD-M618-H / 34.9	Shimano XT FD-M8025-H / 34.9mm	
Shifters	Shimano SLX SL-M7000-11-I / Rapidfire Plus 2 way release / Ispec 2 clamp	Sram GX1 Trigger	Shimano Deore SL-M610 / Rapidfire plus 2 way release / w/gear indicator	Shimano SLX SL-M7000-B-I / Rapidfire Plus 2 way release / Ispec 2 clamp	Sram NX1 Trigger
Brake Levers					
Brakes	Shimano SLX M7000 Disc 180/F and 160/R mm SM-RT64 CL Rotor	Shimano M506 Disc 180/F and 160/R mm SM-RT54 CL Rotor	Shimano M365 Disc 180/F and 160/R mm SM-RT54 CL Rotor	Shimano Deore M615 Disc 180/F and 160/Rmm SM-RT64 CL Rotor	Shimano M506 Disc 180/F and 160/Rmm SM-RT54 CL Rotor
Crankset	Shimano SLX FC-M7000-11-B2 / Hollowtech 2 700 Series: 36x26 T / 900 Series: 34x24 T	Sram Custom GX1 GXP PF 700 Series: 32T / 900 Series: 30T	Shimano FC-M627 / 2-piece Design 700 Series: 38x24 T / 900 Series: 36x22 T	Shimano XT FC-M8000-2 / Hollowtech 2 700 Series: 36x26 T / 900 Series: 34x24 T	Sram NX1 GXP PF 700 Series: 32T / 900 Series: 30T
BB-Set	Shimano BB-MT500-PA / shell 41x92mm	Sram GXP PF integrated / shell 41x89.5mm	Shimano BB-MT500-PA / shell 41x89.5mm	Shimano BB-MT500-PA / shell 41x89.5mm	Sram GXP PF integrated / shell 41x89.5mm
Handlebar	Syncros FL1.5 T-Bar / Alloy 7050 D.B. T shape Flat / 9° / 720mm Syncros Pro lock-on grips	Syncros FL1.5 T-Bar / Alloy 7050 D.B. T shape Flat / 9° / 720mm Syncros Pro lock-on grips	Syncros FL2.0 T-Bar / Alloy 6061 T shape Flat / 9° / 720mm	Syncros FL2.0 T-Bar / Alloy 6061 T shape Flat / 9° / 720mm	Syncros FL2.0 T-Bar / Alloy 6061 T shape Flat / 9° / 720mm
H'stem	Syncros FL1.5 / 2014 Alloy 6° / integrated Spacer & Top Cup / 31.8mm / 1 1/8"	Syncros FL2.0 / 6061 Alloy 6° / integrated Top Cup / 31.8mm / 1 1/8"	Syncros FL2.0 / 6061 Alloy 6° / integrated Top Cup / 31.8mm / 1 1/8"	Syncros FL2.0 / 6061 Alloy 6° / integrated Top Cup / 31.8mm / 1 1/8"	Syncros FL2.0 / 6061 Alloy 6° / integrated Top Cup / 31.8mm / 1 1/8"
Pedal				Wellgo M-21	Wellgo M-21
Seatpost	Syncros FL1.5 / 10mm offset 31.6 x 400mm	Syncros FL2.0 / 10mm offset 700 Series: 31.6x400mm / 900 Series: 34.9x400mm	Syncros FL2.0 / 10mm offset 700 Series: 31.6x400mm / 900 Series: 34.9x400mm	Syncros FL2.5 / 31.6x400mm	Syncros FL2.5 / 31.6x400mm
Seat	Syncros XR2.0 / CROM rails	Syncros XR2.0 / CROM rails	Syncros XR2.5	Syncros XR2.0 / CROM rails	Syncros XR2.0 / CROM rails
Hub front	Syncros XR2.5 CL / 15x110mm made by DT Swiss	Syncros CL71 / 15x100mm made by Formula	Formula CL71 / 15x100mm	Shimano HB-M618 CL / 15x100mm	Shimano HB-M618 CL / 15x100mm
Hub rear	Syncros XR2.5 CL / Boost 148x12mm RWS axle / made by DT Swiss	Syncros CL1421/ 142x12mm RWS axle / XD / made by Formula	Shimano FH-M615 CL / 5x135mm	Shimano FH-M615 CL / 5x135mm	Shimano FH-M615 CL / 5x135mm
Chain	KMC X11L	Sram PC1110	KMC X10	KMC X11L	Sram PC1110
Cassette	Shimano SLX CS-M7000 / 11-42 T	Sram XG1150 / 10-42 T	Shimano CS-HG50-10 / 11-36 T	Shimano SLX CS-M7000 / 11-42 T	Sram PG1130 / 11-42 T
Spokes	DT Swiss Competition 2.0-1.8-2.0 Black	DT Swiss Industry Black 1.8mm	Stainless Black 15G / 1.8mm	Stainless Black 15G / 1.8mm	Stainless Black 15G / 1.8mm
Rims	Syncros XR2.5 / 28H / Tubeless ready	Syncros X-23 / 32H / Tubeless ready	Syncros X-23 / 32H / Tubeless ready	Syncros X-23 / 32H / Tubeless ready	Syncros X-23 / 32H / Tubeless ready
Tires	Schwalbe Rocket Ron EVO / 2.25 127EPI Kevlar Bead / Tubeless Easy PaceStar compound	Schwalbe Rocket Ron EVO / 2.25 127EPI Kevlar Bead / Tubeless Easy PaceStar compound	Maxxis Ikon / 2.2 / 60TPI Kevlar Bead TR Tubeless Ready / Dual compound	Maxxis Ikon / 2.2 / 60TPI Kevlar Bead TR Tubeless Ready / Dual compound	Maxxis Ikon / 2.2 / 60TPI Kevlar Bead TR Tubeless Ready / Dual compound

	Scale 750 / 950	Scale 760 / 960	Scale 765 / 965
new for MY17	Scale 6061 Alloy Frame	Scale 6061 Alloy Frame	Scale 6061 Alloy Frame Fork RS Sram NX 1x11
Frame	Scale Alloy 6061 Custom Butted Tubing Tapered HT / BB92 / Bridgeless Seatstays Internal Cable Routing / replaceable hanger	Scale Alloy 6061 Custom Butted Tubing Tapered HT / BB92 / Bridgeless Seatstays Internal Cable Routing / replaceable hanger	Scale Alloy 6061 Custom Butted Tubing Tapered HT / BB92 / Bridgeless Seatstays Internal Cable Routing / replaceable hanger
Travel			
Fork	FOX 32 Float Performance Air Grip 3 / 3-Modes / 15x100mm QR axle / tapered steerer Lockout / Reb. Adj. / 100mm travel	Rock Shox 30 Silver TK Solo Air Tapered Steerer / Reb. Adj. Remote Lockout / 100mm travel	Rock Shox 30 Silver TK Solo Air Tapered Steerer / Reb. Adj. Remote Lockout / 100mm travel
Rear Shock			
E.Drive System			
Remote System	SCOTT RideLoc Remote Technology 3 modes	Rock Shox PopLoc	Rock Shox PopLoc
Headset	Syncros OE Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros OE Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros OE Press Fit / Reduce 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm
Rear Derailleur	Shimano XT RD-M781 SGS Shadow Type / 20 Speed	Shimano XT RD-M781 SGS Shadow Type / 20 Speed	Sram NX1 / 11 Speed
Front Derailleur	Shimano Deore FD-M618-H / 34.9	Shimano Deore FD-M618-H / 34.9	
Shifters	Shimano SLX SL-M7000-10 / Rapidfire plus 2 way release / w/gear indicator	Shimano Deore SL-M610 / Rapidfire plus 2 way release / w/gear indicator	Sram NX1 Trigger
Brake Levers			
Brakes	Shimano M425 Disc 180/F and 160/Rmm SM-RT54 CL Rotor	Shimano M425 Disc 180/F and 160/Rmm SM-RT30 CL Rotor	Shimano M365 Disc 180/F and 160/Rmm SM-RT10 CL Rotor
Crankset	Shimano FC-M627 / 2-piece Design 700 Series: 38x24 T / 900 Series: 36x22 T	Shimano FC-M627 / 2-piece Design 700 Series: 38x24 T / 900 Series: 36x22 T	Sram NX1 GXP PF 700 Series: 32T / 900 Series: 30T
BB-Set	Shimano BB-MT500-PA / shell 41x89.5mm	Shimano BB-MT500-PA / shell 41x89.5mm	Sram GXP PF integrated / shell 41x89.5mm
Handlebar	Syncros T-Bar / Alloy 6061 T shape Flat / 9° / 720mm	Syncros T-Bar / Alloy 6061 T shape Flat / 9° / 720mm	Syncros T-Bar / Alloy 6061 T shape Flat / 9° / 720mm
H'stem	Syncros 6061 Alloy oversize 31.8mm / 1 1/8" / 6° angle	Syncros 6061 Alloy oversize 31.8mm / 1 1/8" / 6° angle	Syncros 6061 Alloy oversize 31.8mm / 1 1/8" / 6° angle
Pedal	Wellgo M-21	Wellgo M-21	Wellgo M-21
Seatpost	Syncros / 31.6x400mm	Syncros / 31.6x400mm	Syncros / 31.6x400mm
Seat	Syncros XR2.5	Syncros XR2.5	Syncros XR2.5
Hub front	Formula CL71 / 15x100mm	Formula CL51	Formula CL51
Hub rear	Shimano FH-M615 CL / 5x135mm	Shimano FH-M3050 CL	Shimano FH-RM35 CL
Chain	KMC X10	KMC X10	Sram PC1110
Cassette	Shimano CS-HG50-10 / 11-36 T	Shimano CS-HG50-10 / 11-36 T	Sram PG1130 / 11-42 T
Spokes	Stainless Black 15G / 1.8mm	Stainless Black 15G / 1.8mm	Stainless Black 15G / 1.8mm
Rims	Syncros / 32H	Syncros / 32H	Syncros / 32H
Tires	Maxxis Ikon / 2.2 / 60TPI Kevlar Bead	Maxxis Ikon / 2.2 / 60TPI	Maxxis Ikon / 2.2 / 60TPI

SCALE 700 PLUS

	Scale 710 Plus	Scale 720 Plus	Scale 730 Plus
new for MY17	Geometry with slacker Head Angle RideLoc TSP adj. Seatpost Rims EVO Tubes	Geometry with slacker Head Angle RS Recon Fork Rims Tubeless Ready	Geometry with slacker Head Angle Rims Tubeless Ready
Frame	Scale 700 PLUS Alloy Custom Butted Superlight Tubing / Tapered HT BB92 / 3.0" Tire clearance / Full Internal Cable Routing IDS SL dropouts for 148x12mm Boost	Scale 700 PLUS Alloy Custom Butted Superlight Tubing / Tapered HT BB92 / 3.0" Tire clearance / Full Internal Cable Routing IDS SL DM dropouts for 148x12mm Boost	Scale 700 PLUS Alloy Custom Butted Superlight Tubing / Tapered HT BB92 / 3.0" Tire clearance / Full Internal Cable Routing IDS SL DM dropouts for 148x12mm Boost
Travel			
Fork	FOX 32 Float Performance Air Grip 3 / 3-Modes / 15x110mm QR axle / tapered steerer Lockout / Reb. Adj. / 120mm travel	Rock Shox Recon Silver RL Solo Air 15x110mm QR axle / Tapered Steerer / Reb. Adj. Remote Lockout / 120mm travel	Suntour XCR RL-R / Coil Spring 15 x110mm QR axle / 1 1/8" Steerer / Reb. Adj Remote Lockout / 120mm travel
Rear Shock			
E.Drive System			
Remote System	SCOTT RideLoc TSP Technology Suspension - Seatpost Remote below Bar / 3 modes / integ. Grip clamp	Rock Shox OneLoc	Suntour Remote
Headset	Syncros Pro Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros Comp Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros OE Press Fit / Reduce 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm
Rear Derailleur	Sram GX1 / 11 Speed	Shimano XT RD-M781 SGS DM /Shadow Type / 20 Speed	Shimano XT RD-M781 SGS DM /Shadow Type / 20 Speed
Front Derailleur		Shimano Deore FD-M618-E	Shimano Deore FD-M618-E
Shifters	Sram GX1 Trigger	Shimano SLX SL-M7000-10 / Rapidfire plus 2 way release / w/gear indicator	Shimano Deore SL-M610 / Rapidfire plus 2 way release / w/gear indicator
Brake Levers			
Brakes	Shimano Deore M615 Disc 180/F and 160/Rmm SM-RT64 CL Rotor	Shimano M425 Disc 180/F and 160/Rmm SM-RT54 CL Rotor	Shimano M365 Disc 180/F and 160/Rmm SM-RT30 CL Rotor
Crankset	Sram Custom GX1 / Boost PF GXP / 30T	Shimano FC-M627-B2 / 2-piece Design 36x22 T	Shimano FC-M627-B2 / 2-piece Design 36x22 T
BB-Set	Sram GXP PF integrated / shell 41x89.5mm	Shimano BB-MT500-PA / shell 41x89.5mm	Shimano BB-MT500-PA / shell 41x89.5mm
Handlebar	Syncros FL1.5 mini Riser / Alloy 7050D.B. 12mm rise / 9° / 740mm Syncros Pro lock-on grips	Syncros FL2.0 mini Riser / Alloy 6061D.B. 12mm rise / 9° / 740mm	Syncros FL2.0 mini Riser / Alloy 6061D.B. 12mm rise / 9° / 740mm
H'stem	Syncros FL2.0 / 6061 Alloy 6° / integrated Top Cup / 31.8mm / 1 1/8"	Syncros FL2.0 / 6061 Alloy 6° / integrated Top Cup / 31.8mm / 1 1/8"	Syncros 6061 Alloy oversize 31.8mm / 1 1/8" / 6° angle
Pedal			
Seatpost	Syncros Dropper 2.0 / YSP12 ICR / Remote 31.6mm / 120mm	Syncros Dropper 2.5 / YSP15 ICR / Remote 31.6mm / 120mm	Syncros / 31.6x400mm
Seat	Syncros XM2.0 / CROM rails	Syncros XM2.5	Syncros XM2.5
Hub front	Syncros CL811 / 15x110mm made by Formula	Shimano HB-M618-B CL / 15x110mm	Shimano HB-M618-B CL / 15x110mm
Hub rear	Syncros CL14811 / Boost 148x12mm RWS axle / XD / made by Formula	Shimano FH-M618-B CL / Boost 12x148mm RWS axle	Shimano FH-M618-B CL / Boost 12x148mm RWS axle
Chain	Sram CN-PC1110	KMC X10	KMC X10
Cassette	Sram XG1150 / 10-42 T	Shimano CS-HG50-10 /11-36 T	Shimano CS-HG50-10 /11-36 T
Spokes	DT Swiss Champion Black 1.8mm	Stainless Black 15G / 1.8mm	Stainless Black 15G / 1.8mm
Rims	Syncros X-35 / 27.5" / Tubeless Ready 35mm wide / 32H / Sleeve Joint	Syncros X-35 / 27.5" / Tubeless Ready 35mm wide / 32H / Sleeve Joint	Syncros X-35 / 27.5" / Tubeless Ready 35mm wide / 32H / Sleeve Joint
Tires	Maxxis Rekon / 2.80 x 27.5 / 120TPI Kevlar Bead EXO / TR Tubeless ready Front: 3C Maxx Terra / Rear: 3C Maxx Speed Schwalbe EVO Tubes SV21FE	Maxxis Rekon / 2.80 x 27.5 / 120TPI Kevlar Bead EXO / TR Tubeless ready Front: 3C Maxx Terra / Rear: 3C Maxx Speed	Maxxis Rekon / 2.80x27.5 / 60TPI Kevlar Bead TR Tubeless ready

	Big Jon
new for MY17	EVO Tubes
Frame	Big Jon Alloy 6061 Custom Butted Tubing Tapered HT / BB100 / 4.8" Tire clearance 197x12mm Dropout
Travel	
Fork	Rigid Alloy 15x150mm QR axle
Rear Shock	
E.Drive System	
Remote System	
Headset	Syncros OE Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm
Rear Derailleur	Shimano SLX RD-M7000-10 SGS Shadow Type / 20 Speed
Front Derailleur	Shimano Deore FD-M618-D
Shifters	Shimano Deore SL-M610 / Rapidfire plus 2 way release / w/gear indicator
Brake levers	
Brakes	Shimano M396 Disc 180/F and 160/Rmm SM-RT30 CL Rotor
Crankset	Race Face RXC Double 36x22 T / Chainline 74.8mm
BB-Set	Race Face BSA 100mm
Handlebar	Syncros FL2.0 mini Riser / Alloy 6061 D.B. 12mm rise / 9° / 740mm
H'stem	Syncros 6061 Alloy oversize 31.8mm / 1 1/8" / 6° angle
Pedal	
Seatpost	Syncros / 31.6x400mm
Seat	Syncros XM2.5
Hub front	Syncros CT150 / 15x150mm made by Formula
Hub rear	Syncros CT197 / 197x12mm QR axle / made by Formula
Chain	KMC X10
Cassette	Shimano CS-HG50-10 / 11-36 T
Spokes	Stainless Black 15G / 1.8mm
Rims	Syncros with CNC holes / 32H 80mm wide
Tires	Schwalbe Jumbo Jim EVO / 4.8x26 127EPI Kevlar Bead / Lite Skin PaceStar compound / Schwalbe EVO Tubes 13JE

	Spark RC 700 / 900 SL	Spark RC 700 / 900 Ultimate	Spark RC 700 / 900 World Cup	Spark RC 700 / 900 Pro
new Model	NEW MODEL Lightest Spark Frame - 1799g (w/shock) FOX 32 SC Carbon Fork Removable RWS with Tool Sram XX1 1x12 Sram Brakes Syncros Stem / Garmin mount / SL parts EVO Tubes	NEW MODEL Carbon Link FOX 32 SC Fork Removable RWS with Tool Sram XX1 1x12 Sram Brakes Syncros Stem / Garmin mount EVO Tubes	NEW MODEL Carbon Link FOX 32 SC Fork Removable RWS with tool Sram X01/X1 1x12 EVO Tubes	NEW MODEL FOX 32 SC Fork Removable RWS with tool Shimano XT 11 Speed Syncros Stem / Garmin mount EVO Tubes
Frame	Spark RC Carbon / IMP technology / HMX SL 1x optimized / BB92 / Carbon SMC Link Carbon swingarm / SW dropouts for Boost 148x12mm TBC Trunnion Box Construction / Custom Chainguide lightest frame 1799gr (w/shock)	Spark RC Carbon / IMP technology / HMX 1x optimized / BB92 / Carbon SMC Link Carbon swingarm / SW dropouts for Boost 148x12mm TBC Trunnion Box Construction / Custom Chainguide	Spark RC Carbon / IMP technology / HMX 1x optimized / BB92 / Carbon SMC Link Carbon swingarm / SW dropouts for Boost 148x12mm TBC Trunnion Box Construction / Custom Chainguide	Spark RC Carbon / IMP technology / HMX 1x optimized / BB92 / Carbon swingarm SW dropouts for Boost 148x12mm TBC Trunnion Box Construction / Custom Chainguide
Travel				
Fork	FOX 32 SC Float Factory Air / Kashima FIT4 3-Modes with low speed adj. / Kabolt 15x110mm axle tapered steerer / Lockout / Reb. Adj. 100mm travel	FOX 32 SC Float Factory Air / Kashima FIT4 3-Modes with low speed adj. / Kabolt 15x110mm axle tapered steerer / Lockout / Reb. Adj. 100mm travel	FOX 32 SC Float Performance Elite Air FIT4 3-Modes with low speed adj. / 15x110mm QR axle tapered steerer / Lockout / Reb. Adj. 100mm travel	FOX 32 SC Float Performance Air Grip 3 / 3-Modes / 15x110mm QR axle / tapered steerer Lockout / Reb. Adj. / 100mm travel
Rear Shock	FOX NUDE Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / Kashima / Reb. Adj. Travel 100 - 70 - Lockout / 165X40mm	FOX NUDE Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / Kashima / Reb. Adj. Travel 100 - 70 - Lockout / 165X40mm	FOX NUDE Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / Reb. Adj./ Travel 100 - 70 - Lockout / 165X40mm	FOX NUDE Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / Reb. Adj./ Travel 100 - 70 - Lockout / 165X40mm
E.Drive System				
Remote System	SCOTT TwinLoc Technology / below Bar Remote 3 modes / integ. Grip clamp	SCOTT TwinLoc Technology / below Bar Remote 3 modes / integ. Grip clamp	SCOTT TwinLoc Technology / below Bar Remote 3 modes / integ. Grip clamp	SCOTT TwinLoc Technology / below Bar Remote 3 modes / integ. Grip clamp
Headset	Syncros FL1.5 Drop in / Tapered 1.5" - 1 1/8" Ti bearing diameter size 42mm and 52mm	Syncros FL1.5 Drop in / Tapered 1.5" - 1 1/8" Ti bearing diameter size 42mm and 52mm	Syncros FL1.5 Drop in / Tapered 1.5" - 1 1/8" Ti bearing diameter size 42mm and 52mm	Syncros FL2.0 Drop in / Tapered 1.5" - 1 1/8" bearing diameter size 42mm and 52mm
Rear Derailleur	Sram XX1 / Eagle 12 Speed	Sram XX1 / Eagle 12 Speed	Sram X01 / Eagle 12 Speed	Shimano XT RD-M8000 SG DM / Shadow Plus / 11 Speed
Front Derailleur	SCOTT Chainguide	SCOTT Chainguide	SCOTT Chainguide	SCOTT Chainguide
Shifters	Sram XX1 Trigger	Sram XX1 Trigger	Sram X01 Trigger	Shimano XT SL-M8000-I / Rapidfire Plus 2 way release / Ispec 2 clamp
Brake levers				
Brakes	Sram Level Ultimate Disc 180/F and 160/Rmm Centerline CLX Rotor	Sram Level Ultimate Disc 180/F and 160/Rmm Centerline CLX Rotor	Shimano XTR M9000 Disc 180/F and 160/Rmm SM-RT81 CL Ictech Rotor	Shimano XT M8000 Disc 180/F and 160/Rmm SM-RT64 CL Rotor
Crankset	Sram XX1 Eagle GXP Boost PF Carbon crankarm QF 168 / 700 Series: 34T / 900 Series: 32T	Sram XX1 Eagle GXP Boost PF Carbon crankarm QF 168 / 700 Series: 34T / 900 Series: 32T	Sram X1 Eagle GXP Boost PF Carbon crankarm QF 168 / 700 Series: 34T / 900 Series: 32T	Shimano XT FC-M8000-B1 / Hollowtech 2 700 Series: 34T / 900 Series: 32T
BB-Set	Sram GXP PF integrated / shell 41x92mm	Sram GXP PF integrated / shell 41x92mm	Sram GXP PF integrated / shell 41x92mm	Shimano SM-BB7141A / shell 41x92mm
Handlebar	Syncros FL1.0 SL Carbon T-Bar T shape flat / 9° / 720mm Syncros Pro lock-on grips	Syncros FL1.0 SL Carbon T-Bar T shape flat / 9° / 720mm Syncros Pro lock-on grips	Ritchey Carbon WCS 2X T shape Flat / 9° / 720mm Syncros Pro lock-on grips	Syncros FL1.5 T-Bar / Alloy 7050 D.B. T shape Flat / 9° / 720mm Syncros Pro lock-on grips
H'stem	Syncros / 700 Series: FL1.5 +6° / 900 Series: XR1.5 -8° integrated Spacer & Top Cup / 2014 Alloy / 31.8mm / 1 1/8" Garmin mount	Syncros / 700 Series: FL1.5 +6° / 900 Series: XR1.5 -8° integrated Spacer & Top Cup / 2014 Alloy / 31.8mm / 1 1/8" Garmin mount	Ritchey WCS C-220 oversize 31.8mm / 700 Series: +6° / 900 Series: -6°	Syncros / 700 Series: FL1.5 +6° / 900 Series: XR1.5 -8° integrated Spacer & Top Cup / 2014 Alloy / 31.8mm / 1 1/8" Garmin mount
Pedal				
Seatpost	Syncros FL1.0 SL Carbon 10mm offset / 31.6 x 400mm	Syncros FL1.0 Carbon 10mm offset / 31.6 x 400mm	Ritchey WCS Carbon Link Flexi 31.6 x 400mm	Syncros FL1.5 / 10mm offset 31.6 x 400mm
Seat	Syncros XR1.0 SL / Carbon rails	Syncros XR1.0 SL / Carbon rails	Syncros XR1.5 / Titanium rails	Syncros XR1.5 / Titanium rails
Hub front	Syncros XR1.0 CL / 15x110mm made by DT Swiss	Syncros XR1.5 CL / 15x110mm made by DT Swiss	Syncros XR RC CL / 15x110mm made by DT Swiss	Syncros XR2.0 CL / 15x110mm made by DT Swiss
Hub rear	Syncros XR1.0 CL / Boost 148x12mm RWS w/Removable Lever / 36T Ratchet System / XD made by DT Swiss	Syncros XR1.5 CL / Boost 148x12mm RWS w/Removable Lever / 36T Ratchet System / XD made by DT Swiss	Syncros XR RC CL / Boost 148x12mm RWS w/Removable Lever / XD made by DT Swiss	Syncros XR2.0 CL / Boost 148x12mm RWS w/Removable Lever made by DT Swiss
Chain	Sram PCXX1 Eagle	Sram PCXX1 Eagle	Sram PCX01 Eagle	Shimano CN-HG601-11
Cassette	Sram XX1 / XG1299 / 10-50 T	Sram XX1 / XG1299 / 10-50 T	Sram X01 / XG1295 / 10-50 T	Shimano XT CS-M8000 / 11-46 T
Spokes	DT Swiss Aero Comp	DT Swiss Aero Comp	DT Swiss Aero Comp	DT Swiss Competition 2.0-1.8-2.0 Black
Rims	Syncros XR1.0 Carbon / 28H / Carbon rim tubeless ready	Syncros XR1.5 / 28H / Tubeless ready	Syncros XR RC / 28H / Tubeless ready	Syncros XR2.0 / 28H / Tubeless ready
Tires	Schwalbe Rocket Ron EVO / 2.25 127EPI Kevlar Bead / Tubeless Easy PaceStar compound / Schwalbe EVO Tubes	Schwalbe Rocket Ron EVO / 2.25 127EPI Kevlar Bead / Tubeless Easy PaceStar compound / Schwalbe EVO Tubes	Schwalbe Rocket Ron EVO / 2.25 127EPI Kevlar Bead / Tubeless Easy PaceStar compound / Schwalbe EVO Tubes	Schwalbe Rocket Ron EVO / 2.25 127EPI Kevlar Bead / Tubeless Easy PaceStar compound / Schwalbe EVO Tubes

	Spark 700 / 900 Ultimate	Spark 700 / 900 Premium	Spark 700 / 900	Spark 710 / 910
new for MY17	NEW MODEL Carbon Link FOX 34 Fork / Nude Trunnion Sram XX1 1x12 Sram Brakes Removable RWS with Tool Dropper Post Syncros Stem / Garmin mount Maxxis Tires / EVO Tubes	NEW MODEL Carbon Link FOX 34 Fork / Nude Trunnion XTR 22 Speed Removable RWS with Tool Dropper Post Syncros Stem / Garmin mount Maxxis Tires / EVO Tubes	NEW MODEL Carbon/Alloy Frame FOX 34 Fork / Nude Trunnion Sram X01/X1 1x12 TwinLoc TSP Dropper Post Syncros Stem Maxxis Tires / EVO Tubes	NEW MODEL Carbon/Alloy Frame FOX 34 Fork / Nude Trunnion XT 22 Speed Dropper Post Syncros Stem Maxxis Tires / EVO Tubes
Frame	Spark 3 Carbon / IMP technology / HMX BB92 / Carbon SMC Link / Carbon swingarm SW dropouts for Boost 148x12mm TBC Trunnion box construction custom Chainguide	Spark 3 Carbon / IMP technology / HMX BB92 / Carbon SMC Link / Carbon swingarm SW DM dropouts for Boost 148x12mm TBC Trunnion box construction	Spark 3 Carbon / IMP technology / HMF Mainframe BB92 / Alloy SL 6011 swingarm SW dropouts for Boost 148x12mm TBC Trunnion box construction	Spark 3 Carbon / IMP technology / HMF Mainframe BB92 / Alloy SL 6011 swingarm SW DM dropouts for Boost 148x12mm TBC Trunnion box construction
Travel				
Fork	FOX 34 Float Factory Air / Kashima FIT4 3-Modes with low speed adj. / 15x110mm QR axle tapered steerer / Reb. Adj. / Lockout / 120mm travel	FOX 34 Float Factory Air / Kashima FIT4 3-Modes with low speed adj. / 15x110mm QR axle tapered steerer / Reb. Adj. / Lockout / 120mm travel	FOX 34 Float Performance Elite Air FIT4 3-Modes with low speed adj. / 15x110mm QR axle tapered steerer / Reb. Adj. / Lockout / 120mm travel	FOX 34 Float Performance Elite Air FIT4 3-Modes with low speed adj. / 15x110mm QR axle tapered steerer / Reb. Adj. / Lockout / 120mm travel
Rear Shock	FOX NUDE Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / EVOL / Kashima / Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm	FOX NUDE Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / EVOL / Kashima / Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm	FOX NUDE Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / EVOL / Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm	FOX NUDE Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / EVOL / Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm
E.Drive System				
Remote System	SCOTT TwinLoc Technology / below Bar Remote 3 modes / integ. Grip clamp	SCOTT TwinLoc Remote Technology 3 modes front and rear / integ. Grip clamp	SCOTT TwinLoc TSP Technology Suspension - Seatpost Remote below Bar / 3 modes / integ. Grip clamp	SCOTT TwinLoc Remote Technology 3 modes front and rear / integ. Grip clamp
Headset	Syncros FL1.5 Drop in / Tapered 1.5" - 1 1/8" Ti bearing diameter size 42mm and 52mm	Syncros FL1.5 Drop in / Tapered 1.5" - 1 1/8" Ti bearing diameter size 42mm and 52mm	Syncros FL2.0 Drop in / Tapered 1.5" - 1 1/8" bearing diameter size 42mm and 52mm	Syncros FL2.0 Drop in / Tapered 1.5" - 1 1/8" bearing diameter size 42mm and 52mm
Rear Derailleur	Sram XX1 / Eagle 12 Speed	Shimano XTR RD-M9000 SGS DM / Shadow Plus / 22 Speed	Sram X01 / Eagle 12 Speed	Shimano XT RD-M8000 SGS DM / Shadow Plus / 22 Speed
Front Derailleur	SCOTT Chainguide	Shimano XTR FD-M9020-D / side swing	SCOTT Chainguide	Shimano XT FD-M8020-D / side swing
Shifters	Sram XX1 Trigger	Shimano XTR SL-M9000-I / Rapidfire Plus 2 way release / Ispec 2 clamp	Sram X01 Trigger	Shimano XT SL-M8000-I / Rapidfire Plus 2 way release / Ispec 2 clamp
Brake levers				
Brakes	Sram Level Ultimate Disc 180mm F & R / Centerline CLX Rotor	Shimano XTR M9000 Disc 180mm F & R / SM-RT99 CL Ictech Rotor	Shimano XT M8000 Disc 180mm F & R / SM-RT64 CL Rotor	Shimano XT M8000 Disc 180mm F & R / SM-RT64 CL Rotor
Crankset	Sram XX1 Eagle GXP Boost PF Carbon crankarm QF 168 / 700 Series: 34T / 900 Series: 32T	Shimano XTR FC-M9020-B2 / Hollowtech 2 700 Series: 36x26 T / 900 Series: 34x24 T	Sram X1 1400 Eagle GXP Boost PF 700 Series: 34T / 900 Series: 32T	Shimano XT FC-M8000-B2 / Hollowtech 2 700 Series: 36x26 T / 900 Series: 34x24 T
BB-Set	Sram GXP PF integrated / shell 41x92mm	Shimano SM-BB9441A / shell 41x92mm	Sram GXP PF integrated / shell 41x92mm	Shimano SM-BB71-41A / shell 41x92mm
Handlebar	Syncros FL1.0 SL Carbon T-Bar T shape flat / 9° / 740mm Syncros Pro lock-on grips	Syncros FL1.0 SL Carbon T-Bar T shape flat / 9° / 740mm Syncros Pro lock-on grips	Syncros FL1.5 T-Bar / Alloy 7050 D.B. T shape Flat / 9° / 740mm Syncros Pro lock-on grips	Syncros FL1.5 T-Bar / Alloy 7050 D.B. T shape Flat / 9° / 740mm Syncros Pro lock-on grips
H'stem	Syncros FL1.5 / Alloy 2014 integrated Spacer & Top Cup / 31.8mm / 6° / 1 1/8" Garmin mount	Syncros FL1.5 / Alloy 2014 integrated Spacer & Top Cup / 31.8mm / 6° / 1 1/8" Garmin mount	Syncros FL1.5 / Alloy 2014 integrated Spacer & Top Cup / 31.8mm / 6° / 1 1/8"	Syncros FL1.5 / Alloy 2014 integrated Spacer & Top Cup / 31.8mm / 6° / 1 1/8"
Pedal				
Seatpost	Rock Shox Reverb Stealth inside hydraulic remote system 31.6mm / S size 100mm / M, L & XL 125mm	FOX Transfer Dropper Remote Kashima / 31.6mm / S size 100mm / M, L & XL 125mm	FOX Transfer Dropper Remote 31.6mm / S size 100mm / M, L & XL 125mm	FOX Transfer Dropper Remote 31.6mm / S size 100mm / M, L & XL 125mm
Seat	Syncros XR1.0 SL / Carbon rails	Syncros XR1.5 / Titanium rails	Syncros XR1.5 / Titanium rails	Syncros XR1.5 / Titanium rails
Hub front	Syncros XR1.0 CL / 15x110mm made by DT Swiss	Syncros XR1.5 CL / 15x110mm made by DT Swiss	Syncros XR2.0 CL / 15x110mm made by DT Swiss	Syncros XR2.0 CL / 15x110mm made by DT Swiss
Hub rear	Syncros XR1.0 CL / Boost 148x12mm RWS w/removable Lever / 36T Ratchet System / XD made by DT Swiss	Syncros XR1.5 CL / Boost 148x12mm RWS w/removable Lever / 36T Ratchet System / XD made by DT Swiss	Syncros XR2.0 CL / Boost 148x12mm RWS axle / made by DT Swiss	Syncros XR2.0 CL / Boost 148x12mm RWS axle / made by DT Swiss
Chain	Sram PCXX1 Eagle	Shimano CN-M901-11	Sram PCX01 Eagle	Shimano CN-HG601
Cassette	Sram XX1 / XG1299 / 10-50 T	Shimano XTR CS-M9001 / 11-40 T	Sram X01 / XG1295 / 10-50 T	Shimano XT CS-M8000 / 11-42 T
Spokes	DT Swiss Aero Comp	DT Swiss Aero Comp	DT Swiss Competition 2.0-1.8-2.0 Black	DT Swiss Competition 2.0-1.8-2.0 Black
Rims	Syncros XR1.0 Carbon / 28H / Carbon rim tubeless ready	Syncros XR1.5 / 28H / Tubeless ready	Syncros XR2.0 / 28H / Tubeless ready	Syncros XR2.0 / 28H / Tubeless ready
Tires	Maxxis Forekaster / 2.35 / 120TPI Kevlar Bead TR Tubeless Ready / EXO / 3C maxx speed Schwalbe EVO Tubes	Maxxis Forekaster / 2.35 / 120TPI Kevlar Bead TR Tubeless Ready / EXO / 3C maxx speed Schwalbe EVO Tubes	Maxxis Forekaster / 2.35 / 120TPI Kevlar Bead TR Tubeless Ready / EXO / 3C maxx speed Schwalbe EVO Tubes	Maxxis Forekaster / 2.35 / 120TPI Kevlar Bead TR Tubeless Ready / EXO / 3C maxx speed Schwalbe EVO Tubes

	Spark 720 / 920	Spark 730 / 930	Spark 740 / 940	Spark 745 / 945
new for MY17	NEW MODEL Carbon/Alloy Frame FOX 34 Fork / Nude Trunnion SLX 22 Speed Dropper Post Syncros Stem Maxxis Tires	NEW MODEL Carbon/Alloy Frame FOX 34 Fork / Nude Trunnion Sram GX 1x11 Dropper Post Syncros 3.0 Wheelset TR Maxxis Tires	NEW MODEL Alloy SL Frame FOX 34 Fork / Nude Trunnion XT 22 Speed Dropper Post Syncros Stem Maxxis Tires	NEW MODEL Alloy SL Frame FOX 34 Fork / Nude Trunnion GX 1x11 Dropper Post Syncros Stem Maxxis Tires
Frame	Spark 3 Carbon / IMP technology / HMF Mainframe BB92 / Alloy SL 6011 swingarm SW DM dropouts for Boost 148x12mm TBC Trunnion box construction	Spark 3 Carbon / IMP technology / HMF Mainframe BB92 / Alloy SL 6011 swingarm SW dropouts for Boost 148x12mm TBC Trunnion box construction custom Chainguide	Spark 3 Alloy SL 6011 custom butted Hydroformed tubes tapered Headtube / BB92 / DM hanger dropouts for 148x12mm	Spark 3 Alloy SL 6011 custom butted Hydroformed tubes tapered Headtube / BB92 dropouts for 148x12mm
Travel				
Fork	FOX 34 Float Performance Air Grip 3 / 3-Modes / 15x110mm QR axle / tapered steerer Reb. Adj. / Lockout / 120mm travel	FOX 34 Float Performance Air Grip 3 / 3-Modes / 15x110mm QR axle / tapered steerer Reb. Adj. / Lockout / 120mm travel	FOX 34 Float Performance Air Grip 3 / 3-Modes / 15x110mm QR axle / tapered steerer Reb. Adj. / Lockout / 120mm travel	FOX 34 Float Performance Air Grip 3 / 3-Modes / 15x110mm QR axle / tapered steerer Reb. Adj. / Lockout / 120mm travel
Rear Shock	FOX NUDE Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / EVOL / Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm	FOX NUDE Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / EVOL / Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm	FOX NUDE Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / EVOL / Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm	FOX NUDE Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm
E.Drive System				
Remote System	SCOTT TwinLoc Remote Technology 3 modes front and rear / integ. Grip clamp	SCOTT TwinLoc TSP Technology Suspension - Seatpost Remote below Bar / 3 modes / integ. Grip clamp	SCOTT TwinLoc Remote Technology 3 modes front and rear / integ. Grip clamp	SCOTT TwinLoc TSP Technology Suspension - Seatpost Remote below Bar / 3 modes / integ. Grip clamp
Headset	Syncros Pro Drop in / Tapered 1.5" - 1 1/8" bearing diameter size 42mm and 52mm	Syncros Pro Drop in / Tapered 1.5" - 1 1/8" bearing diameter size 42mm and 52mm	Syncros Pro Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros Comp Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm
Rear Derailleur	Shimano XT RD-M8000 SGS DM / Shadow Plus / 22 Speed	Sram GX1 / 11 Speed	Shimano XT RD-M8000 SGS DM / Shadow Plus / 22 Speed	Sram GX1 / 11 Speed
Front Derailleur	Shimano SLX FD-M7020-11D / side swing		Shimano XT FD-M8020-D / side swing	
Shifters	Shimano SLX SL-M7000-11-I / Rapidfire Plus 2 way release / Ispec 2 clamp	Sram GX1 Trigger	Shimano XT SL-M8000-B-I / Rapidfire Plus 2 way releaselspec 2 clamp	Sram NX1 Trigger
Brake levers				
Brakes	Shimano SLX M7000 Disc 180mm F & R / SM-RT64 CL Rotor	Shimano M506 Disc 180mm F & R / SM-RT54 CL Rotor	Shimano M615 Disc 180mm F & R / SM-RT64 CL Rotor	Shimano M506 Disc 180mm F & R / SM-RT54 CL Rotor
Crankset	Shimano SLX FC-M7000-11-B2 / Hollowtech 2 700 Series: 36x26 T / 900 Series: 34x24 T	Sram Custom GX1 GXP Boost PF 700 Series: 32T / 900 Series: 30T	Shimano XT FC-M8000-B2 / Hollowtech 2 700 Series: 36x26 T / 900 Series: 34x24 T	Sram Custom NX1 GXP Boost PF 700 Series: 32T / 900 Series: 30T
BB-Set	Shimano BB-MT500-PA / shell 41x92mm	Sram GXP PF integrated / shell 41x92mm	Shimano BB-MT500-PA / shell 41x92mm	Sram GXP PF integrated / shell 41x92mm
Handlebar	Syncros FL1.5 T-Bar / Alloy 7050 D.B. T shape Flat / 9° / 740mm Syncros Pro lock-on grips	Syncros FL1.5 T-Bar / Alloy 7050 D.B. T shape Flat / 9° / 740mm Syncros Pro lock-on grips	Syncros FL2.0 T-Bar / Alloy 6061 T shape Flat / 9° / 740mm Syncros Pro lock-on grips	Syncros FL2.0 T-Bar / Alloy 6061 T shape Flat / 9° / 740mm Syncros Pro lock-on grips
H'stem	Syncros FL1.5 / Alloy 2014 integrated Spacer & Top Cup / 31.8mm / 6° / 1 1/8"	Syncros FL2.0 / 6061 Alloy 6° / integrated Top Cup / 31.8mm / 1 1/8"	Syncros FL2.0 / 6061 Alloy 6° / integrated Top Cup / 31.8mm / 1 1/8"	Syncros FL2.0 / 6061 Alloy 6° / integrated Top Cup / 31.8mm / 1 1/8"
Pedal				Wellgo M-21
Seatpost	FOX Transfer Dropper Remote 31.6mm / S size 100mm / M, L & XL 125mm	Syncros Dropper 2.0 / YSP12 ICR / Remote 31.6mm / S size 100mm / M, L & XL 120mm	FOX Transfer Dropper Remote 31.6mm / S size 100mm / M, L & XL 125mm	Syncros Dropper 2.0 / YSP12 ICR / Remote 31.6mm / S size 100mm / M, L & XL 120mm
Seat	Syncros XR2.0 / CROM rails	Syncros XR2.0 / CROM rails	Syncros XR2.0 / CROM rails	Syncros XR2.0 / CROM rails
Hub front	Syncros XR2.5 CL / 15x110mm made by DT Swiss	Syncros 3.0 / TC-711 / 15x110mm made by Formula	Shimano HB-M618-B CL / 15x110mm	Syncros CL811 / 15x110mm made by Formula
Hub rear	Syncros XR2.5 CL / Boost 148x12mm RWS axle / made by DT Swiss	Syncros 3.0 / TC-14811 / Boost 148x12mm RWS axle / XD / made by Formula	Shimano FH-M618-B CL / Boost 12x148mm RWS axle	Syncros CL14811 / Boost 148x12mm RWS axle / XD / made by Formula
Chain	KMC X11L	Sram CN-PC1110	KMC X11L	Sram CN-PC1110
Cassette	Shimano SLX CS-M7000 / 11-42 T	Sram XG1150 / 10-42 T	Shimano SLX CS-M7000 / 11-42 T	Sram XG1150 / 10-42 T
Spokes	DT Swiss Competition 2.0-1.8-2.0 Black	Xero Forza / 2.0 Black / Nyloc	DT Swiss Champion Black 1.8mm	Stainless Black 15G / 1.8mm
Rims	Syncros XR2.5 / 28H / Tubeless ready	Syncros 3.0 / 28H / Tubeless ready	Syncros X-23 / 32H / Tubeless ready	Syncros X-23 / 32H / Tubeless ready
Tires	Maxxis Forekaster / 2.35 / 120TPI Kevlar Bead TR Tubeless Ready / EXO / 3C maxx speed	Maxxis Forekaster / 2.35 / 120TPI Kevlar Bead TR Tubeless Ready / EXO / 3C maxx speed	Maxxis Forekaster / 2.35 / 120TPI Kevlar Bead TR Tubeless Ready / EXO / 3C maxx speed	Maxxis Forekaster / 2.35 / 60TPI Kevlar Bead Dual compound

	Spark 750 / 950	Spark 760 / 960
new for MY17	NEW MODEL Alloy SL Frame FOX 32 Fork / Float Trunnion XT-Deore 20 Speed Dropper Post Maxxis Tires	NEW MODEL Alloy SL Frame Recon Fork / X-Fusion NUDE Trunnion SLX-Deore 20 Speed Maxxis Tires
Frame	Spark 3 Alloy SL 6011 custom butted Hydroformed tubes tapered Headtube / BB92 / DM hanger dropouts for 148x12mm	Spark 3 Alloy SL 6011 custom butted Hydroformed tubes tapered Headtube / BB92 dropouts for 141x5mm
Travel		
Fork	FOX 32 Float Performance Air Grip 3 / 3-Modes / 15x100mm QR axle / tapered steerer Reb. Adj. / Lockout / 120mm travel	Rock Shox Recon Silver RL Solo Air 15x100mm QR axle / Tapered Steerer Reb. Adj. / Lockout / 120mm travel
Rear Shock	FOX Float Performance Trunnion 3 modes / Lockout - Trail - Descend DPS / Reb. Adj. Travel 120mm / 165X45mm	X-Fusion NUDE Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm
E.Drive System		
Remote System	SCOTT TwinLoc Remote Technology 3 modes front and rear	SCOTT TwinLoc Remote Technology 3 modes
Headset	Syncros Comp Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros OE Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm
Rear Derailleur	Shimano XT RD-M781 SGS Shadow Type / 20 Speed	Shimano SLX RD-M7000-10 SGS Shadow Type / 20 Speed
Front Derailleur	Shimano Deore FD-M617-D / / side swing	Shimano Deore FD-M617-D / / side swing
Shifters	Shimano Deore SL-M610-I / Rapidfire Plus 2 way releasew/gear indicator	Shimano Deore SL-M610 / Rapidfire Plus 2 way releasew/gear indicator
Brake levers		
Brakes	Shimano M506 Disc 180mm F & R / SM-RT54 CL Rotor	Shimano M365 Disc 180mm F & R / SM-RT30 CL Rotor
Crankset	Shimano FC-M627-B2 / 2-piece Design 36x22 T	Shimano FC-M627-B2 / 2-piece Design 36x22 T
BB-Set	Shimano BB-MT500-PA / shell 41x89.5mm	Shimano BB-MT500-PA / shell 41x89.5mm
Handlebar	Syncros FL2.0 T-Bar / Alloy 6061 T shape Flat / 9° / 740mm	Syncros T-Bar / Alloy 6061 T shape Flat / 9° / 740mm
H'stem	Syncros 6061 Alloy oversize 31.8mm / 1 1/8" / 6° angle	Syncros 6061 Alloy oversize 31.8mm / 1 1/8" / 6° angle
Pedal	Wellgo M-21	Wellgo M-21
Seatpost	Syncros Dropper 2.0 / YSP12 ICR / Remote 31.6mm / S size 100mm / M, L & XL 120mm	Syncros / 31.6x400mm
Seat	Syncros XR2.5	Syncros XR2.5
Hub front	Shimano HB-M618 CL / 15x100mm	Formula CL71 / 15x100mm
Hub rear	Shimano FH-M618-B CL / Boost 12x148mm RWS axle	Formula CT1702 / 141x5mm
Chain	KMC X10	KMC X10
Cassette	Shimano CS-HG50-10 / 11-36 T	Shimano CS-HG50-10 / 11-36 T
Spokes	Stainless Black 15G / 1.8mm	Stainless Black 15G / 1.8mm
Rims	Syncros X-23 / 32H / Tubeless ready	Syncros X-23 / 32H / Tubeless ready
Tires	Maxxis Forekaster / 2.35 / 60TPI Kevlar Bead Dual compound	Maxxis Forekaster / 2.35 / 60TPI

	Spark 700 Plus Tuned	Spark 710 Plus	Spark 720 Plus	Spark 730 Plus
new Model	NEW MODEL Frame Plus / Carbon Link FOX 34 Fork / Nude Trunnion Sram XX1 1x12 / Brakes Removable RWS with Tool Dropper Post Syncros Stem / Garmin mount Maxxis Tires / EVO Tubes	NEW MODEL Frame Plus / Carbon / Alloy FOX 34 Fork / Nude Trunnion XT 22 Speed Dropper Post Syncros Stem Maxxis Tires / EVO Tubes	NEW MODEL Alloy SL Frame FOX 34 Fork / Nude Trunnion Sram GX 1x11 Dropper Post Syncros 3.0 Wheelset TR Maxxis Tires / EVO Tubes	NEW MODEL Alloy SL Frame Sektor Fork / X-Fusion NUDE Trunnion SLX-Deore 20 Speed Maxxis Tires
Frame	Spark Plus Carbon / IMP technology / HMX BB92 / Carbon SMC Link / Carbon Plus swingarm SW dropouts for Boost 148x12mm / custom Chainguide	Spark Plus Carbon / IMP technology / HMF Mainframe BB92 / Alloy SL 6011 Plus swingarm SW DM dropouts for Boost 148x12mm	Spark Plus Alloy SL 6011 custom butted Hydroformed tubes tapered Headtube / BB92 / DM hanger dropouts for 148x12mm	Spark Plus Alloy SL 6011 custom butted Hydroformed tubes tapered Headtube / BB92 / DM hanger dropouts for 148x12mm
Travel				
Fork	FOX 34 Float Factory Air / Kashima FIT4 3-Modes with low speed adj. / 15x110mm QR axle tapered steerer / Reb. Adj. / Lockout / 130mm travel	FOX 34 Float Performance Elite Air FIT4 3-Modes with low speed adj. / 15x110mm QR axle tapered steerer / Reb. Adj. / Lockout / 130mm travel	FOX 34 Float Performance Air Grip 3 / 3-Modes / 15x110mm QR axle / tapered steerer Reb. Adj. / Lockout / 130mm travel	Rock Shox Sektor RL Solo Air 15x110mm QR axle / Tapered Steerer Reb. Adj. / Lockout / 130mm travel
Rear Shock	FOX NUDE Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / EVOL / Kashima / Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm	FOX NUDE Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / EVOL / Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm	FOX NUDE Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / EVOL / Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm	X-Fusion NUDE Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm
E.Drive System				
Remote System	SCOTT TwinLoc TSP Technology Suspension - Seatpost Remote below Bar / 3 modes / integ. Grip clamp	SCOTT TwinLoc Remote Technology 3 modes front and rear / integ. Grip clamp	SCOTT TwinLoc TSP Technology Suspension - Seatpost Remote below Bar / 3 modes / integ. Grip clamp	SCOTT TwinLoc Remote Technology 3 modes
Headset	Syncros FL1.5 Drop in / Tapered 1.5" - 1 1/8" Ti bearing diameter size 42mm and 52mm	Syncros FL2.0 Drop in / Tapered 1.5" - 1 1/8" bearing diameter size 42mm and 52mm	Syncros Pro Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros OE Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm
Rear Derailleur	Sram XX1 / Eagle 12 Speed	Shimano XT RD-M8000 SGS DM / Shadow Plus / 22 Speed	Sram GX1 / 11 Speed	Shimano SLX RD-M7000-10 SGS Shadow Type / 20 Speed
Front Derailleur	SCOTT Chainguide	Shimano XT FD-M8020-D / side swing		Shimano Deore FD-M617-D / side swing
Shifters	Sram XX1 Trigger	Shimano XT SL-M8000-I / Rapidfire Plus 2 way release / Ispec 2 clamp	Sram GX1 Trigger	Shimano Deore SL-M610 / Rapidfire Plus 2 way release w/gear indicator
Brake levers				
Brakes	Sram Level Ultimate Disc 180mm F & R / Centerline CLX Rotor	Shimano XT M8000 Disc 180mm F & R / SM-RT64 CL Rotor	Shimano M615 Disc 180mm F & R / SM-RT64 CL Rotor	Shimano M365 Disc 180mm F & R / SM-RT30 CL Rotor
Crankset	Sram XX1 Eagle GXP Boost PF Carbon crankarm QF 168 / 32T	Shimano XT FC-M8000-B2 / Hollowtech 2 34x24 T	Sram Custom GX1 GXP Boost PF 30T	Shimano FC-M627-B2 / 2-piece Design 36x22 T
BB-Set	Sram GXP PF integrated / shell 41x92mm	Shimano SM-BB71-41A / shell 41x92mm	Sram GXP PF integrated / shell 41x92mm	Shimano BB-MT500-PA / shell 41x92mm
Handlebar	Syncros FL1.0 Carbon mini Riser 12mm rise / 9° / 760mm / Syncros Pro lock-on grips	Syncros FL1.5 mini Riser / Alloy 7050D.B. 12mm rise / 9° / 760mm Syncros Pro lock-on grips	Syncros FL1.5 mini Riser / Alloy 7050D.B. 12mm rise / 9° / 760mm Syncros Pro lock-on grips	Syncros FL2.0 mini Riser / Alloy 6061D.B. 12mm rise / 9° / 740mm
H'stem	Syncros FL1.5 / Alloy 2014 integrated Spacer & Top Cup / 31.8mm / 6° / 1 1/8" Garmin mount	Syncros FL1.5 / Alloy 2014 integrated Spacer & Top Cup / 31.8mm / 6° / 1 1/8"	Syncros FL2.0 / 6061 Alloy 6° / integrated Top Cup / 31.8mm / 1 1/8"	Syncros 6061 Alloy oversize 31.8mm / 1 1/8" / 6° angle
Pedal				
Seatpost	FOX Transfer Dropper Remote Kashima / 31.6mm / S size 100mm / M, L & XL 150mm	FOX Transfer Dropper Remote 31.6mm / S size 100mm / M, L & XL 150mm	FOX Transfer Dropper Remote 31.6mm / S size 100mm / M, L & XL 150mm	Syncros / 31.6x400mm
Seat	Syncros XM1.0 / Carbon rails	Syncros XM1.5 / Titanium rails	Syncros XM2.0 / CROM rails	Syncros XM2.5
Hub front	Syncros TR1.5 Plus CL / 15x110mm made by DT Swiss	Syncros TR2.0 Plus CL / 15x110mm made by DT Swiss	Syncros 3.0 Plus / TC-711 / 15x110mm made by Formula	Shimano HB-M618-B CL / 15x110mm
Hub rear	Syncros TR1.5 CL / Boost 148x12mm RWS w/removable Lever / 36T Ratchet System / XD made by DT Swiss	Syncros TR2.0 Plus CL / Boost 148x12mm RWS axle / made by DT Swiss	Syncros 3.0 Plus / TC-14811 / Boost 148x12mm RWS axle / XD / made by Formula	Shimano FH-M618-B CL / Boost 148x12mm RWS axle
Chain	Sram PCXX1 Eagle	Shimano CN-HG601	Sram CN-PC1110	KMC X10
Cassette	Sram XX1 / XG1299 / 10-50 T	Shimano XT CS-M8000 / 11-42 T	Sram XG1150 / 10-42 T	Shimano CS-HG50-10 / 11-36 T
Spokes	DT Swiss Aero Comp	DT Swiss Competition 2.0-1.8-2.0 Black	Xero Forza / 2.0 Black / Nyloc	Stainless Black 15G / 1.8mm
Rims	Syncros TR1.5 Plus / 28H / 35mm Tubeless ready	Syncros TR2.0 Plus / 28H / 35mm Tubeless ready	Syncros 3.0 Plus / 28H / 35mm Tubeless ready	Syncros X35 / 32H / 35mm Tubeless ready
Tires	Maxxis Rekon / 2.80 x 27.5 / 120TPI Kevlar Bead EXO / TR Tubeless ready Front: 3C Maxx Terra / Rear: 3C Maxx Speed Schwalbe EVO Tubes SV21FE	Maxxis Rekon / 2.80 x 27.5 / 120TPI Kevlar Bead EXO / TR Tubeless ready Front: 3C Maxx Terra / Rear: 3C Maxx Speed Schwalbe EVO Tubes SV21FE	Maxxis Rekon / 2.80 x 27.5 / 120TPI Kevlar Bead EXO / TR Tubeless ready Front: 3C Maxx Terra / Rear: 3C Maxx Speed Schwalbe EVO Tubes SV21FE	Maxxis Rekon / 2.80 x 27.5 / 60TPI Kevlar Bead TR Tubeless ready Dual compound

	Genius 700 Premium	Genius 710	Genius 720 / 920
new for MY17	XTR 22 speed mini Riser HB Nobby Nic 2.35 FOX Dropper Post EVO Tubes	XT 22 speed mini Riser HB Nobby Nic 2.35 FOX Dropper Post EVO Tubes	Sram GX 1x11 Mini Riser Handle Bar FOX Dropper Post EVO Tubes
Frame	Genius Carbon / IMP / HMX / BB92 / Carbon swingarm with 180PM U-Mono Link / Tapered Headtube IDS SL DM dropouts for 142x12mm BB height adj.	Genius Carbon / IMP / HMF / BB92 / Alloy swingarm with 180PM U-Mono Link / Tapered Headtube IDS SL DM dropouts for 142x12mm BB height adj.	Genius Carbon / IMP / HMF / BB92 / Alloy swingarm with 180PM U-Mono Link / Tapered Headtube IDS SL DM dropouts for 142x12mm BB height adj.
Travel	Front 150mm Rear 150 - 100 - Lockout / Shock 200X57	Front 150mm Rear 150 - 100 - Lockout / Shock 200X57	700 Series: Front 150mm Rear 150 - 100 - Lockout / Shock 200X57 900 Series: Front 140mm Rear 130 - 90 - Lockout / Shock 190X50
Fork	FOX 34 Float Factory Air / Kashima FIT4 3-Modes with low speed adj. / 15x100mm QR axle tapered steerer / Reb. Adj. / Lockout	FOX 34 Float Performance Elite Air FIT4 3-Modes with low speed adj. / 15x100mm QR axle tapered steerer / Reb. Adj. / Lockout	FOX 34 Float Performance Air Grip 3 / 3-Modes / 15x100mm QR axle / tapered steerer Reb. Adj. / Lockout
Rear Shock	FOX NUDE SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / EVOL / Kashima / Reb. Adj.	FOX NUDE SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / EVOL / Reb. Adj.	FOX NUDE SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / EVOL / Reb. Adj.
E.Drive System			
Remote System	SCOTT TwinLoc Remote Technology 3 modes front and rear / integ. Grip clamp	SCOTT TwinLoc Remote Technology 3 modes front and rear / integ. Grip clamp	SCOTT TwinLoc TSP Technology Suspension - Seatpost Remote below Bar / 3 modes / integ. Grip clamp
Headset	Syncros FL2.0 Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros FL2.0 Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros Pro Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm
Rear Derailleur	Shimano XTR RD-M9000 SGS DM / Shadow Plus / 22 Speed	Shimano XT RD-M8000 SGS DM / Shadow Plus / 22 Speed	Sram GX1 / 11 Speed
Front Derailleur	Shimano XTR FD-M9025-E / DM	Shimano XT FD-M8025-E / DM	SCOTT Chainguide
Shifters	Shimano XTR SL-M9000-1 / Rapidfire Plus 2 way release / Ispec 2 clamp	Shimano XT SL-M8000-1 / Rapidfire Plus 2 way release / Ispec 2 clamp	Sram GX1 Trigger
Brake levers			
Brakes	Shimano XTR M9020 Disc Pads w/Fin / 180mm F & R / SM-RT99 CL Icetech Rotor	Shimano XT M8000 Disc 180mm F & R / SM-RT64 CL Rotor	Shimano M615 Disc 180mm F & R / SM-RT64 CL Rotor
Crankset	Shimano XTR FC-M9020-2 / Hollowtech 2 36x26 T	Shimano XT FC-M8000-2 / Hollowtech 2 36x26 T	Sram Custom GX1 GXP PF 700 Series: 32T / 900 Series: 30T
BB-Set	Shimano SM-BB94-41A / shell 41x89.5mm	Shimano SM-BB71-41A / shell 41x89.5mm	Sram GXP PF integrated / shell 41x89.5mm
Handlebar	Syncros FL1.0 Carbon mini Riser 12mm rise / 9° / 760mm / Syncros Pro lock-on grips	Syncros FL1.5 mini Riser / Alloy 7050D.B. 12mm rise / 9° / 760mm Syncros Pro lock-on grips	Syncros FL1.5 mini Riser / Alloy 7050D.B. 12mm rise / 9° / 760mm Syncros Pro lock-on grips
H'stem	Syncros TR1.0 Carbon 7050 Carbon wrapped / oversize 31.8mm 1 1/8" / +6° angle	Syncros TR1.5 2014 / 3D forged / oversize 31.8mm 1 1/8" / +6° angle	Syncros TR1.5 2014 / 3D forged / oversize 31.8mm 1 1/8" / 700 Series: +6° / 900 Series: -6°
Pedal			
Seatpost	FOX Transfer Dropper Remote 31.6mm / S size 100mm / M, L & XL 150mm	FOX Transfer Dropper Remote 31.6mm / S size 100mm / M, L & XL 150mm	FOX Transfer Dropper Remote 31.6mm / S size 100mm / M, L & XL 150mm
Seat	Syncros XM1.0 / Carbon rails	Syncros XM1.5 / Titanium rails	Syncros XM2.0 / CROM rails
Hub front	Syncros TR1.5 CL / 15x100mm made by DT Swiss	Syncros TR2.0 CL / 15x100mm made by DT Swiss	Syncros TR2.5 CL / 15x100mm made by DT Swiss
Hub rear	Syncros TR1.5 CL / 142x12mm RWS axle/ 36T Ratchet System Made by DT Swiss	Syncros TR2.0 CL / 142x12mm RWS axle Made by DT Swiss	Syncros TR2.5 CL / 142x12mm RWS axle Made by DT Swiss
Chain	Shimano CN-M901-11	Shimano CN-HG601	Sram CN-PC1110
Cassette	Shimano XTR CS-M9000 / 11-40 T	Shimano XT CS-M8000 / 11-42 T	Sram XG1150 / 10-42 T
Spokes	DT Swiss Aero Comp	DT Swiss Competition 2.0-1.8-2.0 Black	DT Swiss Competition 2.0-1.8-2.0 Black
Rims	Syncros TR1.5 / 28H Tubeless ready	Syncros TR2.0 / 28H tubeless ready	Syncros TR2.5 / 28H tubeless ready
Tires	Schwalbe Nobby Nic EVO / 2.35 67EPI Kevlar Bead / Tubeless Easy PaceStar compound / Schwalbe EVO Tubes	Schwalbe Nobby Nic EVO / 2.35 67EPI Kevlar Bead / Tubeless Easy PaceStar compound / Schwalbe EVO Tubes	Schwalbe Nobby Nic EVO / 2.35 67EPI Kevlar Bead / Tubeless Easy PaceStar compound / Schwalbe EVO Tubes

	Genius 730	Genius 740 / 940	Genius 750
new for MY17	Shimano XT 22 speed Mini Riser Handle Bar FOX Dropper Post Nobby Nic 2.35"	XT-Deore 20 Speed Shadow Plus Rear Derailleur Mini Riser HB Syncros Dropper Post	SLX-Deore 20 Speed Mini Riser Handle Bar Syncros Dropper Post
Frame	Genius Alloy 6061 custom butted Hydroformed tubes / tapered Headtube BB92 / IDS SL DM dropout for 142x12mm U-Mono Link / rear 180PM BB height adj.	Genius Alloy 6061 custom butted Hydroformed tubes / tapered Headtube BB92 / IDS SL DM dropout for 142x12mm U-Mono Link / rear 180PM BB height adj.	Genius Alloy 6061 custom butted Hydroformed tubes / tapered Headtube BB92 / IDS SL dropout for 135x5mm U-Mono Link / rear 180PM BB height adj.
Travel	Front 150mm Rear 150 - 100 - Lockout / Shock 200X57	700 Series: Front 150mm Rear 150 - 100 - Lockout / Shock 200X57 900 Series: Front 140mm Rear 130 - 90 - Lockout / Shock 190X50	Front 150mm Rear 150 - 100 - Lockout / Shock 200X57
Fork	FOX 34 Float Performance Air Grip 3 / 3-Modes / 15x100mm QR axle / tapered steerer Reb. Adj. / Lockout	FOX 34 Float Rhythm Grip 3 / 3-Modes / 15x110mm QR axle / tapered steerer Reb. Adj. / Lockout	Rock Shox Sektor RL Solo Air 15x100mm QR axle / Tapered Steerer Reb. Adj. / Lockout / 150mm travel
Rear Shock	FOX NUDE SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / EVOL / Reb. Adj.	FOX Float Performance 3 modes / Lockout - Trail - Descend DPS / Reb. Adj.	X-Fusion NUDE SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend Reb. Adj.
E.Drive System			
Remote System	SCOTT TwinLoc Remote Technology 3 modes front and rear / integ. Grip clamp	SCOTT TwinLoc Remote Technology 3 modes front and rear / integ. Grip clamp	SCOTT TwinLoc Remote Technology 3 modes front and rear / integ. Grip clamp
Headset	Syncros Pro Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros Pro Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros Comp Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm
Rear Derailleur	Shimano XT RD-M8000 SGS DM / Shadow Plus / 22 Speed	Shimano XT RD-M786 SGS DM / Shadow Plus / 20 Speed	Shimano SLX RD-M7000-10 SGS Shadow Type / 20 Speed
Front Derailleur	Shimano XT FD-M8025-E / DM	Shimano Deore FD-M618-E / DM	Shimano Deore FD-M618-E / DM
Shifters	Shimano XT SL-M8000-I / Rapidfire Plus 2 way release / Ispec 2 clamp	Shimano Deore SL-M610-I / Rapidfire Plus 2 way release w/gear indicator	Shimano Deore SL-M610 / Rapidfire Plus 2 way release w/gear indicator
Brake levers			
Brakes	Shimano SLX M7000 Disc 180mm F & R / SM-RT64 CL Rotor	Shimano M506 Disc 180mm F & R / SM-RT54 CL Rotor	Shimano M365 Disc 180mm F & R / SM-RT30 CL Rotor
Crankset	Shimano XT FC-M8000-2 / Hollowtech 2 36x26 T	Shimano FC-M627-2 / 2-piece Design 36x22 T	Shimano FC-M627-2 / 2-piece Design 36x22 T
BB-Set	Shimano BB-MT500-PA / shell 41x89.5mm	Shimano BB-MT500-PA / shell 41x89.5mm	Shimano BB-MT500-PA / shell 41x89.5mm
Handlebar	Syncros FL1.5 mini Riser / Alloy 7050D.B. 12mm rise / 9° / 760mm Syncros Pro lock-on grips	Syncros FL2.0 mini Riser / Alloy 6061D.B. 12mm rise / 9° / 740mm	Syncros FL2.0 mini Riser / Alloy 6061D.B. 12mm rise / 9° / 740mm
H'stem	Syncros TR1.5 2014 / 3D forged / oversize 31.8mm 1 1/8" / +6° angle	Syncros TR2.0 6061 / 3D forged / oversize 31.8mm 1 1/8" / 700 Series: +6° / 900 Series: -6°	Syncros 6061 Alloy oversize 31.8mm / 1 1/8" / 6° angle
Pedal			
Seatpost	FOX Transfer Dropper Remote 31.6mm / S size 100mm / M, L & XL 150mm	Syncros Dropper 2.0 / YSP12 ICR / Remote 31.6mm / S size 100mm / M, L & XL 120mm	Syncros Dropper 2.5 / YSP15 ICR / Remote 31.6mm / S size 100mm / M, L & XL 120mm
Seat	Syncros XM2.0 / CROM rails	Syncros XM2.0 / CROM rails	Syncros XM 2.5
Hub front	Shimano SLX HB-M7010 CL / 15mm	Shimano HB-M618-B CL / 15x110mm	Formula CL71 / 15mm
Hub rear	Shimano SLX FH-M7010 CL / 142x12mm DT RWS axle	Shimano FH-M618 CL / 12x142mm RWS axle	Shimano FH-M4050 CL / 135X5mm DT RWS QR
Chain	Shimano CN-HG601	KMC X10	KMC X10
Cassette	Shimano SLX CS-M7000 / 11-42 T	Shimano CS-HG50-10 / 11-36 T	Shimano CS-HG50-10 / 11-36 T
Spokes	DT Swiss Competition 2.0-1.8-2.0 Black	Stainless Black 15G / 1.8mm	Stainless Black 15G / 1.8mm
Rims	Syncros X-25 / 32H / Tubeless ready	Syncros X-25 / 32H / Tubeless ready	Syncros X-25 / 32H / Tubeless ready
Tires	Schwalbe Nobby Nic EVO / 2.35 67EPI Kevlar Bead / Tubeless Easy PaceStar compound	Schwalbe Nobby Nic Performance / 2.35 67EPI Kevlar Bead Dual compound	Schwalbe Tough Tom / 2.35 50EPI Kevlar Bead

	Genius 700 Plus Tuned	Genius 710 Plus	Genius 720 Plus
new for MY17	Sram X01 1x12 TwinLoc TSP Sram Guide Brakes FOX dropper post Maxxis Tires EVO Tubes	Shimano XT 22 speed FOX dropper post Maxxis Tires EVO Tubes	Shadow Plus Rear Derailleur Syncros Dropper Post Maxxis Tires
Frame	Genius PLUS Carbon / IMP / HMX / BB92 / Alloy swingarm with 180PM U-Mono Link / Tapered Headtube IDS SL dropouts for 148x12mm Boost 3.0" Tire clearance / BB height adj. 130mm rear travel	Genius PLUS Carbon / IMP / HMF / BB92 / Alloy swingarm with 180PM U-Mono Link / Tapered Headtube IDS SL dropouts for 148x12mm Boost 3.0" Tire clearance / BB height adj. 130mm rear travel	Genius PLUS Alloy 6061 custom butted Hydroformed tubes / tapered Headtube BB92 / U-Mono Link / rear 180PM IDS SL DM dropout for 148x12mm Boost BB height adj. / Full Internal Cable Routing 130mm rear travel
Travel			
Fork	FOX 34 Float Factory Air / Kashima FIT4 3-Modes with low speed adj. / 15x110mm QR axle tapered steerer / Reb. Adj. / Lockout / 140mm travel	FOX 34 Float Performance Elite Air FIT4 3-Modes with low speed adj. / 15x110mm QR axle tapered steerer / Reb. Adj. / Lockout / 140mm travel	FOX 34 Float Performance Air Grip 3 / 3-Modes / 15x110mm QR axle / tapered steerer Reb. Adj. / Lockout / 140mm travel
Rear Shock	FOX NUDE SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / EVOL / Kashima / Reb. Adj. Travel 130 - 90 - Lockout / 190X50mm	FOX NUDE SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / EVOL / Reb. Adj. Travel 130 - 90 - Lockout / 190X50mm	FOX Float Performace 3 modes / Lockout - Trail - Descend DPS / Reb. Adj. / 190x50mm
E.Drive System			
Remote System	SCOTT TwinLoc TSP Technology Suspension - Seatpost Remote below Bar / 3 modes / integ. Grip clamp	SCOTT TwinLoc Remote Technology 3 modes front and rear / integ. Grip clamp	SCOTT TwinLoc Remote Technology 3 modes front and rear
Headset	Syncros FL 2.0 Press Fit Angle 0,7° Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros FL 2.0 Press Fit Angle 0,7° Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros Comp Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm
Rear Derailleur	Sram X01 / Eagle 12 Speed	Shimano XT RD-M8000 SGS DM / Shadow Plus / 22 Speed	Shimano XT RD-M786 SGS DM / Shadow Plus / 20 Speed
Front Derailleur	SCOTT Chainguide	Shimano XT FD-M8025-E / DM	Shimano Deore FD-M618-E / DM
Shifters	Sram X01 Trigger	Shimano XT SL-M8000-I / Rapidfire Plus 2 way release / Ispec 2 clamp	Shimano Deore SL-M610-I / Rapidfire Plus 2 way release / Ispec
Brake levers			
Brakes	Sram Guide Ultimate Disc 180mm F & R / Centerline CLX Rotor	Shimano SLX M7000 Disc 180mm F & R / SM-RT64 CL Rotor	Shimano M615 Disc 180mm F & R / SM-RT54 CL Rotor
Crankset	Sram X01 Eagle GXP Boost PF Carbon crankarm QF 168 / 32T	Shimano XT FC-M8000-B2 / Hollowtech 2 34x24 T	Shimano FC-M627-B2 / 2-piece Design 36x22 T
BB-Set	Sram GXP PF integrated / shell 41x89.5mm	Shimano SM-BB71-41A / shell 41x89.5mm	Shimano BB-MT500-PA / shell 41x89.5mm
Handlebar	Syncros FL1.0 Carbon mini Riser 12mm rise / 9° / 760mm / Syncros Pro lock-on grips	Syncros FL1.5 mini Riser / Alloy 7050D.B. 12mm rise / 9° / 760mm Syncros Pro lock-on grips	Syncros FL2.0 mini Riser / Alloy 6061D.B. 12mm rise / 9° / 760mm
H'stem	Syncros TR1.0 Carbon 7050 Carbon wrapped / oversize 31.8mm 1 1/8" / +6° angle	Syncros TR1.5 2014 / 3D forged / oversize 31.8mm 1 1/8" / +6° angle	Syncros TR2.0 6061 / 3D forged / oversize 31.8mm 1 1/8" / +6° angle
Pedal			
Seatpost	FOX Transfer Dropper Remote 31.6mm / S size 100mm / M, L & XL 150mm	FOX Transfer Dropper Remote 31.6mm / S size 100mm / M, L & XL 150mm	Syncros Dropper 2.0 / YSP12 ICR / Remote 31.6mm / S size 100mm / M, L & XL 120mm
Seat	Syncros XM1.0 / Carbon rails	Syncros XM1.5 / Titanium rails	Syncros XM2.0 / CROM rails
Hub front	Syncros TR1.5 Plus CL / 15x110mm made by DT Swiss	Syncros TR2.0 Plus CL / 15x110mm made by DT Swiss	Shimano HB-M618-B CL / 15x110mm
Hub rear	Syncros TR1.5 Plus CL / Boost 148x12mm RWS axle/ 36T Ratchet System / XD made by DT Swiss	Syncros TR2.0 Plus CL / Boost 148x12mm RWS axle / made by DT Swiss	Shimano FH-M618-B CL / Boost 12x148mm RWS axle
Chain	Sram PCX01 Eagle	Shimano CN-HG601	KMC X10
Cassette	Sram X01 / XG1295 / 10-50 T	Shimano SLX CS-M7000 / 11-42 T	Shimano CS-HG50-10 / 11-36 T
Spokes	DT Swiss Aero Comp	DT Swiss Competition 2.0-1.8-2.0 Black	DT Swiss Champion Black 1.8mm
Rims	Syncros TR1.5 Plus / 28H / 35mm Tubeless ready	Syncros XR2.0 Plus / 28H / 35mm Tubeless ready	Syncros X-35 / 32H / 35mm Tubeless ready
Tires	Maxxis Front: Minion DHF 2.80 x 27.5 / 3C Maxx Terra Rear: Rekon 2.80 x 27.5 3C / Maxx Speed 120TPI Kevlar Bead / EXO / TR Tubeless ready Schwalbe EVO Tubes SV21FE	Maxxis Front: Minion DHF 2.80 x 27.5 / 3C Maxx Terra Rear: Rekon 2.80 x 27.5 3C / Maxx Speed 120TPI Kevlar Bead / EXO / TR Tubeless ready Schwalbe EVO Tubes SV21FE	Maxxis Front: Minion DHF 2.80 x 27.5 / 3C Maxx Terra Rear: Rekon 2.80 x 27.5 3C / Maxx Speed 120TPI Kevlar Bead / EXO / TR Tubeless ready

	Genius LT 700 Plus Tuned	Genius LT 710 Plus	Genius LT 720 Plus
new for MY17	Sram XO1 1x12 TwinLoc TSP Sram Guide Brakes FOX dropper post Maxxis Tires EVO Tubes	Sram GX 1x11 Syncros 3.0 Wheelset TwinLoc TSP FOX dropper post Maxxis Tires EVO Tubes	Sram GX-NX 1x11 TwinLoc TSP Maxxis Tires
Frame	Genius LT 700 PLUS Carbon / IMP / HMX / BB92 / Alloy swingarm with 180PM U-Mono Link / Tapered Headtube IDS SL dropouts for 148x12mm Boost 3.0" Tire clearance / BB height adj. 160mm rear travel	Genius LT 700 PLUS Carbon / IMP / HMF / BB92 / Alloy swingarm with 180PM U-Mono Link / Tapered Headtube IDS SL dropouts for 148x12mm Boost 3.0" Tire clearance / BB height adj. 160mm rear travel	Genius LT 700 PLUS Alloy 6061 custom butted Hydroformed tubes / tapered Headtube BB92 / U-Mono Link / rear 180PM IDS SL DM dropout for 148x12mm Boost BB height adj. / 160mm rear travel
Travel			
Fork	FOX 36 Float Factory Air / Kashima FIT4 3-Modes with low speed adj. / 15x110mm QR axle tapered steerer / Reb. Adj. / Lockout / 160mm travel	FOX 34 Float Performance Elite Air FIT4 3-Modes with low speed adj. / 15x110mm QR axle tapered steerer / Reb. Adj. / Lockout / 160mm travel	FOX 34 Float Performance Air Grip 3 / 3-Modes / 15x110mm QR axle / tapered steerer Reb. Adj. / Lockout / 160mm travel
Rear Shock	FOX NUDE SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / EVOL / Kashima / Reb. Adj. Travel 160 - 100 - Lockout / 215X60mm	FOX NUDE SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / EVOL / Reb. Adj. Travel 160 - 100 - Lockout / 215X60mm	FOX Float Performance 3 modes / Lockout - Trail - Descend DPS / Reb. Adj. / 216x60mm
E.Drive System			
Remote System	SCOTT TwinLoc TSP Technology Suspension - Seatpost Remote below Bar / 3 modes / integ. Grip clamp	SCOTT TwinLoc TSP Technology Suspension - Seatpost Remote below Bar / 3 modes / integ. Grip clamp	SCOTT TwinLoc TSP Technology Suspension - Seatpost Remote below Bar / 3 modes / integ. Grip clamp
Headset	Syncros FL2.0 Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros Pro Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros Comp Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm
Rear Derailleur	Sram X01 / Eagle 12 Speed	Sram GX1 / 11 Speed	Sram GX1 / 11 Speed
Front Derailleur	SCOTT Chainguide	SCOTT Chainguide	SCOTT Chainguide
Shifters	Sram X01 Trigger	Sram GX1 Trigger	Sram NX1 Trigger
Brake levers			
Brakes	Sram Guide Ultimate Disc 203/F and 180/Rmm Centerline Rotor	Shimano SLX M7000 Disc 203/F and 180/Rmm SM-RT64 CL Rotor	Shimano M615 Disc 203/F and 180/Rmm SM-RT64 CL Rotor
Crankset	Sram X01 Eagle GXP Boost PF Carbon crankarm QF 168 / 32T	Sram Custom GX1 GXP Boost PF 30T	Sram Custom NX1 GXP Boost PF 30T
BB-Set	Sram GXP PF integrated / shell 41x89.5mm	Sram GXP PF integrated / shell 41x89.5mm	Sram GXP PF integrated / shell 41x89.5mm
Handlebar	Syncros AM1.0 Carbon mini Riser 12mm rise / 9° / 35mm / 780mm Syncros Pro lock-on grips	Syncros AM2.0 mini Riser / Alloy 6061D.B. 12mm rise / 9° / 780mm Syncros Pro lock-on grips	Syncros AM2.0 mini Riser / Alloy 6061D.B. 12mm rise / 9° / 780mm Syncros Pro lock-on grips
H'stem	Syncros XM1.5 35mm HB diameter / 0° angle	Syncros XM1.5 35mm HB diameter / 0° angle	Syncros XM1.5 35mm HB diameter / 0° angle
Pedal			
Seatpost	FOX Transfer Dropper Remote 31.6mm / S size 125mm / M & L 150mm	FOX Transfer Dropper Remote 31.6mm / S size 125mm / M & L 150mm	Syncros Dropper 2.0 / YSP12 ICR / Remote 31.6mm / 120mm
Seat	Syncros XM1.0 / Carbon rails	Syncros XM1.5 / Titanium rails	Syncros XM2.0 / CROM rails
Hub front	Syncros TR1.5 Plus CL / 15x110mm 6 Bolt adapter / made by DT Swiss	Syncros 3.0 Plus / TC-711 / 15x110mm made by Formula	Shimano HB-M618-B CL / 15x110mm
Hub rear	Syncros TR1.5 Plus CL / Boost 148x12mm 6 Bolt adapter / RWS axle/ 36T Ratchet System / XD made by DT Swiss	Syncros 3.0 Plus / TC-14811 / Boost 148x12mm RWS axle / XD / made by Formula	Shimano FH-M618-B CL / Boost 12x148mm RWS axle
Chain	Sram PCX01 Eagle	Sram CN-PC1110	Sram CN-PC1110
Cassette	Sram X01 / XG1295 / 10-50 T	Sram XG1150 / 10-42 T	Sram PG1130 / 11-42 T
Spokes	DT Swiss Aero Comp	Xero Forza / 2.0 Black / Nyloc	DT Swiss Champion Black 1.8mm
Rims	Syncros TR1.5 Plus / 28H / 35mm tubeless ready	Syncros 3.0 Plus / 28H / 35mm Tubeless ready	Syncros X-35 / 32H / 35mm Tubeless ready
Tires	Maxxis Front: Minion DHF 2.80 x 27.5 / 3C Maxx Terra Rear: Minion DHF 2.80 x 27.5 3C / Maxx Speed 120TPI Kevlar Bead / EXO / TR Tubeless ready Schwalbe EVO Tubes SV21FE	Maxxis Front: Minion DHF 2.80 x 27.5 / 3C Maxx Terra Rear: Minion DHF 2.80 x 27.5 3C / Maxx Speed 120TPI Kevlar Bead / EXO / TR Tubeless ready Schwalbe EVO Tubes SV21FE	Maxxis Minion DHF / 2.80 x 27.5 / 60TPI Kevlar Bead TR Tubeless ready Dual compound

	Gambler 710	Gambler 720	Gambler 730
new for MY17	DT Swiss EX511 rim	Sram GX DH Truvativ Descendant crankset Syncros MD27 rim	Syncros MD27 rim Shimano BR-M615 disc brakes
Frame	Gambler Alloy 6061 Hydroformed custom butted PF BB107 / IDS X DH 12x150mm Dropout BB height adjustable ISCG05 / 210mm rear travel	Gambler Alloy 6061 Hydroformed custom butted PF BB107 / IDS X DH 12x150mm Dropout BB height adjustable ISCG05 / 210mm rear travel	Gambler Alloy 6061 Hydroformed custom butted IDS-X DH 12x150mm Dropout BB height adjustable ISCG05 / 210mm rear travel
Travel			
Fork	FOX 40 RC2 Factory 27.5 203mm travel / Kashima / Air Spring Hi-Lo Comp / Rebound 20mm thru axle / alloy steerer	FOX 40 FIT4 Performance Elite 27.5 203mm travel / Coil Lo Comp / Rebound 20mm thru axle / alloy steerer Spring rates S: soft M: medium L: firm	Rock Shox Boxxer RC 27.5 203mm travel / Coil Lo Comp / Rebound Maxle Lite DH 20mm / alloy steerer Spring rates S: soft M: medium L: firm
Rear Shock	FOX Float X2 Air Kashima Independent high/low comp. and rebound / RVS custom tuned / 267x89mm	FOX VAN RC Coil Low comp. / rebound Custom tuned / 267x89mm Spring rates S: 250 / M: 300 / L: 350	FOX VAN R Coil rebound Custom tuned / 267x89mm Spring rates S: 250 / M: 300 / L: 350
E.Drive System			
Remote System			
Headset	Syncros DH adjustable Semi integrated / adj +-1° or +-2° with cup ID 49.6mm / OD 55mm	Syncros DH adjustable Semi integrated / adj +-1° or +-2° with cup ID 49.6mm / OD 55mm	Syncros DH Semi integrated / straight ID 49.6mm / OD 55mm
Rear Derailleur	Shimano Saint RD-M820-SS Short cage / 10 Speed	Sram GX DH Short cage / 7 Speed	Sram X5 Medium cage / 8 Speed
Front Derailleur	E.thirteen LG-1+ ISCG05 / w/Taco alloy backplate	E.thirteen LG-1 ISCG05 / w/Taco	E.thirteen LG-1 ISCG05 / w/Taco
Shifters	Shimano Zee SL-M640 Rapidfire Plus / 2 way release	Sram GX DH Trigger Shifter / 7 Speed	Sram X4 Trigger Shifter
Brake levers	Shimano Saint BL-M820-B	Shimano BL-M615	Shimano BL-M615
Brakes	Shimano Saint BR-M820 Disc 4 Piston / 203mm / SM-RT76L Rotor	Shimano Deore BR-M615 Disc 203mm / SM-RT66L Rotor	Shimano Deore BR-M615 Disc 203mm / SM-RT66L Rotor
Crankset	Shimano Saint FC-M825 36T alloy chainring Hollowtech II / 165mm	Truvativ Descendant 36T alloy chainring / 165mm	Truvativ Ruktion 1.0 36T chainring / 165mm
BB-Set	Shimano SM-BB71-41A Shell 104.5x41mm	Sram PF MTB104 Shell 104.5x41mm	Truvativ Howitzer TM Shell 83mm
Handlebar	Syncros DH1.5 35mm / 800mm / 20mm Rise Syncros Pro DH dual lock-on grips	Syncros DH1.5 35mm / 800mm / 20mm Rise Syncros Pro DH dual lock-on grips	Syncros DH1.5 35mm / 800mm / 20mm Rise Syncros Pro DH dual lock-on grips
H'stem	Syncros DH1.5 35mm / Direct Mount 45-50mm ext.	Syncros DH1.5 35mm / Direct Mount 45-50mm ext.	Syncros DH1.5 35mm / Direct Mount 45-50mm ext.
Pedal			Wellgo B155U SCT / flat / w/replaceable pins
Seatpost	Syncros FL1.5 / 31.6mm / Alloy7050	Syncros FL2.0 / 31.6mm / Alloy6061	Syncros FL2.0 / 31.6mm / Alloy6061
Seat	Syncros DH2.0 / CrMo Rails	Syncros DH2.5 / Steel Rails	Syncros DH2.5 / Steel Rails
Hub front	DT Swiss 370 / 110x20mm thru axle	Formula DHL-92 / 110x20mm thru axle	Formula DHL-92 / 110x20mm thru axle
Hub rear	DT Swiss 350 150x12mm thru axle / sealed bearings	Formula DHL-150 150x12mm thru axle / sealed bearings	Formula DHL-150 150x12mm thru axle / sealed bearings
Chain	Shimano CN-HG54	KMC X10	KMC Z7
Cassette	Shimano CS-HG500-10 / 11-25T DH cassette	Shimano CS-HG500-10 / 11-25T DH cassette	Sram PG-830 / 11-28 T
Spokes	DT Swiss Competition / 2.0/1.8 black	DT Swiss Champion / 2.0 black	DT Swiss Industry / 2.0 black
Rims	DT Swiss EX511 / 27.5 / 32H black	Syncros MD27 Disc / 27.5 / 32H black	Syncros MD27 Disc / 27.5 / 32H black
Tires	Schwalbe Downhill Evolution Line Front: Magic Mary 27.5x2.35 VertStar Rear: Magic Mary 27.5x2.35 TrailStar Triple Nano Compound Supergravity	Schwalbe Downhill Evolution Line Front: Magic Mary 27.5x2.35 VertStar Rear: Magic Mary 27.5x2.35 TrailStar Triple Nano Compound Supergravity	Schwalbe Downhill Evolution Line Front: Magic Mary 27.5x2.35 VertStar Rear: Magic Mary 27.5x2.35 TrailStar Triple Nano Compound Supergravity

	Voltage FR 710	Voltage FR 720	Voltage FR 730
new for MY17	FOX Float X2 Performance Shock Truvativ Descendant crankset Syncros MD27 rim	RockShox Domain Dual Crown Fork Syncros MD27 rim	Shimano BR-M615 disc brakes Syncros MD27 rim
Frame	Voltage FR Alloy 6061 Hydroformed tubing ISCG & ISCG05 tabs / headtube for 1.5" Dropout with 135x12mm thru axle 190mm travel	Voltage FR Alloy 6061 Hydroformed tubing ISCG & ISCG05 tabs / headtube for 1.5" Dropout with 135x12mm thru axle 190mm travel	Voltage FR Alloy 6061 Hydroformed tubing ISCG & ISCG05 tabs / headtube for 1.5" Dropout 135mm nipped 190mm travel
Travel			
Fork	FOX 36 Air 27.5 180mm travel / Air / RC2	RockShox Domain Dual Crown R 27.5 200mm travel / Coil / Reb adj. 20mm Maxle / alloy steerer	X-Fusion Metric R 27.5 180mm travel / Air / Reb adj. 20mm Maxle / alloy steerer
RearShock	FOX Float X2 Air Performance Independent high/low comp. and rebound / RVS custom tuned / 241x76mm	FOX VAN R Coil Rebound adj. Custom tuned / 241x76mm Spring rates S: 300 / M: 350 / L: 400	Marzocchi Roco R Coil Rebound adj. 241x76mm Spring rates S: 300 / M: 350 / L: 400
E.Drive System			
Remote System			
Headset	Syncros FR adjustable Semi integrated / adj +-1° or +-2° with cup ID 49.6mm / OD 55mm	FSA Orbit E 1.5R Alloy cups / 1.5" Reducer to 1 1/8" / semi-integrated ID 49.6mm / OD 55mm	FSA Gravity 1(I/E) Tapered 1.5 Lower external bearing ID 49.6mm / OD 55mm
Rear Derailleur	Sram X9 / short cage / 10 Speed	Sram X7 / short cage / 9 Speed	Sram X5 / medium cage / 8 Speed
Front Derailleur	E.thirteen LG-1+ ISCG05 / w/Taco alloy backplate	E.thirteen LG-1 ISCG05 / w/Taco	E.thirteen LG-1 ISCG05
Shifters	Sram X7 / Trigger Shifter	Sram X5 / Trigger Shifter	Sram X4 / Trigger Shifter
Brake levers	Shimano XT BL-M8000	Shimano Deore BL-M615	Shimano Deore BL-M615
Brakes	Shimano XT BR-M8000 Disc 203mm / SM-RT66L Rotor	Shimano Deore BR-M615 Disc 203mm / SM-RT66L Rotor	Shimano Deore BR-M615 Disc 203mm / SM-RT66L Rotor
Crankset	Truvativ Descendant 36T chainring / 165mm	Truvativ Hussefelt 1.0 36T chainring / 165mm	Truvativ Ruktion 1.0 34T chainring / 165mm
BB-Set	Truvativ BB GXP / Shell 73mm	Truvativ Howitzer XR / Shell 73mm	Truvativ Howitzer XR / Shell 73mm
Handlebar	Syncros DH1.5 35mm / 780mm / 20mm Rise Syncros Pro DH dual lock-on grips	Syncros DH1.5 35mm / 780mm / 20mm Rise Syncros Pro DH dual lock-on grips	Syncros DH1.5 31.8mm / 780mm / 20mm Rise Syncros Pro DH dual lock-on grips
H'stem	Syncros XM1.5 35mm / 50mm / 0°	Syncros DH1.5 35mm / Direct Mount 45-50mm ext.	Syncros XM2.0 31.8mm / 45mm / 0°
Pedal	Wellgo B155U SCT / flat / w/replaceable pins	Wellgo B155U SCT / flat / w/replaceable pins	Wellgo B155U SCT / flat / w/replaceable pins
Seatpost	Syncros FR2.0 / 31.6mm / zero offset	Syncros FR2.0 / 31.6mm / zero offset	Syncros FR2.0 / 31.6mm / zero offset
Seat	Syncros XM2.0 / CrMo Rails	Syncros XM2.5 / Steel Rails	Syncros XM2.5 / Steel Rails
Hubs Front	Formula DHL-92 / 110x20mm / thru axle	Formula DHL-92 / 110x20mm / thru axle	Formula DHL-92 / 110x20mm / thru axle
Hub Rear	Formula DCL-360 135x12mm thru axle / sealed bearings	Formula DCL-360 135x12mm thru axle / sealed bearings	Formula DC-22N 135mm / nipped w/tracknut
Chain	KMC X10	KMC X9	KMC Z7
Cassette	Sram PG-1050 / 11-36T	Sram PG-950 / 11-28T	Sram PG-830 / 11-28T
Spokes	DT Swiss Champion / 2.0 black	DT Swiss Industry / black	Stainless 14G / black / 2.0mm
Rims	Syncros MD27 27.5 Disc / 32H	Syncros MD27 27.5 Disc / 32H	Syncros MD27 27.5 Disc / 32H
Tires	Schwalbe Downhill Evolution Line Front: Magic Mary 27.5x2.35 VertStar Rear: Magic Mary 27.5x2.35 TrailStar Triple Nano Compound / Supergravity	Schwalbe Downhill Evolution Line Front: Magic Mary 27.5x2.35 Performance Rear: Magic Mary 27.5x2.35 Performance	Schwalbe Downhill Evolution Line Front: Magic Mary 27.5x2.35 Performance Rear: Magic Mary 27.5x2.35 Performance

	Voltage YZ 0.1	Voltage YZ 0.2	Voltage YZ 10	Voltage YZ 20
new for MY17			24 Speed Hyd. Disc Brakes Shimano FC-TY701	21 Speed Mech. Disc Brakes Shimano FC-TY501
Frame	Voltage A-Frame 26 Hydroformed tubing Super Stiff 6061 Alloy frame Disc Dropout, horizontal for 135x10mm singlespeed	Voltage A-Frame 26 Hydroformed tubing Super Stiff 6061 Alloy frame Disc Dropout, horizontal for 135x10mm singlespeed	Voltage C-frame 26 Hydroformed tubing Super Stiff 6061 Alloy frame Disc Dropout	Voltage C-frame 26 Hydroformed tubing Super Stiff 6061 Alloy frame Disc Dropout
Travel				
Fork	Rock Shox PIKE DJ 100mm travel / Air / Lo Comp / Rebound	RST Dirt 100mm travel / firm spring DJ setup	Suntour XCM 100mm travel / preload adj.	Suntour XCM 100mm travel / preload adj.
RearShock				
E.Drive System				
Remote System				
Headset	GW 1SI11015Z Integ.	GW 1SI11015Z30 Integ.	GW 1SI110	GW 1SI110
Rear Derailleur	Singlespeed	Singlespeed	Shimano Altus RD-M370 / 24 Speed	Shimano RD-TY300 / 21 Speed
Front Derailleur			Shimano FD-TY700 / 34.9mm	Shimano FD-TY500 / 34.9mm
Shifters			Shimano SL-M310 RF	Shimano ST-EF 41 L / 7R / EZ-fire plus
Brake levers	Shimano BL-M396	Tektro	Tektro	incl.
Brakes	Shimano BR-M396 Hydraulic Disc / 160mm Rotor	Tektro SCH-F15 Hydraulic Disc / 160mm Rotor	Tektro SCH-F17 Hydraulic Disc / 160mm Rotor	Tektro Mech. Disc Brake SCM-02 160mm Rotor
Crankset	SCOTT Cr-Mo 3-piece cranks 170mm / 25T Alloy BMX sprocket	SCOTT Cr-Mo 3-piece cranks 170mm / 25T Alloy BMX sprocket	Shimano FC-TY701 42x34x24 w/CG	Shimano FC-TY501 42x34x24 w/CG
BB-Set	Jien-Yuan BB92 / 19mm Axle	Jien-Yuan BB92 / 19mm Axle	Shimano BB-UN-100	Shimano BB-UN-100
Handlebar	Syncros DJ1.5 35mm / 760mm / 40mm Rise Syncros Pro DH dual lock-on grips	Syncros DJ2.0 / 31.8mm 750mm / 50mm Rise	JD-MTB499A / Alloy 640mm / 12mm uprise	JD-MTB499A / Alloy 640mm / 12mm uprise
H'stem	Syncros XM1.5 35mm / 40mm / 0°	Lee-Chi MA-50 1 1/8" / 10° / 40mm	JD JD-ST161A 1 1/8" / +/-7°	JD JD-ST161A 1 1/8" / +/-7°
Pedal	Wellgo B107.N flat	Wellgo B107.N flat	Wellgo B107N Black	VP-560
Seatpost	Syncros Pivotal / 31.6mm	Syncros Pivotal / 31.6mm	HL SP-C212 Alloy / 31.6mm	HL SP-C212 Alloy / 31.6mm
Seat	Syncros Pivotal VL-7121	Syncros Pivotal VL-7121	Voltage DJ VL-7104	Voltage DJ VL-7104
Hubs Front	Formula DC-20-N / nutted	Formula DC-20-N / nutted	Formula DC-19-FQR	Formula DC-19-FQR
Hub Rear	Formula DC42-N w/tracknut / singlespeed	Formula DC42-N w/tracknut / singlespeed	Formula DC-25-RQR	Formula DC-31-RQR
Chain	KMC Z510	KMC Z510	KMC Z-7	KMC Z-7
Cassette	Sprocket / 12T	Sprocket / 12T	Shimano Altus CS-HG31-8 / 11-32T	Shimano MF-TZ21-7 / 14-28T
Spokes	Stainless 14G / black / 2.0mm	Stainless 14G / black / 2.0mm	STD Spoke 14C / black / 2.0mm	STD Spoke 14C / black / 2.0mm
Rims	Syncros MD25 Disc / 32H	Syncros MD25 Disc / 32H	Alex X-20 Disc / 32H / black	Alex X-20 Disc / 32H / black
Tires	Schwalbe Table Top Performance 67EPI / wire / 26x2.25	Schwalbe Table Top Sport Active line 50EPI / wire / 26x2.25	Kenda K-905 26x2.125 / 22 TPI	Kenda K-905 26x2.125 / 22 TPI

	Aspect 700/900	Aspect 710/910	Aspect 720/920	Aspect 730/930	Aspect 740/940
new for MY17	Tapered Headtube Comfort Grips	Comfort Grips 2 color options	Comfort Grips	Comfort Grips 2 color options	2 color options
Frame	Aspect 700/900 series Alloy 6061 DB / Performance geometry Internal cable routing / Tapered Headtube	Aspect 700/900 series Alloy 6061 DB / Performance geometry Internal cable routing	Aspect 700/900 series Alloy 6061 DB / Performance geometry Internal cable routing	Aspect 700/900 series Alloy 6061 DB / Performance geometry Internal cable routing	Aspect 700/900 series Alloy 6061 DB / Performance geometry Internal cable routing
Travel					
Fork	FOX 32 Float Performance Air FIT4 3-Modes Alloy tapered steerer / Reb. Adj. 100mm travel SCOTT RideLoc Remote Technology 3 modes	Rock Shox 30 Silver TK Solo Air / Alloy steerer PopLoc Lockout / Reb. Adj. 100mm travel	Suntour XCR-RL-R Remote Lockout / Reb. Adj. 100mm travel	Suntour XCR-RL-R Remote Lockout / Reb. Adj. 100mm travel	Suntour XCM-HLO Hyd. Lockout / 100mm travel
Rear Shock					
E.Drive System					
Remote System					
Headset	GW 1SI110T043003 OE integ. Tapered	GW 1SI110 OE integ.	GW 1SI110 OE integ.	GW 1SI110 OE integ.	GW 1SI110 OE integ.
Rear Derailleur	Shimano XT RD-M781 SGS Shadow Type / 20 Speed	Shimano XT RD-M781 SGS Shadow Type / 30 Speed	Shimano Deore RD-M610 SGS Shadow Type / 30 Speed	Shimano Deore RD-M592 27 Speed	Shimano Alivio RD-M4000 27 Speed
Front Derailleur	Shimano Deore FD-M618 / 31.8mm	Shimano Deore FD-M610 / 31.8mm	Shimano Deore FD-M610 / 31.8mm	Shimano FD-M3000 / 31.8mm	Shimano FD-M3000 / 31.8mm
Shifters	Shimano SLX SL-M670 Rapidfire plus / 2 way release w/gear indicator	Shimano Deore SL-M610 Rapidfire plus / 2 way release w/gear indicator	Shimano Deore SL-M610 Rapidfire plus / 2 way release w/gear indicator	Shimano SL-M370-9R R-fire plus	Shimano SL-M370-9R R-fire plus
Brake levers	Shimano BL-M425	Shimano BL-M365	Shimano BL-M315	Shimano BL-M315	Shimano BL-M315
Brakes	Shimano BR-M395 / Hydr. Disc SM-RT54 CL Rotor / 180F/160R	Shimano BR-M365 / Hydr. Disc SM-RT10 CL Rotor / 180F/160R	Shimano BR-M315 / Hydr. Disc SM-RT10 CL Rotor / 180F/160R	Shimano BR-M315 / Hydr. Disc SM-RT10 CL Rotor / 180F/160R	Shimano BR-M315 / Hydr. Disc SM-RT10 CL Rotor / 160F/160R
Crankset	Shimano FC-M627 2-piece Design 700 Series: 38x24T / 900 Series: 36x22T	Shimano FC-M622 2-piece Design / 40x30x22	Shimano FC-M5000 2-piece Design / 40x30x22	Shimano FC-M4000 40x30x22	Shimano FC-M3000 40x30x22
BB-Set	Shimano SM-BB52 68mm shell	Shimano SM-BB52 68mm shell	Shimano SM-BB52 68mm shell	Shimano BB-ES-300 Cartridge Type	Shimano BB-UN-26 Cartridge Type
Handlebar	Syncros M3.0 / 720mm black / 31,8mm / 12mm rise / 9° BS	Syncros M3.0 / 720mm black / 31,8mm / 12mm rise / 9° BS	Syncros M3.0 / 720mm black / 31,8mm / 12mm rise / 9° BS	Syncros M3.0 / 720mm black / 31,8mm / 12mm rise / 9° BS	Syncros M3.0 / 720mm black / 31,8mm / 12mm rise / 9° BS
H'stem	Syncros M3.0 / 7° / Black	Syncros M3.0 / 7° / Black	Syncros M3.0 / 7° / Black	Syncros M3.0 / 7° / Black	Syncros M3.0 / 7° / Black
Pedal	Wellgo M-248DU	Wellgo M-248DU	Wellgo M-248DU	Wellgo M-248DU	Wellgo M-141SDU
Seatpost	Syncros M3.0 27.2mm / 350mm / Black	Syncros M3.0 27.2mm / 350mm / Black	Syncros M3.0 27.2mm / 350mm / Black	Syncros M3.0 27.2mm / 350mm / Black	Syncros M3.0 27.2mm / 350mm / Black
Seat	Syncros M3.0	Syncros M3.0	Syncros M3.0	Syncros M3.0	Syncros M3.0
Hub front	Formula CL51	Formula CL51	Formula CL51	Shimano HB TX505	Shimano HB TX505
Hub rear	Shimano FH-M4050 CL	Shimano FH-M3050-CL	Shimano FH-RM35-CL	Shimano FH-TX5058	Shimano FH-TX5058
Chain	KMC X10	KMC X10	KMC X10	KMC X9	KMC X9
Cassette	Shimano CS-HG50-10 / 11-36T	Shimano CS-HG50-10 / 11-36T	Shimano CS-HG50-10 / 11-36T	Shimano CS-HG200-9 / 11-34T	Shimano CS-HG200-9 / 11-34T
Spokes	15 G / stainless / black	14 G / stainless / black	14 G / stainless / black	14 G / stainless / black	14 G / stainless / black
Rims	Syncros X-20 Disc 32H / black	Syncros X-20 Disc 32H / black	Syncros X-20 Disc 32H / black	Syncros X-20 Disc 32H / black	Syncros X-20 Disc 32H / black
Tires	Kenda Slant 6 2.1 / 60 TPI	Kenda Slant 6 2.1 / 30TPI	Kenda Slant 6 2.1 / 30TPI	Kenda Slant 6 2.1 / 30TPI	Kenda Slant 6 2.1 / 30TPI

	Aspect 750/950	Aspect 760/960	Aspect 770/970
new for MY17	2 color options	Suntour XCT Fork	Suntour XCT Fork
Frame	Aspect 700/900 series Alloy 6061 DB / Performance geometry Internal cable routing	Aspect 700/900 series Alloy 6061 / Performance geometry	Aspect 700/900 series Alloy 6061 / Performance geometry
Travel			
Fork	Suntour XCT-HLO Hyd. Lockout / 100mm travel	Suntour XCT 100mm travel	Suntour XCT 100mm travel
Rear Shock			
E.Drive System			
Remote System			
Headset	GW 1SI110 OE integ.	GW 1SI110 OE integ.	GW 1SI110 OE integ.
Rear Derailleur	Shimano Altus RD-M370 24 Speed	Shimano Tourney RD-TY300 21 Speed	Shimano Tourney RD-TY300 21 Speed
Front Derailleur	Shimano FD-TY700-TS6 / 31.8mm	Shimano FD-TY500-TS6 / 31.8mm	Shimano FD-TY500-TS6 / 31.8mm
Shifters	Shimano SL-M310-8R R-fire plus	Shimano SL-M310-7R R-fire plus	Shimano ST-EF 41 L / 7R EZ-fire plus
Brake levers	Tektro SCH-F17	Tektro SCH-F17	
Brakes	Tektro SCH-F17 / Hydr. Disc 160F/160R Rotor	Tektro SCH-F17 / Hydr. Disc 160F/160R Rotor	Tektro SCM-02 mech. Disc 160F/160R Rotor
Crankset	Shimano FC-TY701 42x34x24 w/CG	Shimano FC-TY501 42x34x24 w/CG	Shimano FC-TY501 42x34x24 w/CG
BB-Set	Shimano BB-UN-100 Cartridge Type	Shimano BB-UN-100 Cartridge Type	Shimano BB-UN-100 Cartridge Type
Handlebar	Syncros M3.0 / 720mm black / 31.8mm / 12mm rise / 9° BS	JD MTB499A / 720mm black / 31.8mm / 12mm rise / 9° BS	JD MTB499A / 720mm black / 31.8mm / 12mm rise / 9° BS
H'stem	Syncros M3.0 / 7° / Black	JD ST161A / 7° / Black	JD ST161A / 7° / Black
Pedal	Wellgo M-141SDU	Wellgo M-141SDU	Wellgo M-141SDU
Seatpost	Syncros M3.0 27.2mm / 350mm / Black	HL SP C212 27.2mm / 350mm / Black	HL SP C212 27.2mm / 350mm / Black
Seat	Syncros M3.0	Syncros M3.0	Syncros M3.0
Hub front	Formula DC-19 FQR disc	Formula DC-19 FQR disc	Formula DC-19 FQR disc
Hub rear	Formula DC-25 RQR disc	Formula DC-31 RQR disc	Formula DC-31 RQR disc
Chain	KMC Z7	KMC Z-50	KMC Z-50
Cassette	Shimano CS-HG31-8 / 11-32T	Shimano MF-TZ 21-7 / 14-28T	Shimano MF-TZ 21-7 / 14-28T
Spokes	14 G / stainless / black	14 G / stainless / black	14 G / stainless / black
Rims	Syncros X-20 Disc 32H / black	Syncros X-20 Disc 32H / black	Syncros X-20 Disc 32H / black
Tires	Kenda Slant 6 2.1 / 30TPI	Kenda Slant 6 2.1 / 30TPI	Kenda Slant 6 2.1 / 30TPI

	Aspect 670	Aspect 680
new for MY16		
Frame	Aspect 600 series Alloy 6061 / Performance geometry	Aspect 600 series Alloy 6061 / Performance geometry
Travel		
Fork	HL Zoom 565 80mm travel	HL Zoom 565 80mm travel
Rear Shock		
E.Drive System		
Remote System		
Headset	GW 1SI110 OE integ.	GW 1SI110 OE integ.
Rear Derailleur	Shimano Tourney RD-TY300 21 Speed	Shimano Tourney RD-TY300 21 Speed
Front Derailleur	FD-TY500-TS6 / 34.9mm	FD-TY500-TS6 / 34.9mm
Shifters	Shimano ST-EF 41 L / 7R EZ-fire plus	Shimano ST-EF 41 L / 7R EZ-fire plus
Brake levers		
Brakes	Tektro SCM-02 mech. Disc 160F/160Rmm Rotor	PromaxTX-107L V-brake
Crankset	Shimano FC-TY501 42x34x24 w/CG	Shimano FC-TY301 42x34x24 w/CG
BB-Set	Shimano BB-UN-100 Cartridge Type	Shimano BB-UN-100 Cartridge Type
Handlebar	HL MTB 152 / 640mm / black / 18mm rise	HL MTB 152 / 640mm / black / 18mm rise
H'stem	Lee Chi MA-45 / 10° / Black	Lee Chi MA-45 / 10° / Black
Pedal	Wellgo LU-895DU	Wellgo LU-895DU
Seatpost	Alloy / 31.6mm	Alloy / 31.6mm
Seat	Syncros M3.0	Syncros M3.0
Hub front	Formula DC-19FQR disc	Formula FM-21-FQR
Hub rear	Formula DC-31RQR disc	Formula FM-31-RQR
Chain	KMC Z-50	KMC Z-50
Cassette	Shimano MF-TZ 21-7 / 14-28T	Shimano MF-TZ 21-7 / 14-28T
Spokes	14 G / stainless / black	14 G / stainless / black
Rims	Syncros X-20 Disc / 32H / black	Syncros X-18 CSW / 32H / black
Tires	Kenda Slant 6 / 26x2.1 / 30TPI	Kenda Slant 6 / 26x2.1 / 30TPI

	Plasma Premium	Plasma RC	Plasma 10	Plasma 20
new for MY17	New Dura Ace Di2	Shimano Ultegra Di2		
Frame	Plasma 5 / IMP technology / HMX TT / TRI Geometry / Plasma HMX seatpost / Replaceable hanger / UCI approved	Plasma 5 / IMP technology / HMX TT / TRI Geometry / Plasma HMX seatpost / Replaceable hanger / UCI approved	Plasma 4 / IMP technology / HMF TT / TRI Geometry / Plasma HMX seatpost / Replaceable hanger / UCI approved	Plasma 4 / IMP technology / HMF TT / TRI Geometry / Plasma HMX seatpost / Replaceable hanger / UCI approved
Travel				
Fork	Plasma 5 1"- 1 1/8" Carbon / integrated	Plasma 5 1"- 1 1/8" Carbon / integrated	Plasma 4 1 1/8" Carbon / integrated	Plasma 4 1 1/8" Carbon / integrated
Rear Shock				
E.Drive System				
Remote System				
Headset	Syncros Integrated 1 - 1 1/8" drop-in headset	Syncros Integrated 1 - 1 1/8" drop-in headset	Syncros Integrated 45mm drop-in headset	Syncros Integrated 45mm drop-in headset
Rear Derailleur	Shimano Dura-Ace RD-R9150 22 Speed Electronic	Shimano Ultegra RD-6870 22 Speed Electronic	Shimano Ultegra RD-6800 22 Speed	Shimano 105 RD-5800 22 Speed
Front Derailleur	Shimano Dura-Ace FD-R9150 Eletronic Shift System	Shimano Ultegra FD-6870 Eletronic Shift System	Shimano Ultegra FD-6800	Shimano 105 FD-5800
Shifters	Shimano Di2 SW-R9160	Shimano Di2 SW-R671	Shimano Dura AceSL-BSR1 bar end	Shimano Dura AceSL-BSR1 bar end
Brake levers	Shimano Di2 ST-R9160	Shimano Di2 ST-6871	Profile Design 3 / one A	Profile Design 3 / one A
Brakes	Front: SCOTT KB136 Rear: Shimano Dura Ace BR-R9110R, direct mount	Front: SCOTT KB136 Rear: Shimano Ultegra BR-6810R, direct mount	Front: Shimano Ultegra direct mount Rear: Shimano Ultegra, direct mount	Front: Tektro T731F Rear: Tektro T741R
Crankset	Shimano Dura-Ace FC-R9100 Hollowtech II 39/53 T	Shimano Ultegra FC-6800 39/53 T	Shimano Ultegra FC-6800 39/53 T	Shimano FC-RS500 34/50 T
BB-Set	Dura Ace BB-R9100-PB	Ultegra SM-BB72-41B	Shimano SM-BBR60	Shimano SM-BBR72
Handlebar	Profile Plasma 5 Aeria, flat, 420mm Profile T5+Carbon	Profile Plasma 5 Aeria, flat, 420mm Profile T5+Carbon	Profile OZERO TT Profile T2+ Carbon J5	Profile T2 Profile T2+
H'stem	Profile Plasma 5 TRI, 30°, 85mm	Profile Plasma 5 TRI, 30°, 85mm	Profile 1/ZeroSeven 1 1/8"-31.8mm-7°	Profile 1/ZeroSeven 1 1/8"-31.8mm-7°
Pedal				
Seatpost	Plasma HMX with Ritchey WCS clamp adjustable head	Plasma HMX with Ritchey WCS clamp adjustable head	Plasma HMX with Ritchey WCS clamp adjustable head	Plasma HMX with Ritchey WCS clamp adjustable head
Seat	Syncros RR1.0 TRI	Syncros RR1.5 TRI	Syncros RR2.0 TRI	Syncros RR2.0 TRI
Hub front	Zipp 404	Formula RB 25	Formula RB 25	Formula RB 25
Hub rear	Zipp 808	Formula RB 2611	Formula RB 2611	Formula RB 2611
Chain	Shimano Dura Ace CN-HG901-11	Shimano CN-HG701-11	Shimano CN-6800	Shimano CN-5800
Cassette	Shimano Dura Ace CS-R9100 11-25	Shimano Ultegra CS-6800 11-25	Shimano Ultegra CS-6800 11-25	Shimano 105 11-28
Spokes	Zipp 404 / 808	CN - Standard Black 2mm	CN - Standard Black 2mm	CN - Standard Black 2mm
Rims	F: Zipp Carbon 404 Firecrest CC R: Zipp Carbon 808 Firecrest CC 18 Front / 24 Rear	Syncros Race 22 Aero Profile 24 Front / 28 Rear	Syncros Race 22 Aero Profile 24 Front / 28 Rear	Syncros Race 22 Aero Profile 24 Front / 28 Rear
Tires	Continental Grand Prix 4000s II 700x25C	Continental Grand Sport Race 700x25C Fold	Continental Grand Sport Race 700x25C Fold	Continental Ultra Sport 700x25C

	FOIL Premium	FOIL RC	FOIL 10	FOIL 20	FOIL 30
new for MY17	<i>New Shimano Dura Ace Di2 / Zipp 303 wheels</i>	<i>New Shimano Dura Ace / Zipp 30 wheels</i>			
Frame	FOIL HMX / IMP, F01 AERO Carbon tech. Road Race geometry Replaceable Dropout STD Seattube / INT BB	FOIL HMX / IMP, F01 AERO Carbon tech. Road Race geometry Replaceable Dropout STD Seattube / INT BB	FOIL HMF / IMP, F01 AERO Carbon tech. Road Race geometry Replaceable Dropout STD Seattube / INT BB	FOIL HMF / IMP, F01 AERO Carbon tech. Road Race geometry Replaceable Dropout STD Seattube / INT BB	FOIL HMF / IMP, F01 AERO Carbon tech. Road Race geometry Replaceable Dropout STD Seattube / INT BB
Travel					
Fork	FOIL HMX 1 1/4" - 1 1/2" Carbon steerer Integrated Carbon Dropout	FOIL HMX 1 1/4" - 1 1/2" Carbon steerer Integrated Carbon Dropout	FOIL HMF 1 1/4" - 1 1/2" Carbon steerer Integrated Carbon Dropout	FOIL HMF 1 1/4" - 1 1/2" Carbon steerer Integrated Carbon Dropout	FOIL HMF 1 1/4" - 1 1/2" Carbon steerer Integrated Carbon Dropout
Rear Shock					
E.Drive System					
Remote System					
Headset	Syncros Integrated	Syncros Integrated	Syncros Integrated	Syncros Integrated	Syncros Integrated
Rear Derailleur	Shimano Dura-Ace RD-R9150 22 Speed Electronic	Shimano Dura-Ace RD-R9100 22 Speed	Shimano Ultegra RD-6870 22 Speed Electronic	Shimano Ultegra RD-6800 22 Speed	Shimano 105 RD-5800 22 Speed
Front Derailleur	Shimano Dura-Ace FD-R9150 Eletronic Shift System	Shimano Dura-Ace FD-R9100	Shimano Ultegra FD-6870 Eletronic Shift System	Shimano Ultegra FD-6800	Shimano 105 FD-5800
Shifters	Shimano Dura-Ace ST-R9150 Dual control 22 Speed Electronic Shift	Shimano Dura-Ace ST-R9100 Dual control 22 Speed	Shimano Ultegra ST-6870 22 Speed Electronic Shift	Shimano Ultegra ST-6800 Carbon Dual control 22 Speed	Shimano 105 ST-5800 Dual control 22 Speed
Brake levers					
Brakes	Shimano Dura Ace BR-R9110 Super SLR Dual pivot / Direct mount	Shimano Dura Ace BR-R9010 / 9010 rear Super SLR Dual pivot / Direct mount	Shimano Ultegra BR-6810 / 6810 rear Super SLR Dual pivot / Direct mount	Shimano Ultegra BR-6810 / 6810 rear Super SLR Dual pivot / Direct mount	Tektro T531 / T541 rear Direct mount
Crankset	Shimano Dura-Ace FC-R9100 Hollowtech II 52x36 T	Shimano Dura-Ace FC-R9100 Hollowtech II 53x39 T	Shimano Ultegra FC-6800 Hollowtech II 52x36 T	Shimano Ultegra FC-6800 Hollowtech II 52x36 T	Shimano 105 FC-5800 Compact Hyperdrive 52x36 T
BB-Set	Dura Ace BBR9100-PB	Dura Ace BBR9100-PB	Ultegra SM-BB72-41	Ultegra SM-BB72-41	Shimano BB-RS500-PB
Handlebar	Syncros Carbon FOIL Combo	Syncros Carbon FOIL Combo	Syncros RR2.0 Anatomic 31.8mm	Syncros RR2.0 Anatomic 31.8mm	Syncros RR2.0 Anatomic 31.8mm
H'stem			Syncros FOIL 1 1/4"	Syncros FOIL 1 1/4"	Syncros FOIL 1 1/4"
Pedal					
Seatpost	Syncros FOIL aero Carbon	Syncros FOIL aero Carbon	Syncros FOIL aero Carbon	Syncros FOIL aero Carbon	Syncros FOIL aero Carbon
Seat	Syncros RR1.0 Carbon	Syncros RR1.0 Carbon	Syncros RR2.0	Syncros RR2.0	Syncros RR2.0
Hubs front	Zipp 303	Zipp 30 Course	Syncros RR2.0	Syncros RR2.0	Shimano WH-RS330
Hubs rear	Zipp 303	Zipp 30 Course	Syncros RR2.0	Syncros RR2.0	Shimano WH-RS330
Chain	Shimano Dura-Ace CN-HG901-11	Shimano Dura-Ace CN-HG901-11	Shimano CN-HG701-11	Shimano CN-HG701-11	Shimano CN-HG601-11
Cassette	Shimano Dura-Ace CS-R9100 11-28	Shimano Dura-Ace CS-R9100 11-28	Shimano Ultegra CS-6800 11-28	Shimano Ultegra CS-6800 11-28	Shimano 105 CS-5800 11-28
Spokes	Zipp 303	Zipp 30 Course	Syncros RR2.0	Syncros RR2.0	Shimano WH-RS330
Rims	Zipp 303 Firecrest Carbon Clincher 18 Front / 24 Rear	Zipp 30 Course 18 Front/24 Rear	Syncros RR2.0 20 Front / 24 Rear	Syncros RR2.0 20 Front / 24 Rear	Shimano WH-RS330 16 Front / 20 Rear
Tires	Continental Grand Prix 4000 S II 700x25C	Continental Grand Prix 4000 S II 700x25C	Continental Grand Sport Race Fold 700x25C	Continental Grand Sport Race Fold 700x25C	Continental Grand Sport Race Fold 700x25C

	Addict SL	Addict Premium disc	Addict RC	Addict 10
new for MY17	New Sram RED eTap Syncros Carbon Addict SL Combo	New Shimano Dura Ace Di2	New Shimano Dura Ace Di2	New Shimano Dura Ace
Frame	Addict HMX-SL WIRELESS / IMP Carbon technology Road Race geometry / Replaceable Dropout	Addict Disc HMX / IMP Carbon technology Road Race geometry / Replaceable Dropout	Addict HMX / IMP Carbon technology Road Race geometry / Replaceable Dropout	Addict HMF / IMP Carbon technology Road Race geometry / Replaceable Dropout
Travel				
Fork	Addict HMX-SL 1 1/8" - 1 1/4" Carbon steerer Integrated Carbon Dropout	Addict HMX Flatmount Disc 1 1/8" - 1 1/4" tapered Carbon steerer Carbon Dropout	Addict HMX 1 1/8" - 1 1/4" Carbon steerer Integrated Carbon Dropout	Addict HMF 1 1/8" - 1 1/4" Carbon steerer Integrated Carbon Dropout
Rear Shock				
E.Drive System				
Remote System				
Headset	Syncros Integrated	Syncros Integrated	Syncros Integrated	Syncros Integrated
Rear Derailleur	Sram Red eTap 22Speed	Shimano Dura-Ace RD-R9150 22 Speed Electronic	Shimano Dura-Ace RD-R9150 22 Speed Electronic	Shimano Dura-Ace RD-R9100 22 Speed
Front Derailleur	Sram Red eTap 22Speed	Shimano Dura-Ace FD-R9150 Eletronic Shift System	Shimano Dura-Ace FD-R9150 Eletronic Shift System	Shimano Dura-Ace FD-R9100
Shifters	Sram Red eTap 22 Speed	Shimano Di2 ST-R9150 Disc Electronic Shift 22 Speed	Shimano Di2 ST-R9150 Disc Electronic Shift 22 Speed	Shimano Dura-Ace ST-R9100 Dual control 22 Speed
Brake levers				
Brakes	Sram Red22	Shimano BR-R9170 Hyd Disc 160/F and 160/Rmm SM-RT900 CL Rotor	Shimano Dura-Ace BR-R9100 Super SLR Dual pivot	Shimano Dura-Ace BR-R9100 Super SLR Dual pivot
Crankset	Sram Red22 52x36 T	Shimano Dura-Ace FC-R9100 Hollowtech II 52x36 T	Shimano Dura-Ace FC-R9100 Hollowtech II 52x36 T	Shimano Dura-Ace FC-R9100 Hollowtech II 52x36 T
BB-Set	Sram PF86 GXP	Shimano BB-R9100-PB	Shimano BB-R9100-PB	Shimano BB-R9100-PB
Handlebar	Syncros Carbon Addict SL Combo	Syncros RR1.0 Carbon Anatomic 31.8mm	Syncros RR1.0 Carbon Anatomic 31.8mm	Syncros RR2.0 Anatomic 31.8mm
H'stem		Syncros RR1.5 1 1/8" / four Bolt 31.8mm	Syncros RR1.5 1 1/8" / four Bolt 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm
Pedal				
Seatpost	Syncros Carbon FL1.0 27.2/350mm	Syncros Carbon FL1.0 27.2/350mm	Syncros Carbon FL1.0 27.2/350mm	Syncros Carbon FL1.0 27.2/350mm
Seat	Syncros RR1.0 Carbon	Syncros RR1.0 Carbon	Syncros RR1.0 Carbon	Syncros RR2.0
Hubs front	Zipp 202	Syncros RP1.0 Disc	Shimano Dura Ace WH-R9100	Syncros RP1.5
Hubs rear	Zipp 202	Syncros RP1.0 Disc	Shimano Dura Ace WH-R9100	Syncros RP1.5
Chain	Sram Red22 Speed	Shimano Dura-Ace CN-HG901-11	Shimano Dura-Ace CN-HG901-11	Shimano Ultegra CN-HG701-11
Cassette	Sram Red22 Speed 11-28 T	Shimano Dura Ace CS-R9100 11-28	Shimano Dura Ace CS-R9100 11-28	Shimano Ultegra CS-6800 11-28
Spokes	Zipp 202	Syncros RP1.0	Shimano Dura Ace WH-R9100	Syncros RP1.5
Rims	Zipp 202 Firecrest Carbon Clincher 18 Front / 24 Rear	Syncros RP1.0 Carbon Disc 24 Front / 24 Rear	Shimano Dura Ace WH-R9100 Carbon / Alloy C24 CL 16 Front / 20 Rear	Syncros RP1.5 20 Front / 24 Rear
Tires	Continental Grand Prix 4000 S II 700 x 25C	Continental Grand Prix 4000 S II 700 x 28C	Continental Grand Prix 4000 S II 700 x 25C	Continental Grand Sport Race Fold 700 x 25C

	Addict 15	Addict 20 disc	Addict 20	Addict 30 disc	Addict 30
new for MY17					
Frame	Addict HMF / IMP Carbon technology Road Race geometry / Replaceable Dropout	Addict Disc HMF / IMP Carbon technology Road Race geometry / Replaceable Dropout	Addict HMF / IMP Carbon technology Road Race geometry / Replaceable Dropout	Addict Disc HMF / IMP Carbon technology Road Race geometry / Replaceable Dropout	Addict HMF / IMP Carbon technology Road Race geometry / Replaceable Dropout
Travel					
Fork	Addict HMF 1 1/8" - 1 1/4" Carbon steerer Integrated Carbon Dropout	Addict HMF Flatmount Disc 1 1/8" - 1 1/4" tapered Carbon steerer Carbon Dropout	Addict HMF 1 1/8" - 1 1/4" Carbon steerer Integrated Carbon Dropout	Addict HMF Flatmount Disc 1 1/8" - 1 1/4" tapered Carbon steerer Carbon Dropout	Addict HMF 1 1/8" - 1 1/4" Carbon steerer Integrated Carbon Dropout
Rear Shock					
E.Drive System					
Remote System					
Headset	<i>Syncros Integrated</i>	<i>Syncros Integrated</i>	<i>Syncros Integrated</i>	<i>Syncros Integrated</i>	<i>Syncros Integrated</i>
Rear Derailleur	Shimano Ultegra RD-6870SS 22 Speed Electronic	Shimano Ultegra RD-6800-GS 22 Speed	Shimano Ultegra RD-6800 SS 22 Speed	Shimano 105 Black RD-5800-GS 22 Speed	<i>Shimano 105 Black RD-5800-SS 22 Speed</i>
Front Derailleur	Shimano Ultegra FD-6870 Eletronic Shift System	Shimano Ultegra FD-6800	Shimano Ultegra FD-6800	Shimano 105 FD-5800 Black	Shimano 105 Black FD-5800
Shifters	Shimano Ultegra ST-6871 22 Speed Electronic Shift	Shimano ST-RS685 DiscDual control 22 Speed	Shimano Ultegra ST-6800 Carbon Dual control 22 Speed	Shimano ST-RS505 Disc Dual control 22 Speed	Shimano 105 Black ST-5800 Dual control 22 Speed
Brake levers					
Brakes	Shimano Ultegra BR-6800 Grey Super SLR Dual pivot	Shimano BR-RS805 Hyd Disc 160/F and 160/Rmm SM-RT99 CL Rotor	Shimano Ultegra BR-6800 Super SLR Dual pivot	Shimano BR-RS505 Hyd Disc 160/F and 160/Rmm SM-RT68 CL Rotor	Shimano 105 Black BR-5800 Super SLR Dual pivot
Crankset	Shimano Ultegra FC-6800 Hollowtech II 52x36 T	Shimano Ultegra FC-6800 Hollowtech II 52x36 T	Shimano Ultegra FC-6800 Hollowtech II 52x36 T	Shimano 105 FC-5800 Compact Hyperdrive 52x36 T Black 11 Speed	Shimano 105 FC-5800 Compact Hyperdrive 52x36 T Black 11 Speed
BB-Set	Ultegra SM-BB72-41	Shimano SM-BB72-41	Ultegra SM-BB72-41	Shimano BB-RS500-PB	Shimano BB-RS500-PB
Handlebar	Syncros RR2.0 Anatomic 31.8mm	Syncros RR2.0 Anatomic 31.8mm	Syncros RR2.0 Anatomic 31.8mm	Syncros RR2.0 Anatomic 31.8mm	Syncros RR2.0 Anatomic 31.8mm
H'stem	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm
Pedal					
Seatpost	Syncros Carbon FL1.0 27.2/350mm	Syncros Carbon FL1.0 27.2/350mm	Syncros Carbon FL1.0 27.2/350mm	Syncros RR1.2 27.2/350mm	Syncros Carbon FL1.2 27.2/350mm
Seat	Syncros RR2.0	Syncros RR2.0	Syncros RR2.0	Syncros RR2.0	Syncros RR2.0
Hubs front	Syncros RP2.0	Syncros RP2.0 Disc	Syncros RP2.0	Formula Team 28 H	Shimano WH-RS11-A
Hubs rear	Syncros RP2.0	Syncros RP2.0 Disc	Syncros RP2.0	Formula Team 28 H	Shimano WH-RS11-A
Chain	Shimano 105 CN-HG601-11	Shimano 105 CN-HG601-11	Shimano 105 CN-HG601-11	Shimano 105 CN-HG601-11	Shimano 105 CN-HG601-11
Cassette	Shimano 105 CS-5800 11-28	Shimano 105 CS-5800 11-28	Shimano 105 CS-5800 11-28	Shimano 105 CS-5800 11-28	Shimano 105 CS-5800 11-28
Spokes	Syncros RP2.0	Syncros RP2.0	Syncros RP2.0	HTI - Standard Black 2mm	Shimano WH-RS11-A
Rims	Syncros RP2.0 18 Front / 24 Rear	Syncros RP2.0 Disc 28 Front / 28 Rear	Syncros RP2.0 18 Front / 24 Rear	Syncros Road Disc 28 Front / 28 Rear	Shimano WH-RS11-A 16 Front / 20 Rear
Tires	Continental Grand Sport Race Fold 700 x 25C	Continental Grand Sport Race Fold 700 x 28C	Continental Grand Sport Race Fold 700 x 25C	Continental Grand Sport Race Fold 700x28C	Continental Grand Sport Race Fold 700x25C

	Solace Premium disc	Solace 10 disc	Solace 10
new for MY17	<i>New Shimano Dura Ace Di2</i>		
Frame	Solace Disc HMX / IMP Carbon technology Road Comfort geometry	Solace Disc HMF / IMP Carbon technology Road Comfort geometry	Solace HMF / IMP Carbon technology Road Comfort geometry
Travel			
Fork	Solace HMX Flatmount Disc 1 1/8" Carbon steerer Alloy Dropout	Solace HMF Flatmount Disc 1 1/8" Carbon steerer Alloy Dropout	Solace HMF 1 1/8" Carbon steerer Alloy Dropout
Rear Shock			
E.Drive System			
Remote System			
Headset	Syncros Integrated	Syncros Integrated	Syncros Integrated
Rear Derailleur	Shimano Dura-Ace RDR9150-SS 22 Speed Electronic	Shimano Ultegra RD-6800-GS 22 Speed	Shimano Ultegra RD-6800-GS 22 Speed
Front Derailleur	Shimano Dura-Ace FD-R9150Electronic Shift System	Shimano Ultegra FD-6800	Shimano Ultegra FD-6800
Shifters	Shimano Di2 ST-R9150 Disc Electronic Shift 22 Speed	Shimano ST-RS685 Disc Dual control 22 Speed	Shimano Ultegra ST-6800 Carbon Dual control 22 Speed
Brake levers			
Brakes	Shimano BR-R9170 Hyd Disc 160/F and 160/Rmm SM-RT900 CL Rotor	Shimano BR-RS805 Hyd Disc 160/F and 160/Rmm SM-RT99 CL Rotor	Shimano Ultegra BR-6800 / BR-5810 rear Super SLR Dual pivot / Direct mount rear
Crankset	Shimano Dura-Ace FC-R9100Hollowtech II 50x34 T	Shimano Ultegra FC-6800 GREY Hollowtech II 50x34 T	Shimano Ultegra FC-6800 GREY Hollowtech II 50x34 T
BB-Set	Shimano BB-R9100-PB	Shimano SM-BB72-41	Shimano SM-BB72-41
Handlebar	Syncros RR1.0 Carbon Anatomic 31.8mm Oversize	Syncros RR2.0 Anatomic 31.8mm	Syncros RR2.0 Anatomic 31.8mm
H'stem	Syncros RR1.5 1 1/8" / four Bolt 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm
Pedal			
Seatpost	Syncros Carbon FL1.0 27.2/350mm	Syncros Carbon FL1.0 27.2/350mm	Syncros Carbon RR1.2 27.2/350mm
Seat	Syncros FL1.0 Carbon	Syncros FL2.0	Syncros FL2.0
Hubs front	Syncros RP1.0 Disc	Syncros RP2.0 Disc	Syncros RP2.0
Hubs rear	Syncros RP1.0 Disc	Syncros RP2.0 Disc	Syncros RP2.0
Chain	Shimano Dura-Ace CN-HG901-11	Shimano CN-HG601-11	Shimano CN-HG601-11
Cassette	Shimano Dura Ace CS-R9100 11-30	Shimano 105 CS-5800 11-32	Shimano 105 CS-5800 11-32
Spokes	Syncros RP1.0	Syncros RP2.0	Syncros RP2.0
Rims	Syncros RP1.0 Carbon Disc 24 Front / 24 Rear	Syncros RP2.0 Disc 28 Front / 28 Rear	Syncros RP2.0 18 Front / 24 Rear
Tires	Continental Grand Prix 4000 S II 700x28C	Continental Grand Sport Race Fold 700x28C	Continental Grand Sport Race Fold 700x25C

	Solace 20 disc	Solace 20	Solace 30 FB disc
new for MY17			
Frame	Solace Disc HMF / IMP Carbon technology Road Comfort geometry	Solace HMF / IMP Carbon technology Road Comfort geometry	Solace Disc HMF / IMP Carbon technology / Road Comfort geometry
Travel			
Fork	Solace HMF Flatmount Disc 1 1/8" Carbon steerer Alloy Dropout	Solace HMF 1 1/8" Carbon steerer Alloy Dropout	Solace HMF Flatmount Disc 1 1/8" Carbon steerer Alloy Dropout
Rear Shock			
E.Drive System			
Remote System			
Headset	Syncros Integrated	Syncros Integrated	Syncros Integrated
Rear Derailleur	Shimano 105 Black RD-5800-GS 22 Speed	Shimano 105 Black RD-5800-GS 22 Speed	Shimano Tiagra Black RD-4700-GS 20 Speed
Front Derailleur	Shimano 105 FD-5800 Black	Shimano 105 FD-5800 Black	Shimano Tiagra FD-4700
Shifters	Shimano ST-RS505 Disc Dual control 22 Speed	Shimano 105 Black ST-5800 Dual control 22 Speed	Shimano Tiagra SL-4700 Flat Bar Shifter 20 Speed
Brake levers			Shimano BL-M615
Brakes	Shimano BR-RS505 Hyd Disc 160/F and 160/Rmm SM-RT68 CL Rotor	Shimano 105 BR-5800 BR-5810 rear Super SLR Dual pivot / direct mount rear	Shimano BR-M615 Hyd Disc 160/F and 160/Rmm SM-RT64 Rotor
Crankset	Shimano FC-5800 Compact Hyperdrive 50x34 T Black 11 Speed	Shimano FC-5800 Compact Hyperdrive 50x34 T Black 11 Speed	Shimano Tiagra FC-4700 Compact Hyperdrive 50x34 T
BB-Set	Shimano BB-RS500-PB	Shimano BB-RS500-PB	Shimano BB-RS500-PB
Handlebar	Syncros RR2.0 Anatomic 31.8mm	Syncros RR2.0 Anatomic 31.8mm	Syncros Flat-Bar FL2.0 580mm
H'stem	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm
Pedal			
Seatpost	Syncros Carbon RR1.2 27.2/350mm	Syncros Carbon RR1.2 27.2/350mm	Syncros Carbon RR1.2 27.2/350mm
Seat	Syncros FL2.5	Syncros FL2.5	Syncros FL2.5
Hubs front	Formula Team Disc 28 H	Shimano WH RS11-A	Formula Team Disc 28 H
Hubs rear	Formula Team Disc 28 H	Shimano WH RS11-A	Formula Team Disc 28 H
Chain	Shimano CN-HG601-11	Shimano CN-HG601-11	KMC X10
Cassette	Shimano 105 CS-5800 11-32	Shimano 105 CS-5800 11-32	Shimano CS-HG500 10 Speed 11-32
Spokes	HTI - Standard Black 2mm	Shimano WH-RS11-A	14G Stainless Black 2mm
Rims	Syncros Road Disc 28 Front / 28 Rear	Shimano WH-RS11-A 16 Front / 20 Rear	Syncros Road Disc 28 Front / 28 Rear
Tires	Continental Grand Sport Race Fold 700x28C	Continental Grand Sport Race Fold 700x25C	Continental Grand Sport Race Fold 700x28C

	CR1 10	CR1 20	CR1 30
<i>new for MY17</i>			
Frame	CR1 Carbon / IMP Carbon technology / Road Comfort geometry / INT BB	CR1 Carbon / IMP Carbon technology / Road Comfort geometry / INT BB	CR1 Carbon / IMP Carbon technology / Road Comfort geometry / STD BB
Travel			
Fork	CR1 Carbon 1 1/8" Carbon steerer Alloy Dropout	CR1 Carbon 1 1/8" Carbon steerer Alloy Dropout	CR1 Carbon 1 1/8" Carbon steerer Alloy Dropout
Rear Shock			
E.Drive System			
Remote System			
Headset	Syncros Int. Cartridge	Syncros Int. Cartridge	Syncros Int. Cartridge
Rear Derailleur	Shimano Ultegra RD-6800-GS 22 Speed	Shimano 105 Black RD-5800-GS 22 Speed	Shimano Sora RD-R3000-GS 27 Speed
Front Derailleur	Shimano 105 Black FD-5800	Shimano 105 Black FD-5800	Shimano SORA FD-R3000
Shifters	Shimano Ultegra ST-6800 Carbon Dual control 22 Speed	Shimano 105 Black ST-5800 Dual control 22 Speed	Shimano Sora SORA ST-R3000 Dual control 18 Speed
Brake levers			
Brakes	Shimano BR-R561 Black Super SLR Dual pivot	Shimano BR-R561 Black Super SLR Dual pivot	Shimano SORA BR-R3000 Super SLR Dual pivot
Crankset	Shimano FC-RS500 Black Hyperdrive 50x34 T	Shimano FC-RS500 Black Hyperdrive 50x34 T	Shimano FC-R345 Compact Octalink 50x34 T
BB-Set	Shimano BB-RS500-PB	Shimano BB-RS500-PB	Shimano Octalink BB-ES300A1
Handlebar	Syncros RR2.0 Ergonomic 31.8mm	Syncros RR2.0 Ergonomic 31.8mm	Syncros RR2.0 Ergonomic 31.8mm
H'stem	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm
Pedal			
Seatpost	Syncros RR1.4 Carbon/AL 31.6/300mm	Syncros RR1.4 Carbon/AL 31.6/300mm	Syncros RR2.5 31.6/300mm
Seat	Syncros FL2.5	Syncros FL2.5	Syncros FL2.5
Hubs front	Shimano WH-RS11-A	Formula Team 24 H	Formula Team 24 H
Hubs rear	Shimano WH-RS11-A	Formula Team 28 H	Formula Team 28 H
Chain	KMC X11	KMC X11	KMC X9
Cassette	Shimano 105 CS-5800 11 Speed 11-32 T	Shimano 105 CS-5800 11 Speed 11-32 T	Shimano HG400-9 9 Speed 11-32T
Spokes	Shimano WH-RS11-A	14G StainlessBlack 2mm	14G StainlessBlack 2mm
Rims	Shimano WH-RS11-A 16 Front / 20 Rear	Syncros Race 22 24 Front / 28 Rear	Syncros Race 22 24 Front / 28 Rear
Tires	Continental Ultra Sport 700x23C	Continental Ultra Sport 700x23C	Continental Ultra Sport 700x23C

	Speedster 10 Disc	Speedster 10	Speedster 10 FB	Speedster 20 Disc	Speedster 20	Speedster 30
new for MY17						
Frame	Speedster Disc / D.Buttet 6061 Alloy Road geometry / Integrated Headtube	Speedster Aero / D.Buttet 6061 Alloy Road geometry / Integrated Headtube	Speedster Aero / D.Buttet 6061 Alloy Road geometry / Integrated Headtube	Speedster Disc / D.Buttet 6061 Alloy Road geometry / Integrated Headtube	Speedster Aero / D.Buttet 6061 Alloy Road geometry / Integrated Headtube	Speedster Aero / D.Buttet 6061 Alloy Road geometry / Integrated Headtube
Travel						
Fork	Speedster Disc Carbon 1 1/8" carbon steerer	Speedster Carbon 1 1/8" carbon steerer	Speedster Carbon 1 1/8" carbon steerer	Speedster Disc Carbon 1 1/8" carbon steerer	Speedster Carbon 1 1/8" carbon steerer	Speedster Carbon 1 1/8" carbon steerer
Rear Shock						
E.Drive System						
Remote System						
Headset	Integrated Steel Cup	Integrated Steel Cup	Integrated Steel Cup	Integrated Steel Cup	Integrated Steel Cup	Integrated Steel Cup
Rear Derailleur	Shimano 105 Black RD-5800-GS 22 Speed	Shimano 105 Black RD-5800-GS 22 Speed	Shimano Tiagra RD-4700-GS 30 Speed	Shimano Tiagra RD-4700-GS 20 Speed	Shimano Tiagra RD-4700-GS 20 Speed	Shimano Sora RD-R3000-GS 18 Speed
Front Derailleur	Shimano 105 Black FD-5800	Shimano 105 Black FD-5800	Shimano Tiagra FD-4703	Shimano Tiagra FD-4700	Shimano Tiagra FD-4700	Shimano Sora FD-R3000
Shifters	Shimano ST-RS505 Dual control 22 Speed	Shimano 105 Black ST-5800 Dual control 22 Speed	Shimano Tiagra SL-4703-L Shimano Tiagra SL4700-R	Shimano Tiagra ST-4700 Dual control 20 Speed	Shimano Tiagra ST-4700 Dual control 20 Speed	Shimano Sora ST-R3000 Dual control 18 Speed
Brake levers			Shimano Tiagra BL-4700			
Brakes	Shimano BR-RS505 Hyd Disc160/F and 160/R mm SM-RT68 CL Rotor	Tektro SCBR-525 Catridge Pads	Tektro SCBR-525 Catridge Pads	Shimano BR-RS305 Black Mech. Disc160/F and 160/R mm SM-RT54 Rotor	Tektro SCBR-525 Catridge Pads	Tektro SCBR-525 Catridge Pads
Crankset	Shimano FC-RS500 Black Hyperdrive 34x50 T	Shimano FC-RS500 Black Hyperdrive 34x50 T	Shimano FC-R563 Black Hyper drive 50x39x30 T	Shimano Tiagra Compact FC-4700 Hyperdrive 50x34 T	Shimano Tiagra Compact FC-4700 Hyperdrive 50x34 T	Shimano Compact FC-R345 Octalink 50x34 T
BB-Set	Shimano BB-RS500	Shimano BB-RS500	Shimano BB-RS500	Shimano BB-RS500	Shimano BB-RS500	Shimano Octalink BB-ES300A1
Handlebar	Syncros RR2.0 Ergonomic 31.8mm	Syncros RR2.0 Ergonomic 31.8mm	JD-MTB01A Flat-Bar 580mm	Syncros RR2.0 Ergonomic 31.8mm	Syncros RR2.0 Ergonomic 31.8mm	Syncros RR2.0 Ergonomic 31.8mm
H'stem	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	JD ST92A Alloy 1 1/8" / four Bolt 31.8mm	JD ST92A Alloy 1 1/8" / four Bolt 31.8mm	JD ST92A Alloy 1 1/8" / four Bolt 31.8mm
Pedal						
Seatpost	Syncros RR1.4 Carbon/AL 31.6mm	Syncros RR1.4 Carbon/AL 31.6mm	Syncros RR1.4 Carbon/AL 31.6mm	Syncros RR2.5 31.6/300mm	Syncros RR2.5 31.6/300mm	Syncros RR2.5 31.6/300mm
Seat	Syncros FL2.5	Syncros FL2.5	Syncros FL2.5	Syncros FL2.5	Syncros FL2.5	Syncros FL2.5
Hubs front	Formula Team CL Disc 28 H	Formula Team 24 H	Formula Team 24 H	Formula Team CL Disc 28 H	Formula Team 24 H	Formula Comp 24 H
Hubs rear	Formula Team CL Disc 28 H	Formula Team 28 H	Formula Team 28 H	Formula Team CL Disc 28 H	Formula Team 28 H	Formula Comp 28 H
Chain	KMC X11	KMC X11	KMC X10	KMC X10	KMC X10	KMC X9
Cassette	Shimano 105 CS-5800 11 Speed 11-32 T	Shimano 105 CS-5800 11 Speed 11-32 T	Shimano CS-HG500 10 Speed 11-32 T	Shimano CS-HG500 10 Speed 11-32 T	Shimano CS-HG500 10 Speed 11-32 T	Shimano CS-HG50 9 Speed 11-30 T
Spokes	HTI - Standard Black 2mm	HTI - Standard Black 2mm	HTI - Standard Black 2mm	HTI - Standard Black 2mm	HTI - Standard Black 2mm	HTI - Standard Black 2mm
Rims	Syncros Race 22 Disc 28 Front / 28 Rear	Syncros Race 22 24 Front / 28 Rear	Syncros Race 22 24 Front / 28 Rear	Syncros Race 22 Disc 28 Front / 28 Rear	Syncros Race 22 24 Front / 28 Rear	Syncros Race 22 24 Front / 28 Rear
Tires	Schwalbe Lugano 700x28C	Kenda Kontender 700x25C	Kenda Kontender 700x25C	Schwalbe Lugano 700x28C	Kenda Kontender 700x25C	Kenda Kontender 700x25C

	Speedster 40 (CD 16)	Speedster 40 (24)	Speedster 40 FB (24)	Speedster 50
new for MY17				
Frame	Speedster Aero / D.Buttet 6061 Alloy Road geometry / Integrated Headtube	Speedster Aero / D.Buttet 6061 Alloy Road geometry / Integrated Headtube	Speedster Aero / D.Buttet 6061 Alloy Road geometry / Integrated Headtube	Speedster Aero / Butted 6061 Alloy Road geometry / Integrated Headtube
Travel				
Fork	Speedster Alloy 1 1/8" Alloy steerer	Speedster Alloy 1 1/8" Alloy steerer	Speedster Alloy 1 1/8" Alloy steerer	Speedster Alloy 1 1/8" Alloy steerer
Rear Shock				
E.Drive System				
Remote System				
Headset	<i>Integrated Steel Cup</i>	<i>Integrated Steel Cup</i>	<i>Integrated Steel Cup</i>	<i>Integrated Steel Cup</i>
Rear Derailleur	Shimano Claris RD-2400-SS 16 Speed	Shimano Claris RD-2400-GS 16 Speed	Shimano Claris RD-2400-GS 24 Speed	Shimano RD-A070 14 Speed
Front Derailleur	Shimano Claris FD-2400	Shimano Claris FD-2403	Shimano Claris FD-2403	Shimano FD-A070
Shifters	Shimano Claris ST-2400 Dual control 16 Speed	Shimano Claris ST-2403 Dual control 24 Speed	Shimano Claris ST-R243-L Shimano Claris ST-R240-R	Shimano ST-A070 Dual control 14 Speed
Brake levers				
Brakes	Tektro Comp SCBR-312 39-51mm	Tektro Comp SCBR-312 39-51mm	Tektro Comp SCBR-312 39-51mm	Tektro Comp SCBR-312 39-51mm
Crankset	Shimano Claris FC-2450 Black 50x34 T	Shimano Claris FC-2403 Black 50x39x30 T	Shimano Claris FC-2403 Black 50x39x30 T	Shimano FC-RS200 Compact 50x34 T
BB-Set	Shimano Octalink BB-ES300A1	Shimano Octalink BB-ES300A1	Shimano Octalink BB-ES300A1	Shimano Octalink BB-UN26
Handlebar	Syncros RR2.0 Ergonomic 31.8mm	Syncros RR2.0 Ergonomic 31.8mm	JD-MTB01A Flat-Bar 580mm	Syncros RR2.0 Ergonomic 31.8mm
H'stem	JD ST92A Alloy 1 1/8" / four Bolt 31.8mm	JD ST92A Alloy 1 1/8" / four Bolt 31.8mm	JD ST92A Alloy 1 1/8" / four Bolt 31.8mm	JD ST92A Alloy 1 1/8" / four Bolt 31.8mm
Pedal				
Seatpost	Syncros RR2.5 31.6/300mm	Syncros RR2.5 31.6/300mm	Syncros RR2.5 31.6/300mm	Syncros RR2.5 27.2 /300mm
Seat	Syncros FL2.5	Syncros FL2.5	Syncros FL2.5	Syncros FL2.5
Hubs front	Formula Comp 24 H	Formula Comp 24 H	Formula Comp 24 H	Formula Comp 24 H
Hubs rear	Formula Comp 28 H	Formula Comp 28 H	Formula Comp 28 H	Formula Comp 28 H
Chain	Shimano CN-HG40	Shimano CN-HG40	Shimano CN-HG40	KMC Z-50
Cassette	Shimano CS-HG50 8 Speed 11-30 T	Shimano CS-HG50 8 Speed 11-30 T	Shimano CS-HG50 8 Speed 11-30 T	Shimano CS-HG41 7 Speed 11-28 T
Spokes	HTI - Standard Black 2mm	HTI - Standard Black 2mm	HTI - Standard Black 2mm	HTI - Standard Black 2mm
Rims	Syncros Race 22 24 Front / 28 Rear	Syncros Race 22 24 Front / 28 Rear	Syncros Race 22 24 Front / 28 Rear	Syncros Race 22 24 Front / 28 Rear
Tires	Kenda Kontender 700x25C	Kenda Kontender 700x25C	Kenda Kontender 700x25C	Kenda Kontender 700x25C



GRAVEL

	Addict Gravel 10 disc	Addict Gravel 20 disc	Speedster Gravel 10	Speedster Gravel 20
new for MY17				
Frame	Addict Gravel Disc HMX / IMP Carbon technology Gravel Race geometry / Replaceable Dropout	Addict Gravel Disc HMF / IMP Carbon technology Gravel Race geometry / Replaceable Dropout	Speedster Gravel Disc / D.Buttet 6061 Alloy Gravel Race geometry / Integrated Headtube	Speedster Gravel Disc / D.Buttet 6061 Alloy Gravel Race geometry / Integrated Headtube
Travel				
Fork	Addict Gravel HMX Flatmount Disc 1 1/8" - 1 1/4" tapered Carbon steerer Alloy Dropout	Addict Gravel HMF Flatmount Disc 1 1/8" - 1 1/4" tapered Carbon steerer Alloy Dropout	Speedster Carbon/Alloy Disc 1 1/8" Alloy steerer	Speedster Carbon/Alloy Disc 1 1/8" Alloy steerer
Rear Shock				
E.Drive System				
Remote System				
Headset	Syncros Integrated	Syncros Integrated	Integrated Steel Cup	Integrated Steel Cup
Rear Derailleur	Sram Force 1 11Speed long cage	Shimano Ultegra RD-6800-GS 22 Speed	Shimano Ultegra RD-6800-GS 22 Speed	Shimano Tiagra RD-4700-GS 20 Speed
Front Derailleur		Shimano Ultegra FD-6800	Shimano 105 Black FD-5800	Shimano Tiagra FD-4700
Shifters	Sram Force 1 Hydraulic Disc 11 Speed	Shimano ST-RS685 Disc Dual control 22 Speed	Shimano ST-RS505 Disc Dual control 22 Speed	Shimano Tiagra ST-4700 Dual control 20 Speed
Brake levers				
Brakes	Sram Force 1 Hydraulic Disc 160/F and 160/R mm Centerline Rotor	Shimano BR-RS805 Hyd Disc 160/F and 160/Rmm SM-RT99 CL Rotor	Shimano BR-RS505 Hyd Disc160/F and 160/R mm SM-RT68 Rotor	Shimano BR-RS305 Black Mech. Disc160/F and 160/R mm SM-RT54 Rotor
Crankset	Sram Force 1 44T	Shimano Ultegra FC-6800 Hollowtech II 50x34 T	Shimano FC-RS500 Black Hyperdrive 50x34 T	Shimano FC-4700 Black Hyperdrive 50x34 T
BB-Set	Sram PF86 GXP	Ultegra SM-BB72-41	Shimano BB - RS500	Shimano BB-RS500
Handlebar	Syncros GR1.0 Carbon Gravel 31.8mm	Syncros GR2.0Alloy Gravel 31.8mm	Syncros GR2.0 Ergonomic outsweep 31.8mm	Syncros GR2.0 Ergonomic outsweep 31.8mm
H'stem	Syncros RR1.5 1 1/8" / four Bolt 31.8mm	Syncros RR1.5 1 1/8" / four Bolt 31.8mm	Syncros FL2.0 1 1/8" / four Bolt 31.8mm	JD ST92A Alloy 1 1/8" / four Bolt 31.8mm
Pedal				
Seatpost	Syncros Carbon FL1.0 27.2/350mm	Syncros Carbon FL1.0 27.2/350mm	Syncros R1.4 Carbon/AL 31.6mm	Syncros RR2.5 31.6/300mm
Seat	Syncros FL1.0	Syncros FL2.0	Syncros FL2.5	Syncros FL2.5
Hubs front	Syncros RT1.0 Disc	Syncros RP2.0 Disc	Formula Team CL Disc 28 H	Formula Team CL Disc 28 H
Hubs rear	Syncros RT1.0 Disc	Syncros RP2.0 Disc	Formula Team CL Disc 28 H	Formula Team CL Disc 28 H
Chain	Sram PC 1170	Shimano 105 CN-HG601-11	KMC X11	KMC X10
Cassette	Sram XG 1195 10-42	Shimano 105 CS-5800 11-32	Shimano 105 CS-5800 11 Speed 11-32 T	Shimano CS-HG500 10 Speed 11-32 T
Spokes	Syncros RT1.0 Disc	Syncros RP2.0	HTI - Standard Black 2mm	HTI - Standard Black 2mm
Rims	Syncros RT1.0 Carbon Disc 24 Front / 24 Rear	Syncros RP2.0 Disc 28 Front / 28 Rear	Syncros Race 22 Disc 28 Front / 28 Rear	Syncros Race 22 Disc 28 Front / 28 Rear
Tires	Schwalbe G-ONE FOLD 700x35C	Schwalbe G-ONE FOLD 700x35C	Schwalbe G-One Performance 700x35C	Schwalbe G-One Performance 700x35C

	Addict CX 10 disc	Addict CX 20 disc	Speedster CX 10 disc	Speedster CX 20 disc
new for MY17				
Frame	Addict CX HMX Disc / IMP Carbon technology / CX Race geometry / Replaceable Dropout	Addict CX HMF Disc / IMP Carbon technology / CX Race geometry / Replaceable Dropout	Speedster CX Disc / D.Buttet 6061 Alloy / CX geometry / Integrated Headtube	Speedster CX Disc / D.Buttet 6061 Alloy / CX geometry / Integrated Headtube
Travel				
Fork	Addict HMX Disc 1 1/8" - 1 1/4" tapered Carbon steerer Alloy Dropout	Addict HMF Disc 1 1/8" - 1 1/4" tapered Carbon steerer Alloy Dropout	Speedster Carbon/Alloy Disc 1 1/8" Alloy steerer	Speedster Carbon/Alloy Disc 1 1/8" Alloy steerer
Rear Shock				
E.Drive System				
Remote System				
Headset	Integrated Cartridge	Integrated Cartridge	Integrated Cartridge	Integrated Cartridge
Rear Derailleur	Sram Force 1 11Speed Mid cage	Shimano 105 RD-5800-GS 22 Speed	Shimano Ultegra RD-6800-GS 22 Speed	Shimano Tiagra RD-4700-GS 20 Speed
Front Derailleur		Shimano 105 Black FD-5800	Shimano 105 Black FD-5800	Shimano Tiagra FD-4700
Shifters	Sram Force 1 Hydraulic Disc 11 Speed	Shimano ST-RS505 Disc Dual control 22 Speed	Shimano ST-RS505 Disc Dual control 22 Speed	Shimano Tiagra ST-4700 Dual control 20 Speed
Brake levers				
Brakes	Sram Force 1 Hydraulic Disc 160/F and 160/R mm Centerline Rotor	Shimano BR-RS505 Hyd Disc 160/F and 160/R mm SM-RT70 CL Rotor	Shimano BR-RS505 Hyd Disc 160/F and 160/R mm SM-RT56 Rotor	Shimano BR-R317 Black Mech. Disc 160/F and 160/R mm SM-RT56 Rotor
Crankset	Sram Force 1 42 T	Shimano FC-RS500 Black Hyperdrive 36x46 T	Shimano FC-RS500 Black Hyperdrive 36x46 T	Shimano FC-R460 Black Hyperdrive 34x46 T
BB-Set	Sram PF86 GXP	Shimano BB-RS500-PB	Shimano BB-RS500	Shimano BB-RS500
Handlebar	Syncros RR1.0 Carbon Anatomic 31.8mm Oversize	Syncros RR2.0 Anatomic 31.8mm	Syncros RR2.0 Anatomic 31.8mm	Syncros RR2.0 Anatomic 31.8mm
H'stem	Syncros FL1.0 Carbon 1 1/8" / four Bolt 31.8mm	Syncros FL2.0 1 1/8" / four Bolt 31.8mm	Syncros FL2.0 1 1/8" / four Bolt 31.8mm	Syncros FL2.0 1 1/8" / four Bolt 31.8mm
Pedal				
Seatpost	Syncros Carbon FL1.0 27.2/350mm	Syncros Carbon RR1.2 27.2/350mm	Syncros R1.4 Carbon/AL 31.6mm	Syncros RR2.5 31.6/300mm
Seat	Syncros FL1.0	Syncros FL2.0	Syncros FL2.5	Syncros FL2.5
Hubs front	Syncros RP1.0 Disc	Syncros RP2.0 Disc	Formula Team 28 H	Formula Team 28 H
Hubs rear	Syncros RP1.0 Disc	Syncros RP2.0 Disc	Formula Team 28 H	Formula Team 28 H
Chain	Sram PC-1170	Shimano CN-HG600	KMC X11	KMC X10
Cassette	Sram PG 1170 11-36	Shimano 105 CS-5800 11-32 T	Shimano 105 CS-5800 11-32 T	Shimano HG-500 11-32 T
Spokes	Syncros RP1.0 Disc	Syncros RP2.0 Disc	HTI - Standard Black 2mm	HTI - Standard Black 2mm
Rims	Syncros RP1.0 Carbon Disc Front / Rear	Syncros RP2.0 Disc 28 Front / 28 Rear	Syncros Race 22 Disc 28 Front / 28 Rear	Syncros Race 22 Disc 28 Front / 28 Rear
Tires	Continental Cyclocross Race Fold 700x35C	Continental Cyclocross xKing wire 700x35C	Kenda Kwick 700x35C	Kenda Kwick 700x35C

	Contessa Scale RC 700	Contessa Scale 700/900	Contessa Scale 710 / 910	Contessa Scale 720 / 920
new for MY17	NEW MODEL Rock Shox SID Fork Removable RWS with Tool Sram X01/X1 1x12 EVO Tubes Syncros Grips	NEW MODEL FOX 32 SC Fork Shimano XT 22 Speed Syncros Stem EVO Tubes Syncros Grips	New top tube bend Tapered Headtube Women's Comfort Grips	New top tube bend Women's Comfort Grips
Frame	Scale RC Carbon / IMP technology / HMX 1x optimized / BB92 / SW dropouts for Boost 148x12mm SDS2 advanced Shock & Standing Damping System custom Chainguide	Scale 3 Carbon / IMP technology / HMF BB92 / SW DM dropouts for Boost 148x12mm SDS2 advanced Shock & Standing Damping System ICCR Cable routing	Contessa Race 700/900 series 6061 Alloy DB / tapered Headtube internal cable routing / Solution geometry sporty bended top tube	Contessa Race 700/900 series 6061 Alloy D.B. / internal cable routing Solution geometry, sporty bended top tube
Travel				
Fork	Rock Shox SID RL Air Motion Control DNA / 15x110mm Maxle Stealth Tapered steerer / Lockout / Reb. Adj. 100mm travel	FOX 32 SC Float Performance Elite Air FIT4 3-Modes with low speed adj. / 15x110mm QR axle tapered steerer / Lockout / Reb. Adj. 100mm travel	FOX 32 Float Performance Air FIT4 3-Modes / Alloy tapered steerer Reb. Adj. / 100mm travel	Rock Shox 30 Silver TK Solo Air / Alloy steerer PopLoc Lockout / Reb. Adj. 100mm travel
Rear Shock				
E.Drive System				
Remote System	Rock Shox OneLoc Remote	SCOTT RideLoc Remote Technology 3 modes / integ. clamp	SCOTT RideLoc Remote Technology 3 modes, integ. Grip clamp	Rock Shox PopLoc lever
Headset	Syncros FL1.5 Drop in / Tapered 1.5" - 1 1/8" Ti bearing diameter size 42mm and 52mm	Syncros FL2.0 Drop in / Tapered 1.5" - 1 1/8" bearing diameter size 42mm and 52mm	GW 1SH110T043003 OE integ. Tapered	GW 1SI110 OE integ.
Rear Derailleur	Sram X01 / Eagle 12 Speed	Shimano XT RD-M8000 SGS DM / Shadow Plus / 22 Speed	Shimano XT RD-M781-SGS Shadow Type / 20 Speed	Shimano XT RD-M781-SGS Shadow Type / 30 Speed
Front Derailleur	SCOTT Chainguide	Shimano XT FD-M8020-D / side swing	Shimano Deore FD-M618 / 31.8mm	Shimano Deore FD-M610 / 31.8mm
Shifters	Sram X01 Eagle Trigger	Shimano XT SL-M8000-I Rapidfire Plus / 2 way release Ispec 2 clamp	Shimano SLX SL-M670 Rapidfire plus / 2 way release w/gear indicator	Shimano Deore SL-M610 Rapidfire plus / 2 way release w/gear indicator
Brake levers	Shimano XTR BL-M9000	Shimano XT BL-M8000	Shimano BL-M425	Shimano BL-M365
Brakes	Shimano XTR M9000 Disc 180/F and 160/Rmm SM-RT81 CL Ictech Rotor	Shimano XT M8000 Disc 180/F and 160/Rmm SM-RT64 CL Rotor	Shimano BR-M395 / Hydr. Disc SM-RT54 CL Rotor / 180F/160R	Shimano BR-M365 / Hydr. Disc SM-RT10 CL Rotor / 180F/160R
Crankset	Sram X1 Eagle GXP Boost PF Carbon crankarm QF 168 / 32T	Shimano XT FC-M8000-B2 / Hollowtech II 700 Series: 36x26 T / 900 Series: 34x24 T	Shimano FC-M627 2-piece Design 700 Series: 38x24T / 900 Series: 36x22T	Shimano FC-M622 2-piece Design / 40x30x22
BB-Set	Sram GXP PF integrated / shell 41x92mm	Shimano SM-BB7141A / shell 41x92mm	Shimano SM-BB52 / 68mm shell	Shimano SM-BB52 / 68mm shell
Handlebar	Syncros FL1.0 SL Carbon T-Bar T shape flat / 9° / 700mm Syncros Women Pro Lock-On	Syncros FL1.5 T-Bar / Alloy 7050 D.B. T shape Flat / 9° / 700mm Syncros Women Pro Lock-On	Syncros M3.0 / 680mm black / 31,8mm / 12mm rise / 9° BS Grips Syncros Women Comfort, Lock-On	Syncros M3.0 / 680mm black / 31,8mm / 12mm rise / 9° BS Grips Syncros Women Comfort
H'stem	Syncros FL1.5 -6° integrated Spacer & Top Cup / 2014 Alloy / 31.8mm / 1 1/8" Garmin mount	Syncros 700 Series: FL1.5 +6° 900 Series: XR1.5 -8° integrated Spacer & Top Cup / 2014 Alloy / 31.8mm / 1 1/8"	Syncros M3.0 7° / FlipFlop / Black	Syncros M3.0 7° / FlipFlop / Black
Pedal			Wellgo M-248DU	Wellgo M-248DU
Seatpost	Syncros FL1.0 Carbon 10mm offset / 31.6mm	Syncros FL1.5 / 10mm offset 31.6mm	Syncros M3.0 27.2mm / 350mm / Black	Syncros M3.0 27.2mm / 350mm / Black
Seat	Syncros XR 1.5 Women / Ti Rails	Syncros XR 1.5 Women / Ti Rails	Syncros XR 2.5 Women	Syncros XR 2.5 Women
Hub front	Syncros XR RC CL / 15x110mm made by DT Swiss	Syncros XR2.0 CL / 15x110mm made by DT Swiss	Formula CL51	Formula CL51
Hub rear	Syncros XR RC CL / Boost 148x12mm RWS w/removable Lever / XD made by DT Swiss	Syncros XR2.0 CL / Boost 148x12mm RWS axle made by DT Swiss	Shimano FH-M4050-CL	Shimano FH-M3050-CL
Chain	Sram PCX01 Eagle	Shimano CN-HG601-11	KMC X10	KMC X10
Cassette	Sram X01 / XG1295 / 10-50 T	Shimano XT CS-M8000 / 11-42 T	Shimano CS-HG50-10 / 11-36T	Shimano CS-HG50-10 / 11-36T
Spokes	DT Swiss Aero Comp	DT Swiss Competition 2.0-1.8-2.0 Black	15 G / stainless / black	14 G / stainless / black
Rims	Syncros XR RC 28H / Tubeless ready	Syncros XR2.0 28H / Tubeless ready	Syncros X-20 Disc 32H / black	Syncros X-20 Disc 32H / black
Tires	Schwalbe Rocket Ron EVO / 2.25 127EPI Kevlar Bead / Tubeless Easy PaceStar compound / Schwalbe EVO Tubes	Schwalbe Rocket Ron EVO / 2.25 127EPI Kevlar Bead / Tubeless Easy PaceStar compound / Schwalbe EVO Tubes	Kenda Slant 6 2.1 / 60TPI	Kenda Slant 6 2.1 / 30TPI

	Contessa Scale 730/930	Contessa Scale 740 / 940
new for MY17	New top tube bend Women's Comfort Grips	New top tube bend Women's Comfort Grips
Frame	Contessa Race 700/900 series 6061 Alloy D.B. / internal cable routing Solution geometry, sporty bended top tube	Contessa Race 700/900 series 6061 Alloy D.B. / internal cable routing Solution geometry, sporty bended top tube
Travel		
Fork	Suntour XCR-RL-R Remote Lockout / Reb. Adj. 100mm travel	Suntour XCR-RL-R Remote Lockout / Reb. Adj. 100mm travel
Rear Shock		
E.Drive System		
Remote System	Suntour Remote Lockout	Suntour Remote Lockout
Headset	GW 1SI110 OE integ.	GW 1SI110 OE integ.
Rear Derailleur	Shimano Deore RD-M610-SGS Shadow Type / 30 Speed	Shimano Deore RD-M592 27 Speed
Front Derailleur	Shimano Deore FD-M610 / 31.8mm	Shimano FD-M3000 / 31.8mm
Shifters	Shimano Deore SL-M610 Rapidfire plus / 2 way release w/gear indicator	Shimano SL-M370-9R R-fire plus
Brake levers	Shimano BL-M315	Shimano BL-M315
Brakes	Shimano BR-M315 / Hydr. Disc SM-RT10 CL Rotor / 180F/160R	Shimano BR-M315 / Hydr. Disc SM-RT10 CL Rotor / 180F/160R
Crankset	Shimano FC-M5000 2-piece Design / 40x30x22	Shimano FC-M4000 / 40x30x22
BB-Set	Shimano SM-BB52 / 68mm shell	Shimano BB-ES-300 Cartridge Type
Handlebar	Syncros M3.0 / 680mm black / 31,8mm / 12mm rise / 9° BS Grips Syncros Women Comfort	Syncros M3.0 / 680mm black / 31,8mm / 12mm rise / 9° BS Grips Syncros Women Comfort
H'stem	Syncros M3.0 7° / FlipFlop / Black	Syncros M3.0 7° / FlipFlop / Black
Pedal	Wellgo M-248DU	Wellgo M-248DU
Seatpost	Syncros M3.0 27.2mm / 350mm / Black	Syncros M3.0 27.2mm / 350mm / Black
Seat	Syncros XR 2.5 Women	Syncros XR 2.5 Women
Hub front	Formula CL51	Shimano HB TX505
Hub rear	Shimano FH-RM35-CL	Shimano FH-TX5058
Chain	KMC X10	KMC X9
Cassette	Shimano CS-HG50-10 / 11-36T	Shimano CS-HG200-9 / 11-34T
Spokes	14 G / stainless / black	14 G / stainless / black
Rims	Syncros X-20 Disc 32H / black	Syncros X-20 Disc 32H / black
Tires	Kenda Slant 6 2.1 / 30TPI	Kenda Slant 6 2.1 / 30TPI

CONTESSA SCALE 700 PLUS

	Contessa Scale 710 Plus
new for MY17	NEW MODEL Geometry with slacker HA RS Recon Fork Rim X35 Tubeless Ready Grips Women Pro
Frame	Scale 700 PLUS Alloy Custom Butted Superlight Tubing / Tapered HT BB92 / 3.0" Tire clearance / Full Internal Cable Routing IDS SL DM dropouts for 148x12mm Boost
Travel	
Fork	Rock Shox Recon Silver RL Solo Air 15x110mm QR axle / Tapered Steerer / Reb. Adj. Remote Lockout / 120mm travel
Rear Shock	
E.Drive System	Syncros Comp Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm
Remote System	Rock Shox OneLoc
Headset	Syncros Comp Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm
Rear Derailleur	Shimano XT RD-M781 SGS DM /Shadow Type / 20 Speed
Front Derailleur	Shimano Deore FD-M618-E
Shifters	Shimano SLX SL-M7000-10 / Rapidfire plus 2 way release / w/gear indicator
Brake levers	
Brakes	Shimano M425 Disc 180/F and 160/Rmm SM-RT54 CL Rotor
Crankset	Shimano FC-M627-B2 / 2-piece Design 36x22 T
BB-Set	Shimano BB-MT500-PA / shell 41x89.5mm
Handlebar	Syncros FL2.0 mini Riser / Alloy 6061D.B. 12mm rise / 9° / 720mm Grips Syncros Women Pro
H'stem	Syncros FL2.0 / 6061 Alloy 6° / integrated Top Cup / 31.8mm / 1 1/8"
Pedal	
Seatpost	Syncros Dropper 2.5 / YSP15 ICR / Remote 31.6mm / 120mm
Seat	Syncros XM2.5 Women
Hub front	Shimano HB-M618-B CL / 15x110mm
Hub rear	Shimano FH-M618-B CL / Boost 12x148mm RWS axle
Chain	KMC X10
Cassette	Shimano CS-HG50-10 /11-36 T
Spokes	Stainless Black 15G / 1.8mm
Rims	Syncros X-35 / 27.5" / Tubeless Ready 35mm wide / 32H / Sleeve Joint
Tires	Maxxis Rekon / 2.80 x 27.5 / 120TPI Kevlar Bead EXO / TR Tubeless ready Front: 3C Maxx Terra / Rear: 3C Maxx Speed

	Contessa Spark RC 700	Contessa Spark 700	Contessa Spark 710
new for MY17	NEW MODEL / Carbon Link#FOX 32 SC Fork#Removable RWS with tool#Sram X01/X1 1x12#EVO Tubes#Syncros Women Grips	NEW MODEL / Carbon / Alloy FOX 34 Fork / Nude Trunnion XT 22 Speed Dropper Post Syncros Stem Maxxis Tires / EVO Tubes Syncros Women Grips	NEW MODEL / Carbon / Alloy FOX 34 Fork / Nude Trunnion SLX 22 Speed Dropper Post Syncros Stem Maxxis Tires Syncros Women Grips
Frame	Spark RC Carbon / HMX / IMP technology#1x optimized / BB92 / Carbon SMC Link#Carbon swingarm / SW dropouts for Boost 148x12mm#TBC Trunnion box construction / custom Chainguide	Spark 3 Carbon / IMP technology / HMF Mainframe BB92 / Alloy SL 6011 swingarm SW DM dropouts for Boost 148x12mm TBC Trunnion box construction	Spark 3 Carbon / IMP technology / HMF Mainframe BB92 / Alloy SL 6011 swingarm SW DM dropouts for Boost 148x12mm TBC Trunnion box construction
Travel			
Fork	FOX 32 SC Float Performance Elite Air#FIT4 3-Modes with low speed adj.#Kabolt 15x110mm QR axle#tapered steerer / Lockout / Reb. Adj.#100mm travel	FOX 34 Float Performance Elite Air FIT4 3-Modes with low speed adj. / 15x110mm QR axle tapered steerer / Reb. Adj. / Lockout / 120mm travel	FOX 34 Float Performance Air Grip3 / 3-Modes / 15x110mm QR axle / tapered steerer Reb. Adj. / Lockout / 120mm travel
Rear Shock	FOX NUDE Trunnion#Contessa Custom Tune / w. travel geo adj.#3 modes: Lockout - Traction Control - Descend#DPS / Reb. Adj./ Travel 100 - 70 - Lockout / 165X40mm	FOX NUDE Trunnion Contessa Custom Tune / w. travel geo adj. 3 modes: Lockout - Traction Control -Descend DPS / EVOL / Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm	FOX NUDE Trunnion Contessa Custom Tune / w. travel geo adj. 3 modes: Lockout - Traction Control -Descend DPS / EVOL / Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm
E.Drive System			
Remote System	SCOTT TwinLoc Technology / below Bar Remote#3 modes / integ. Grip clamp	SCOTT TwinLoc Remote Technology 3 modes / integ. Grip clamp	SCOTT TwinLoc Remote Technology 3 modes / integ. Grip clamp
Headset	Syncros FL1.5 Drop in / Tapered 1.5" - 1 1/8" #Ti bearing diameter size 42mm and 52mm	Syncros FL2.0 Drop in / Tapered 1.5" - 1 1/8" bearing diameter size 42mm and 52mm	Syncros Pro Drop in / Tapered 1.5" - 1 1/8" bearing diameter size 42mm and 52mm
Rear Derailleur	Sram X01 / Eagle 12 Speed	Shimano XT RD-M8000 SGS DM / Shadow Plus / 22 Speed	Shimano XT RD-M8000 SGS DM / Shadow Plus / 22 Speed
Front Derailleur	SCOTT Chainguide	Shimano XT FD-M8020-D / side swing	Shimano SLX FD-M7020-11D / side swing
Shifters	Sram X01 Eagle Trigger	Shimano XT SL-M8000-I Rapidfire Plus / 2 way release Ispec 2 clamp	Shimano SLX SL-M7000-11-I Rapidfire Plus / 2 way release Ispec 2 clamp
Brake levers			
Brakes	Shimano XTR M9000 Disc#180/F and 160/Rmm SM-RT81 CL Ictech Rotor	Shimano XT M8000 Disc 180mm F & R / SM-RT64 CL Rotor	Shimano SLX M7000 Disc 180mm F & R / SM-RT64 CL Rotor
Crankset	Sram X1 Eagle GXP Boost PF Carbon crankarm#QF 168 / 32T	Shimano XT FC-M8000-B2 Hollowtech II / 36x26 T	Shimano SLX FC-M7000-11-B2 Hollowtech II / 36x26 T
BB-Set	Sram GXP PF integrated#shell 41x92mm	Shimano SM-BB71-41A shell 41x92mm	Shimano BB-MT500-PA shell 41x92mm
Handlebar	Syncros FL1.0 SL Carbon T-Bar#T shape flat / 9° / 700mm#Syncros Women Pro Lock-On	Syncros FL1.5 T-Bar / Alloy 7050 D.B. T shape Flat / 9° / 720mm Syncros Women Pro Lock-On	Syncros FL1.5 T-Bar / Alloy 7050 D.B. T shape Flat / 9° / 720mm Syncros Women Pro Lock-On
H'stem	Syncros FL1.5#integrated Spacer & Top Cup#Alloy 2014 / 31.8mm / -6° / 1 1/8"#Garmin mount	Syncros FL1.5 integrated Spacer & Top Cup Alloy 2014 / 31.8mm / 6° / 1 1/8"	Syncros FL1.5 integrated Spacer & Top Cup Alloy 2014 / 31.8mm / 6° / 1 1/8"
Pedal			
Seatpost	Syncros FL1.0 Carbon#10mm offset / 31.6mm	FOX Transfer Dropper Remote 31.6mm / size S 100mm / M, L 125mm	FOX Transfer Dropper Remote 31.6mm / size S 100mm / M, L 125mm
Seat	Syncros XR1.5 Women / Ti Rails	Syncros XR1.5 Women / Ti Rails	Syncros XR2.0 Women
Hub front	Syncros XR RC CL / 15x110mm#made by DT Swiss	Syncros XR2.0 CL / 15x110mm made by DT Swiss	Syncros XR2.5 CL / 15x110mm made by DT Swiss
Hub rear	Syncros XR RC CL / Boost 148x12mm#RWS w/removable Lever / XD#made by DT Swiss	Syncros XR2.0 CL / Boost 148x12mm RWS axle / made by DT Swiss	Syncros XR2.5 CL / Boost 148x12mm RWS axle / made by DT Swiss
Chain	Sram PCX01 Eagle	Shimano CN-HG601	KMC X11L
Cassette	Sram X01 / XG1295 / 10-50 T	Shimano XT CS-M8000 / 11-42 T	Shimano SLX CS-M7000 / 11-42 T
Spokes	DT Swiss Aero Comp	DT Swiss Competition 2.0-1.8-2.0 Black	DT Swiss Competition 2.0-1.8-2.0 Black
Rims	Syncros XR RC / 28H / Tubeless ready	Syncros XR2.0 / 28H / Tubeless ready	Syncros XR2.5 28H / Tubeless ready
Tires	Schwalbe Rocket Ron EVO / 2.25#127EPI Kevlar Bead / Tubeless Easy#PaceStar compound / Schwalbe EVO Tubes	Maxxis Forekaster 2.35 / 120TPI Kevlar Bead / TR Tubeless Ready / EXO / 3C maxx speed Schwalbe EVO Tubes	Maxxis Forekaster 2.35 / 120TPI Kevlar Bead TR Tubeless Ready / EXO / 3C maxx speed

	Contessa Spark 720	Contessa Spark 730
new for MY17	NEW MODEL Alloy SL Frame FOX 34 Fork / Nude Trunnion XT 22 Speed Dropper Post Syncros Stem Maxxis Tires	NEW MODEL Alloy SL Frame Recon Fork / X-Fusion NUDE Trunnion SLX-Deore 20 Speed Maxxis Tires
Frame	Spark 3 Alloy SL 6011 custom butted Hydroformed tubes tapered Headtube / BB92 / DM hanger dropouts for 148x12mm	Spark 3 Alloy SL 6011 custom butted Hydroformed tubes tapered Headtube / BB92 / DM hanger dropouts for 141x5mm
Travel		
Fork	FOX 34 Float Performance Air Grip3 / 3-Modes / 15x110mm QR axle / tapered steerer Reb. Adj. / Lockout / 120mm travel	Rock Shox Recon Silver RL Solo Air 15x100mm QR axle / Tapered Steerer Reb. Adj. / Lockout / 120mm travel
Rear Shock	FOX NUDE Trunnion Contessa Custom Tune / w. travel geo adj. 3 modes: Lockout - Traction Control -Descend DPS / EVOL / Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm	X-Fusion NUDE Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm
E.Drive System		
Remote System	SCOTT TwinLoc Remote Technology 3 modes / integ. Grip clamp	SCOTT TwinLoc Remote Technology 3 modes
Headset	Syncros Pro Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros OE Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm
Rear Derailleur	Shimano XT RD-M8000 SGS DM / Shadow Plus / 22 Speed	Shimano SLX RD-M7000-10 SGS Shadow Plus / 20 Speed
Front Derailleur	Shimano XT FD-M8020-D / side swing	Shimano Deore FD-M617-D / side swing
Shifters	Shimano XT SL-M8000-B-I Rapidfire Plus / 2 way release / spec 2 clamp	Shimano Deore SL-M610 Rapidfire Plus / 2 way release w/gear indicator
Brake levers		
Brakes	Shimano M615 Disc 180mm F & R / SM-RT64 CL Rotor	Shimano M365 Disc 180mm F & R / SM-RT30 CL Rotor
Crankset	Shimano XT FC-M8000-B2 Hollowtech II / 36x26 T	Shimano FC-M627-B2 2-piece Design / 36x22 T
BB-Set	Shimano BB-MT500-PA shell 41x92mm	Shimano BB-MT500-PA shell 41x89.5mm
Handlebar	Syncros FL2.0 T-Bar / Alloy 6061 T shape Flat / 9° / 720mm Syncros Women Pro Lock-On	Syncros T-Bar / Alloy 6061 T shape Flat / 9° / 720mm Syncros Women Pro
H'stem	Syncros FL2.0 Alloy 6061 / 6° / integrated Top Cup / 31.8mm / 1 1/8"	Syncros 6061 Alloy oversize 31.8mm / 1 1/8" / 6°
Pedal		Wellgo M-21
Seatpost	FOX Transfer Dropper Remote 31.6mm / size S 100mm / M, L 125mm	Syncros / 31.6mm
Seat	Syncros XR2.0 Women	Syncros XR2.5 Women
Hub front	Shimano HB-M618-B CL / 15x110mm	Formula CL71 / 15x100mm
Hub rear	Shimano FH-M618-B CL / Boost 12x148mm RWS axle	Formula CT1702 / 141x5mm
Chain	KMC X11L	KMC X10
Cassette	Shimano SLX CS-M7000 / 11-42 T	Shimano CS-HG50-10 / 11-36 T
Spokes	DT Swiss Champion Black 1.8mm	Stainless Black 15G / 1.8mm
Rims	Syncros X-23 32H / Tubeless ready	Syncros X-23 32H / Tubeless ready
Tires	Maxxis Forekaster 2.35 / 120TPI Kevlar Bead TR Tubeless Ready / EXO / 3C maxx speed	Maxxis Forekaster 2.35 / 60TPI

	Contessa Spark 710 PLUS	Contessa Spark 720 PLUS
new for MY17	NEW MODEL Frame Plus Carbon / Alloy FOX 34 Fork / Nude Trunnion XT 22 Speed Dropper Post Syncros Stem Maxxis Tires / EVO Tubes	NEW MODEL Alloy SL Frame FOX 34 Float Rhythm / Float Trunnion XT-Deore 20 Speed Maxxis Tires
Frame	Spark Plus Carbon / IMP technology / HMF Mainframe BB92 / Alloy SL 6011 Plus swingarm SW DM dropouts for Boost 148x12mm	Spark Plus Alloy SL 6011 custom butted Hydroformed tubes tapered Headtube / BB92 / DM hanger dropouts for 148x12mm
Travel		
Fork	FOX 34 Float Performance Elite Air FIT4 3-Modes with low speed adj. / 15x110mm QR axle tapered steerer / Reb. Adj. / Lockout / 130mm travel	FOX 34 Float Rhythm Grip3 / 3-Modes / 15x110mm QR axle / tapered steerer Reb. Adj. / Lockout / 130mm travel
Rear Shock	FOX NUDE Trunnion Contessa Custom Tune / w. travel geo adj. 3 modes: Lockout - Traction Control -Descend DPS / EVOL / Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm	FOX Float Trunnion Contessa Custom Tune / w. travel geo adj. 3 modes: Lockout - Traction Control -Descend DPS / Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm
E.Drive System		
Remote System	SCOTT TwinLoc Remote Technology 3 modes / integ. Grip clamp	SCOTT TwinLoc Remote Technology 3 modes / integ. Grip clamp
Headset	Syncros FL2.0 Drop in / Tapered 1.5" - 1 1/8" bearing diameter size 42mm and 52mm	Syncros Pro Drop in / Tapered 1.5" - 1 1/8" bearing diameter size 42mm and 52mm
Rear Derailleur	Shimano XT RD-M8000 SGS DM / Shadow Plus / 22 Speed	Shimano XT RD-M781-L SGS DM / Shadow Plus / 10-Speed
Front Derailleur	Shimano XT FD-M8020-D / side swing	Shimano Deore FD-M617-D / side swing
Shifters	Shimano XT SL-M8000-I Rapidfire Plus / 2 way release I spec 2 clamp	Shimano Deore SL-M610 Rapidfire Plus / 2 way release w/gear indicator
Brake levers		
Brakes	Shimano XT M8000 Disc 180mm F & R / SM-RT64 CL Rotor	Shimano BR-M615 Disc180/F and 160/Rmm SM-RT64 CL Rotor
Crankset	Shimano XT FC-M8000-B2 Hollowtech II / 34x24 T	Shimano XT FC-M8000-2 Hollowtech II / 36x26 T
BB-Set	Shimano SM-BB71-41A shell 41x92mm	Shimano BB-MT500-PA shell 41x89.5mm
Handlebar	Syncros FL1.5 mini Riser / Alloy 7050D.B. 12mm rise / 9° / 740mm Syncros Women Pro Lock-On	Syncros FL2.0 mini Riser / Alloy 7050D.B. 12mm rise / 9° / 740mm Syncros Women Pro Lock-On
H'stem	Syncros FL1.5 / Alloy 2014 integrated Spacer & Top Cup / 31.8mm / 6° / 1 1/8"	Syncros 6061 Alloy oversize 31.8mm / 1 1/8" / 6°
Pedal		
Seatpost	FOX Transfer Dropper Remote 31.6mm / S size 100mm / M, L 150mm	Syncros Dropper 2.0 / YSP12 ICR / Remote 31.6mm / S size 100mm / M, L 120mm
Seat	Syncros XR1.5 Women / Ti Rails	Syncros XR2.5 Women
Hub front	Syncros TR2.0 Plus CL / 15x110mm made by DT Swiss	Shimano HB-M618-B CL / 15x110mm
Hub rear	Syncros TR2.0 Plus CL / Boost 148x12mm RWS axle / made by DT Swiss	Shimano FH-M618-B CL / Boost 12x148mm RWS axle
Chain	Shimano CN-HG601	KMC X10
Cassette	Shimano XT CS-M8000 / 11-42 T	Shimano CS-HG50-10 / 11-36 T
Spokes	DT Swiss Competition 2.0-1.8-2.0 Black	Stainless Black 15G / 1.8mm
Rims	Syncros XR2.0 Plus 28H / 35mm / Tubeless ready	Syncros X35 / 32H / 35mm Tubeless ready
Tires	Maxxis Rekon 2.80 x 27.5 / 120TPI Kevlar Bead EXO / TR Tubeless ready Front: 3C Maxx Terra / Rear: 3C Maxx Speed Schwalbe EVO Tubes SV21FE	Maxxis Rekon 2.80 x 27.5 / 60TPI Kevlar Bead TR Tubeless ready Dual compound

	Contessa Genius 700	Contessa Genius 710
new for MY17	Shimano XT 22 Speed Mini Riser Handle Bar Nobby Nic 2.35" FOX Dropper Post EVO Tubes Syncros Women's Grips	Shimano XT 22 Speed Mini Riser Handle Bar Nobby Nic 2.35" FOX Dropper Post Syncros Women's Grips
Frame	Genius Carbon / IMP / HMF / BB92 / Alloy swingarm with 180PM U-Mono Link / Tapered Headtube IDS SL DM dropouts for 142x12mm BB height adj.	Genius Alloy 6061 custom butted Hydroformed tubes / tapered Headtube BB92 / IDS SL DM dropout for 142x12mm U-Mono Link / rear 180PM BB height adj.
Travel	Front 150mm Rear 150 - 100 - Lockout / Shock 200X57	Front 150mm Rear 150 - 100 - Climb / Shock 200X57
Fork	FOX 34 Float Performance Elite Air FIT4 3-Modes with low speed adj. 15mm QR axle / tapered steerer Lockout / Reb. Adj.	FOX 34 Float Performance Air FIT4 3-Modes w/Adj. 15mm QR axle / tapered steerer Lockout / Reb. Adj.
Rear Shock	FOX Nude / SCOTT custom w. travel / geo adj DPS 3 modes: Lockout - Traction Control - Descend / EVOL / reb. Adj.	FOX Nude / SCOTT custom w. travel / geo adj DPS 3 modes: Lockout - Traction Control - Descend / EVOL / reb. Adj.
E.Drive System		
Remote system	SCOTT TwinLoc Remote Technology 3 modes front and rear / integ. clamp	SCOTT TwinLoc Remote Technology 3 modes front and rear / integ. clamp
Headset	Syncros FL2.0 Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros Pro / Tapered 1.5" - 1 1/8" semi integ. OD 50/61mm / ID 44/55mm
Rear Derailleur	Shimano XT RD-M8000 SGS / DM Shadow Plus / 22 Speed	Shimano XT RD-M8000 SGS / DM Shadow Plus / 22 Speed
Front Derailleur	Shimano XT FD-M8025-E / DM	Shimano XT FD-M8025-E / DM
Shifters	Shimano XT SL-M8000-I Rapidfire Plus / 2 way release / Ispec 2 clamp	Shimano XT SL-M8000-I Rapidfire Plus / 2 way release / Ispec 2 clamp
Brake levers		
Brakes	Shimano XT M8000 Disc 180mm F & R / SM-RT64 CL Rotor	Shimano SLX M7000 Disc 180mm F & R / SM-RT64 CL Rotor
Crankset	Shimano XT FC-M8000-2 Hollowtech 2 36x26 T	Shimano XT FC-M8000-2 Hollowtech 2 36Ax26A T
BB-Set	Shimano SM-BB71-41A shell 41x92mm	Shimano SM-BB71-41A shell 41x92mm
Handlebar	Syncros FL1.5 mini Riser / Alloy 7050D.B. 12mm rise / 9° / 740mm Syncros Women Pro Lock-On	Syncros FL1.5 mini Riser / Alloy 7050D.B. 12mm rise / 9° / 740mm Syncros Women Pro Lock-On
H'stem	Syncros TR1.5 Alloy2014 / 3D forged oversize 31.8mm / 1 1/8" / +6°	Syncros TR1.5 Alloy2014 / 3D forged oversize 31.8mm / 1 1/8" / +6°
Pedal		
Seatpost	FOX Transfer Dropper Remote 31.6mm / S size 100mm / M 125mm / L 150mm	FOX Transfer Dropper Remote 31.6mm / S size 100mm / M, L 150mm
Seat	Syncros FL1.5 Women / Ti Rails	Syncros FL2.0 Women
Hub front	Syncros TR2.0 CL / 15mm made by DT Swiss	Shimano SLX HB-M7010 / 15mm
Hub rear	Syncros TR2.0 CL / 12x142 RWS axle made by DT Swiss	Shimano SLX FH-M7010 Disc CL 142x12mm / DT RWS axle
Chain	Shimano CN-HG601	Shimano CN-HG601
Cassette	Shimano XT CS-M8000 11-42 T	Shimano XT CS-M7000-11-42 T
Spokes	DT Swiss Competition 2.0-1.8-2.0 Black	DT Swiss Competition 2.0-1.8-2.0 Black
Rims	Syncros TR 2.0 28H / Tubeless ready	Syncros X-25 32H / Tubeless ready
Tires	Schwalbe Nobby Nic EVO / 2.35 67EPI Kevlar Bead / Tubeless Easy PaceStar compound / Schwalbe EVO Tubes	Schwalbe Nobby Nic EVO / 2.35 67EPI Kevlar Bead / Tubeless Easy PaceStar compound

	Contessa Genius 710 PLUS
new for MY17	Shimano Shadow Plus Rear Derailleur Syncros Dropper Post Maxxis Syncros Women's Grips
Frame	Genius PLUS Alloy 6061 custom butted Hydroformed tubes / tapered Headtube BB92 / U-Mono Link / rear 180PM IDS SL DM dropout for 148x12mm Boost BB height adj. / Full Internal Cable Routing 130mm rear travel
Travel	Front 140mm Rear 130mm Shock 190x50mm
Fork	FOX 34 Float Performance Air FIT4 3-Modes Boost 15x110mm QR axle / tapered steerer Lockout / Reb. Adj. / 140mm travel
Rear Shock	FOX Float Performance / 3 modes DPS / Lockout - Trail - Descend reb. Adj. / 190x50mm
E.Drive System	
Remote system	SCOTT TwinLoc Remote Technology 3 modes front and rear
Headset	Syncros Comp Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm
Rear Derailleur	Shimano XT RD-M786 SGS / DM Shadow Plus / 20 Speed
Front Derailleur	Shimano Deore FD-M618-E / DM
Shifters	Shimano Deore SL-M610-I / Rapidfire Plus 2 way release / Ispec
Brake levers	
Brakes	Shimano M615 Disc 180mm F & R / SM-RT54 CL Rotor
Crankset	Shimano FC-M627-B2 / 2-piece Design 36x22 T
BB-Set	Shimano BB-MT500-PA shell 41x89.5mm
Handlebar	Syncros FL2.0 mini Riser / Alloy 6061D.B. 12mm rise / 9° / 760mm
H'stem	Syncros TR2.0 6061 / 3D forged / oversize 31.8mm 1 1/8" / +6° angle
Pedal	
Seatpost	Syncros Dropper 2.0 / YSP12 ICR / Remote 31.6mm / S size 100mm / M, L 120mm
Seat	Syncros FL2.0 Women
Hub front	Shimano HB-M618-B CL / 15x110mm
Hub rear	Shimano FH-M618-B CL / Boost 12x148mm RWS axle
Chain	KMC X10
Cassette	Shimano CS-HG50-10 / 11-36 T
Spokes	DT Swiss Champion Black 1.8mm
Rims	Syncros X-35 32H / 35mm / Tubeless ready
Tires	Maxxis Front: Minion DHF 2.80 x 27.5 / 3C Maxx Terra Rear: Rekon 2.80 x 27.5 3C / Maxx Speed 120TPI Kevlar Bead / EXO / TR Tubeless ready

	Contessa 710	Contessa 720	Contessa 730	Contessa 740	Contessa 750
new for MY17	NEW MODEL New saddle New grips	New saddle New grips	New saddle New grips	New saddle New grips SR Suntour XCT Fork	New saddle New grips SR Suntour XCT Fork
Frame	Contessa Active 700 series 6061 Alloy / internal cable routing Solution geometry	Contessa Active 700 series 6061 Alloy / internal cable routing Solution geometry	Contessa Active 700 series 6061 Alloy / internal cable routing Solution geometry	Contessa Active 700 series / 6061 Alloy Solution geometry	Contessa Active 700 series / 6061 Alloy Solution geometry
Travel					
Fork	Suntour XCR-RL-R Remote Lockout / Reb. Adj. 100mm travel	Suntour XCM-HLO Hyd. Lockout / 100mm travel	Suntour XCT-HLO Hyd. Lockout / 100mm travel	Suntour XCT 100mm travel	Suntour XCT 100mm travel
Rear Shock					
E.Drive System					
Remote System					
Headset	GW 1SH110 OE integ.	GW 1SH110 OE integ.	GW 1SH110 OE integ.	GW 1SH110 OE integ.	GW 1SH110 OE integ.
Rear Derailleur	Shimano Deore RD-M592 27 Speed	Shimano Alivio RD-M4000 27 Speed	Shimano Altus RD-M370 24 Speed	Shimano Tourney RD-TY300 21 Speed	Shimano Tourney RD-TY300 21 Speed
Front Derailleur	Shimano FD-M3000 / 31.8mm	Shimano FD-M3000 / 31.8mm	Shimano FD-TY700-TS6 / 31.8mm	Shimano FD-TY500-TS6 / 31.8mm	Shimano FD-TY500-TS6 / 31.8mm
Shifters	Shimano SL-M370-9R R-fire plus	Shimano SL-M370-9R R-fire plus	Shimano SL-M310-8R R-fire plus	Shimano SL-M310-7R R-fire plus	Shimano ST-EF 41 L / 7R EZ-fire plus
Brake levers	Shimano BL-M315	Shimano BL-M315	Tektro SCH-F18	Tektro SCH-F18	
Brakes	Shimano BR-M315 / Hydr. Disc SM-RT10 CL Rotor / 180F/160R	Shimano BR-M315 / Hydr. Disc SM-RT10 CL Rotor / 160F/160R	Tektro SCH-F18 Hydr. Disc / 160F/160R Rotor	Tektro SCH-F18 Hydr. Disc / 160F/160R Rotor	Tektro SCM-02 mech. Disc / 160F/160R Rotor
Crankset	Shimano FC-M4000 40x30x22	Shimano FC-M3000 40x30x22	Shimano FC-TY701 42x34x24 w/CG	Shimano FC-TY501 42x34x24 w/CG	Shimano FC-TY501 42x34x24 w/CG
BB-Set	Shimano BB-ES-300 Cartridge Type	Shimano BB-UN-26 Cartridge Type	Shimano BB-UN-100 Cartridge Type	Shimano BB-UN-100 Cartridge Type	Shimano BB-UN-100 Cartridge Type
Handlebar	Syncros M3.0 / 640mm black / 31,8mm / 12mm rise / 9° BS Grips Syncros Women Pro	Syncros M3.0 / 640mm black / 31,8mm / 12mm rise / 9° BS Grips Syncros Women Pro	Syncros M3.0 / 640mm black / 31,8mm / 12mm rise / 9° BS Grips Syncros Women Pro	JD MTB499A / 640mm black / 31.8mm / 12mm rise / 9° BS Grips Syncros Women Pro	JD MTB499A / 640mm black / 31.8mm / 12mm rise / 9° BS Grips Syncros Women Pro
H'stem	Syncros M3.0 7° / FlipFlop / Black	Syncros M3.0 7° / FlipFlop / Black	Syncros M3.0 7° / FlipFlop / Black	JD ST161A 7° / FlipFlop / Black	JD ST161A 7° / FlipFlop / Black
Pedal	Wellgo M-248DU	Wellgo M-141SDU	Wellgo M-141SDU	Wellgo M-141SDU	Wellgo M-141SDU
Seatpost	Syncros M3.0 27.2mm / 350mm / Black	Syncros M3.0 27.2mm / 350mm / Black	Syncros M3.0 27.2mm / 350mm / Black	HL SP C212 27.2mm / 350mm / Black	HL SP C212 27.2mm / 350mm / Black
Seat	Syncros W3.0	Syncros W3.0	Syncros W3.0	Syncros W3.0	Syncros W3.0
Hub front	Shimano HB TX505	Shimano HB TX505	Formula DC-19 FQR disc	Formula DC-19 FQR disc	Formula DC-19 FQR disc
Hub rear	Shimano FH-TX5058	Shimano FH-TX5058	Formula DC-25 RQR disc	Formula DC-31 RQR disc	Formula DC-31 RQR disc
Chain	KMC X9	KMC X9	KMC Z7	KMC Z-50	KMC Z-50
Cassette	Shimano CS-HG200-9 / 11-34T	Shimano CS-HG200-9 / 11-34T	Shimano CS-HG31-8 / 11-32T	Shimano MF-TZ 21-7 / 14-28T	Shimano MF-TZ 21-7 / 14-28T
Spokes	14 G / stainless / black	14 G / stainless / black	14 G / stainless / black	14 G / stainless / black	14 G / stainless / black
Rims	Syncros X-20 Disc 32H / black	Syncros X-20 Disc 32H / black	Syncros X-20 Disc 32H / black	Syncros X-20 Disc 32H / black	Syncros X-20 Disc 32H / black
Tires	Kenda Slant 6 27.5x2.1 / 30TPI	Kenda Slant 6 27.5x2.1 / 30TPI	Kenda Slant 6 27.5x2.1 / 30TPI	Kenda Slant 6 27.5x2.1 / 30TPI	Kenda Slant 6 27.5x2.1 / 30TPI

	Contessa Solace 15 Disc	Contessa Solace 25 Disc	Contessa Solace 35
new for MY17	<i>Disc Brakes Grip Tape FL1.0 ECL Seatpost</i>	<i>Disc Brakes Grip Tape</i>	
Frame	Contessa Solace Disc HMF IMP Carbon technology Road solution geometry	Contessa Solace Disc HMF IMP Carbon technology Road solution geometry	Contessa Solace HMF IMP Carbon technology Road solution geometry
Travel			
Fork	Solace HMF Flatmount Disc 1 1/8" Carbon steerer / Alloy Dropout	Solace HMF Flatmount Disc 1 1/8" Carbon steerer / Alloy Dropout	Solace HMF Flatmount 1 1/8" Carbon steerer / Alloy Dropout
Rear Shock			
E.Drive System			
Remote System			
Headset	Syncros Integrated	Syncros Integrated	Syncros Integrated
Rear Derailleur	Shimano Ultegra RD-6800-GS 22 Speed	Shimano 105 Black RD-5800-GS 22 Speed	Shimano Tiagra Black RD-4700-GS 20 Speed
Front Derailleur	Shimano Ultegra FD-6800	Shimano 105 FD-5800 Black	Shimano Tiagra FD-4700
Shifters	Shimano ST-RS685 Disc Dual control 22 Speed	Shimano ST-RS505 Disc Dual control 22 Speed	Shimano Tiagra ST-4700 Dual control 20 Speed
Brake levers			
Brakes	Shimano BR-RS805 Hyd Disc 160/F and 160/Rmm SM-RT99 CL Rotor	Shimano BR-RS505 Hyd Disc 160/F and 160/Rmm SM-RT68 CL Rotor	Shimano Tiagra BR-4700 Super SLR Dual pivot/ Tektro 541 direct mount rear
Crankset	Shimano Ultegra FC-6800 GREY Hollowtech II 50x34 T	Shimano FC-5800 Compact Hyperdrive 50x34 T Black 11 Speed	Shimano Tiagra FC-4700 Compact Hyperdrive 50x34 T
BB-Set	Shimano SM-BB72-41	Shimano BB-RS500-PB	Shimano BB-RS500-PB
Handlebar	Syncros RR2.0 Anatomic 31.8mm	Syncros RR2.0 Anatomic 31.8mm	Syncros RR2.0 Anatomic 31.8mm
H'stem	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm
Pedal			
Seatpost	Syncros Carbon FL1.0 10mm offset 27.2/300mm	Syncros FL1.5 10mm offset 27.2/300mm	Syncros FL2.0 10mm offset 27.2/300mm
Seat	Syncros FL2.0 Women	Syncros FL2.5 Women	Syncros FL2.5 Women
Hub front	Syncros RP2.0 Disc	Formula Team Disc 28 H	Formula Race 22 20 H
Hub rear	Syncros RP2.0 Disc	Formula Team Disc 28 H	Formula Race 22 24 H
Chain	Shimano CN-HG601-11	Shimano CN-HG601-11	KMC X10
Cassette	Shimano 105 CS-5800 11-32	Shimano 105 CS-5800 11-32	Shimano CS-HG500-10 Speed 11-32
Spokes	Syncros RP2.0	HTI - Standard Black 2mm	14G Stainless Black 2mm
Rims	Syncros RP2.0 Disc 28 Front / 28 Rear	Syncros Road Disc 28 Front / 28 Rear	Syncros Race 22 Front 24 / 28 Rear
Tires	Continental Grand Sport Race Fold 700x28C	Continental Grand Sport Race Fold 700x28C	Continental Grand Sport Race Fold 700x25C

	Contessa Speedster 15	Contessa Speedster 25	Contessa Speedster 35	Contessa Speedster 45
new for MY17				
Frame	Contessa Speedster series D.Buttet 6061 Alloy / Road solution geometry Integrated Headtube	Contessa Speedster series D.Buttet 6061 Alloy / Road solution geometry Integrated Headtube	Contessa Speedster series D.Buttet 6061 Alloy / Road solution geometry Integrated Headtube	Contessa Speedster series D.Buttet 6061 Alloy / Road solution geometry Integrated Headtube
Travel				
Fork	Speedster Carbon 1 1/8" Carbon steerer	Speedster Carbon 1 1/8" Carbon steerer	Speedster Carbon 1 1/8" Carbon steerer	Speedster Alloy 1 1/8" Alloy steerer
Rear Shock				
E.Drive System				
Remote System				
Headset	Integrated Steel Cup	Integrated Steel Cup	Integrated Steel Cup	Integrated Steel Cup
Rear Derailleur	Shimano 105 Black RD-5800-GS 22 Speed	Shimano Tiagra RD-4700-GS 20 Speed	Shimano Sora RD-R3000-SS 18 Speed	Shimano Claris RD-2400-GS 24 Speed
Front Derailleur	Shimano 105 Black FD-5800	Shimano Tiagra FD-4700	Shimano Sora FD-R3000	Shimano Claris FD-2403
Shifters	Shimano 105 Black ST-5800 Dual control 22 Speed	Shimano Tiagra ST-4700 Dual control 20 Speed	Shimano Sora ST-R3000 Dual control 18 Speed	Shimano Claris ST-2403 Dual control 24 Speed
Brake levers				
Brakes	Tektro SCBR-525 Catridge Pads	Tektro SCBR-525 Catridge Pads	Tektro SCBR-525 Catridge Pads	Tektro Comp SCBR-312 39-51mm
Crankset	Shimano FC-RS500 Black Hyperdrive 34x50 T	Shimano Tiagra FC-4700 Compact Hyperdrive 50x34 T	Shimano Compact FC-R345 Octalink 50x34 T	Shimano Claris FC-2403 Black 30x39x50 T
BB-Set	Shimano BB-RS500	Shimano BB-RS500	Shimano Octalink BB-ES300A1	Shimano Octalink BB-ES300A1
Handlebar	Syncros RR2.0 Ergonomic 31.8mm	Syncros RR2.0 Ergonomic 31.8mm	Syncros RR2.0 Ergonomic 31.8mm	Syncros RR2.0 Ergonomic 31.8mm
H'stem	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	JD ST92A Alloy 1 1/8" / four Bolt 31.8mm	JD ST92A Alloy 1 1/8" / four Bolt 31.8mm	JD ST92A Alloy 1 1/8" / four Bolt 31.8mm
Pedal				
Seatpost	Syncros RR1.4 Carbon/AL 31.6mm	Syncros RR2.5 31.6/300mm	Syncros RR2.5 31.6/300mm	Syncros RR2.5 31.6/300mm
Seat	Syncros FL2.5 Women	Syncros FL2.5 Women	Syncros FL2.5	Syncros FL2.5
Hub front	Formula Team 20 H	Formula Team 20 H	Formula Comp 20 H	Formula Comp 20 H
Hub rear	Formula Team 24 H	Formula Team 24 H	Formula Comp 24 H	Formula Comp 24 H
Chain	KMC X11	KMC X10	KMC X9	Shimano CN-HG40
Cassette	Shimano 105 CS-5800 11 Speed 11-32 T	Shimano CS-HG 500 10 Speed 11-32 T	Shimano CS-HG50 9 Speed 11-30 T	Shimano CS-HG50 8 Speed 11-30 T
Spokes	HTI - Standard Black 2mm	HTI - Standard Black 2mm	HTI - Standard Black 2mm	HTI - Standard Black 2mm
Rims	Syncros Race 22 24 Front / 28 Rear	Syncros Race 22 24 Front / 28 Rear	Syncros Race 22 24 Front / 28 Rear	Syncros Race 22 24 Front / 28 Rear
Tires	Kenda Kontender 700x25C	Kenda Kontender 700x25C	Kenda Kontender 700x25C	Kenda Kontender 700x25C

	E-Spark 700 Plus Tuned	E-Spark 710 Plus	E-Spark 720 Plus
new for MY17	New Frame New Shimano STEPS E-Bike System Dedicated for MTB use, integrated 500wh Battery FOX 34 / Nude Trunnion XT-DI2 11 Speed Maxxis Tires	New Frame New Shimano STEPS E-Bike System Dedicated for MTB use, integrated 500wh Battery FOX 34 / Nude Trunnion XT 11 Speed Maxxis Tires	New Frame New Shimano STEPS E-Bike System Dedicated for MTB use, integrated 500wh Battery FOX 34 / Nude Trunnion XT 11 Speed Maxxis Tires
Frame	E-Spark 700 Plus / 6061 Alloy custom butted tubes / int. Battery tapered Headtube / BB Height adj.	E-Spark 700 Plus / 6061 Alloy custom butted tubes / int. Battery tapered Headtube / BB Height adj.	E-Spark 700 Plus / 6061 Alloy custom butted tubes / int. Battery tapered Headtube / BB Height adj.
Travel	Front: 130mm Rear: 120 - 85 - Lockout Shock	Front: 130mm Rear: 120 - 85 - Lockout Shock	Front: 130mm Rear: 120 - 85 - Lockout Shock
Fork	FOX 34 Float Factory Air / Kashima FIT4 3-Modes with low speed adj. 15x110mm QR axle / tapered steerer Reb. Adj. / Lockout / 130mm travel	FOX 34 Float Performance Elite Air FIT4 3-Modes with low speed adj. 15x110mm QR axle / tapered steerer Reb. Adj. / Lockout / 130mm travel	Rock Shox Sektor RL Solo Air 15x110mm QR axle / Tapered Steerer Reb. Adj. / Lockout / 130mm travel
Rear Shock	FOX NUDE Trunnion SCOTT custom w. travel / geo adj. 3 Modes: Lockout - Traction Control -Descend DPS / EVOL / Kashima / Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm	FOX NUDE Trunnion SCOTT custom w. travel / geo adj. 3 Modes: Lockout - Traction Control -Descend DPS / EVOL / Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm	X-Fusion NUDE Trunnion SCOTT custom w. travel / geo adj. 3 Modes: Lockout - Traction Control - Descend Reb. Adj. / Travel 120 - 85 - Lockout / 165X45mm
E.Drive System	Shimano STEPS E8000 250W w/integr. 500wh Battery	Shimano STEPS E8000 250W w/integr. 500wh Battery	Shimano STEPS E8000 250W w/integr. 500wh Battery
Remote System			
Headset	Syncros FL1.5 / Tapered 1.5" - 1 1/8" semi integ. OD 50/61mm / ID 44/55mm	Syncros Pro / Tapered 1.5" - 1 1/8" semi integ. OD 50/61mm / ID 44/55mm	Syncros OE / Tapered 1.5" - 1 1/8" semi integ. OD 50/61mm / ID 44/55mm
Rear Derailleur	Shimano XT RD-M8050-DI2-GS DM / Shadow Plus / 11 Speed	Shimano XT RD-M8000-GS DM / Shadow Plus / 11 Speed	Shimano RD-M7000-SGS DM Shadow Plus / 10 Speed
Front Derailleur			
Shifters	Shimano XT SW-M8050-R	Shimano XT SL-M8000 / Rapidfire Plus 2 way release / Ispec 2 clamp	Shimano Deore SL-M610 Rapidfire Plus / 2 way release
Brake levers			
Brakes	Shimano BR-M8000 XT Disc 200/F and 200/Rmm SM-RT64 CL Rotor	Shimano BR-M8000 XT Disc 200/F and 200/Rmm SM-RT64 CL Rotor	Shimano BR-M615 Deore Disc 200/F and 200/Rmm SM-RT64 CL Rotor
Crankset	Shimano STEPS FC-E8050 34T	Shimano STEPS FC-E8050 34T	Shimano STEPS FC-E8000 34T
BB-Set			
Handlebar	Syncros FL1.0 DI2 Carbon mini Riser 12mm rise / 9° / 760mm Syncros Pro lock-on grips	Syncros FL1.5 mini Riser / Alloy 7050 D.B. 12mm rise / 9° / 760mm Syncros Pro lock-on grips	Syncros FL2.0 mini Riser / Alloy 7050 D.B. 12mm rise / 9° / 760mm Syncros Pro lock-on grips
H'stem	Syncros FL1.5 / Alloy 2014 integrated Top Cup / 31.8mm / 6° / 1 1/8" Garmin mount	Syncros FL1.5 / Alloy 2014 integrated Top Cup / 31.8mm / 6° / 1 1/8"	Syncros FL2.0 6061 Alloy oversize 31.8mm / 1 1/8" - 6°
Pedal			
Seatpost	FOX Transfer Dropper Remote Kashima / 31.6mm / S size 100mm / M, L & XL 150mm	FOX Transfer Dropper Remote 31.6mm / S size 100mm / M, L & XL 150mm	Syncros / 31.6mm
Seat	Syncros XM1.0 / Carbon rails	Syncros XM2.0 / CROM rails	Syncros XM2.5
Hub front	Syncros E-TR1.5 CL Boost 110x15mm made by DT Swiss	Formula CL 811	Shimano HB-M618-B
Hub rear	Syncros E-TR1.5 CL Boost 148x12mm / RWS axle 36T Ratchet System / made by DT Swiss	Formula CL148S	Shimano Deore FH-M618-B
Chain	Shimano CN-HG601-11	Shimano CN-HG601-11	KMC X10
Cassette	Shimano CS-M8000-11 11-46 T	Shimano CS-M8000-11 11-46 T	Shimano CS-HG50-10 11-36 T
Spokes	DT Swiss Comp	DT Swiss Champion	DT Swiss Champion
Rims	Syncros E-TR1.5 PLUS CL Boost 148x12mm / RWS axle / 36T Ratchet System made by DT Swiss	Syncros X35 / 32H / 35mm Tubeless ready	Syncros X35 / 32H / 35mm Tubeless ready
Tires	Maxxis Front: Minion DHF 2.80 x 27.5 / 3C Maxx Terra Rear: Rekon 2.80 x 27.5 3C / Maxx Speed 120TPI Kevlar Bead / EXO / TR Tubeless ready	Maxxis Front: Minion DHF 2.80 x 27.5 / 3C Maxx Terra Rear: Rekon 2.80 x 27.5 3C / Maxx Speed 120TPI Kevlar Bead / EXO / TR Tubeless ready	Maxxis Front: Minion DHF 2.80 x 27.5 Rear: Maxxis Rekon2.80 x 27.5 / 60TPI / Kevlar Bead / TR Tubeless ready

	E-Genius 700 Plus Tuned	E-Genius 710 Plus	E-Genius 720 Plus	E-Genius 730 Plus
new for MY17	FOX 34 Float Factory Kashima Sram 8 Speed E-Bike Groupset FOX Transfer adj. Seat Post, NEW Bosch Purion Display	NEW Bosch Purion Display FOX Transfer adj. Seat Post	NEW Bosch Purion Display Syncros Dropper 2.0 adj. Seat Post	NEW Bosch Purion Display Syncros Dropper 2.5 adj. Seat Post
Frame	E-Genius 700 Plus / 6061 Alloy custom butted tubes / tapered Headtube BB Height adj.	E-Genius 700 Plus / 6061 Alloy custom butted tubes / tapered Headtube BB Height adj.	E-Genius 700 Plus / 6061 Alloy custom butted tubes / tapered Headtube BB Height adj.	E-Genius 700 Plus / 6061 Alloy custom butted tubes / tapered Headtube BB Height adj.
Travel	Front: 140mm Rear: 130 - 90 - Lockout / Shock 190x50	Front: 140mm Rear: 130 - 90 - Lockout / Shock 190x50	Front: 140mm Rear: 130 - 90 - Lockout / Shock 190x50	Front: 140mm Rear: 130 - 90 - Lockout / Shock 190x50
Fork	FOX 34 Float Factory Air / Kashima FIT4 3-Modes with low speed adj. 15x110mm QR axle / tapered steerer Reb. Adj. / Lockout	FOX 34 Float Performance Elite Air FIT4 3-Modes with low speed adj. 15x110mm QR axle / tapered steerer Reb. Adj. / Lockout	FOX 34 Float Performance Air Grip3 / 3-Modes / 15x110mm QR axle tapered steerer / Reb. Adj. / Lockout	Rock Shox Sektor RL Solo Air 15x110mm QR axle / Tapered Steerer Reb. Adj. / Lockout
Rear Shock	FOX NUDE SCOTT custom w/travel / geo adj. 3 Modes: Lockout - Traction Control -Descend DPS / EVOL / Kashima / Reb. Adj.	FOX NUDE SCOTT custom w/travel / geo adj. 3 Modes: Lockout - Traction Control -Descend DPS / EVOL / Reb. Adj.	FOX NUDE SCOTT custom w/travel / geo adj. 3 Modes: Lockout - Traction Control -Descend DPS / Reb. Adj.	X-Fusion NUDE SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend Reb. Adj.
E-Drive System	Bosch Performance CX 250w System w/500wh Battery / new Purion Display	Bosch Performance CX 250w System w/500wh Battery / new Purion Display	Bosch Performance CX 250w System w/500wh Battery / new Purion Display	Bosch Performance CX 250w System w/500wh Battery / new Purion Display
Remote System				
Headset	Syncros FL1.5 / Tapered 1.5" - 1 1/8" semi integ. OD 50/61mm / ID 44/55mm	Syncros Pro / Tapered 1.5" - 1 1/8" semi integ. OD 50/61mm / ID 44/55mm	Syncros OE Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros OE Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm
Rear Derailleur	Sram EX1 11-48 8 Speed	Shimano XT RD-M8000-GS DM / Shadow Plus / 11 Speed	Sram NX1 11 Speed	Shimano RD-M7000-SGS Shadow Plus / 10 Speed
Front Derailleur				
Shifters	Sram EX1 8 Speed	Shimano SLX SL-M7000 / Rapidfire Plus 2 way release / Ispec 2 clamp	Sram NX1 Trigger	Shimano Deore SL-M610 Rapidfire Plus / 2 way release
Brake levers				
Brakes	Sram Guide-RE Disc 200/F and 200/Rmm Centerline Rotor	Shimano BR-M8000 XT Disc 200/F and 200/Rmm SM-RT64 CL Rotor	Shimano BR-M615 Disc 200/F and 200/R SM-RT64 CL Rotor	Shimano BR-M615 Disc 200/F and 200/R SM-RT64 CL Rotor
Crankset	Miranda Delta 15T +8.65mm	Miranda Delta 15T +8.65mm	Miranda Delta 15T +8.65mm	Miranda Delta 15T +8.65mm
BB-Set				
Handlebar	Syncros FL1.0 Carbon mini Riser 12mm rise / 9° / 760mm Syncros Pro lock-on grips	Syncros FL1.5 mini Riser / Alloy 7050 D.B. 12mm rise / 9° / 760mm Syncros Pro lock-on grips	Syncros FL2.0 mini Riser / Alloy 6061 12mm rise / 9° / 760mm Syncros Pro lock-on grips	Syncros FL2.0 mini Riser / Alloy 6061 12mm rise / 9° / 760mm Syncros Pro X grips
H'stem	Syncros TR1.0 Carbon 7050 Carbon wrapped / oversize 31.8mm 1 1/8" / +6° angle	Syncros TR1.5 2014 / 3D forged / oversize 31.8mm 1 1/8" / +6° angle	Syncros TR2.0 6061 Alloy / 31.8mm / 6°	Syncros TR2.0 6061 Alloy / 31.8mm / 6°
Pedal				
Seatpost	FOX Transfer Dropper Remote Kashima / 31.6mm / S size 100mm / M, L & XL 150mm	FOX Transfer Dropper Remote 31.6mm / S size 100mm / M, L & XL 150mm	Syncros Dropper 2.0 / YSP12 ICR / Remote 31.6mm / S size 100mm / M, L, XL 120mm	Syncros Dropper 2.5 / YSP15 ICR / Remote 31.6mm / 120mm
Seat	Syncros XM1.5 / Titanium rails	Syncros XM2.0 / CROM rails	Syncros XM2.5	Syncros XM2.5
Hub front	Syncros E-TR1.5 PLUS CL Boost 15x110mm / made by DT Swiss	Formula CL 811	Shimano HB-M618-B	Shimano HB-M618-B
Hub rear	Syncros E-TR1.5-350 150x12mm thru axle / sealed bearings / made by DT Swiss	Formula DHL 150-CL	Shimano ZEE FH-M645	Shimano ZEE FH-M645
Chain	Sram PC 1051	Shimano CN-HG601-11	Sram CN-PC1110	KMC X10
Cassette	Sram EX1-8 11-48 T	Shimano CS-M8000-11 11-46 T	Sram PG1130 11-42 T	Shimano CS-HG50-10 11-36 T
Spokes	DT Swiss Comp	DT Swiss Champion	DT Swiss Champion	DT Swiss Champion
Rims	Syncros E-TR1.5 PLUS / 28H Tubeless ready	Syncros X40 / 32H / 40mm Tubeless ready	Syncros X40 / 32H / 40mm Tubeless ready	Syncros X40 / 32H / 40mm Tubeless ready
Tires	Maxxis Front: Minion DHF 2.80 x 27.5 / 3C Maxx Terra Rear: Rekon 2.80 x 27.5 3C / Maxx Speed 120TPI Kevlar Bead / EXO / TR Tubeless ready	Maxxis Front: Minion DHF 2.80 x 27.5 / 3C Maxx Terra Rear: Rekon 2.80 x 27.5 3C / Maxx Speed 120TPI Kevlar Bead / EXO / TR Tubeless ready	Maxxis Front: Minion DHF 2.80 x 27.5 Rear: Maxxis Rekon2.80 x 27.5 / 60TPI / Kevlar Bead / TR Tubeless ready	Maxxis Front: Minion DHF 2.80 x 27.5 Rear: Maxxis Rekon2.80 x 27.5 / 60TPI / Kevlar Bead / TR Tubeless ready

	E-Genius 910	E-Genius 920
new for MY17	Sram NX1 1x11, Internal cable routing, new Bosch Purion Display	NEW Bosch Purion Display Syncros Dropper 2.5 adj. Seat Post
Frame	E-Genius 900 / 6061 Alloy custom butted tubes tapered Headtube / BB Height adj.	E-Genius 900 / 6061 Alloy custom butted tubes tapered Headtube / BB Height adj.
Travel	Front: 140mm Rear: 130 - 90 - Lockout / Shock 190x50	Front: 140mm Rear: 130 - 90 - Lockout / Shock 190x50
Fork	FOX 34 Float Performance Air Grip 3 / 3-Modes / 15x100mm QR axle / tapered steerer Reb. Adj. / Lockout	Rock Shox Sektor RL Solo Air 15x100mm QR axle / Tapered Steerer Reb. Adj. / Lockout
Rear Shock	FOX NUDE SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / Reb. Adj.	X-Fusion NUDE SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend Reb. Adj.
E-Drive System	Bosch Performance CX 250w System w/500wh Battery / new Purion Display	Bosch Performance CX 250w System w/500wh Battery / new Purion Display
Remote System		
Headset	Syncros OE Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros OE Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm
Rear Derailleur	Sram NX1 11 Speed	Shimano RD-M7000-SGS DM / Shadow Plus / 10 Speed
Front Derailleur		
Shifters	Sram NX1 Trigger	Shimano Deore SL-M610 Rapidfire Plus / 2 way release
Brake levers		
Brakes	Shimano BR-M615 Disc 200/F and 200/R SM-RT64 CL Rotor	Shimano BR-M615 Disc 200/F and 200/R SM-RT64 CL Rotor
Crankset	Miranda Delta 15T	Miranda Delta 15T
BB-Set		
Handlebar	Syncros FL2.0 mini Riser / Alloy 6061 12mm rise / 9° / 760mm Syncros Pro lock-on grips	Syncros FL2.0 mini Riser / Alloy 6061 12mm rise / 9° / 760mm Syncros Pro lock-on grips
H'stem	Syncros TR2.0 6061 Alloy / 31.8mm / 6°	Syncros TR2.0 6061 Alloy / 31.8mm / 6°
Pedal		
Seatpost	Syncros Dropper 2.0 / YSP12 ICR / Remote 31.6mm / S size 100mm / M, L 120mm	Syncros Dropper 2.5 / YSP15 ICR / Remote 31.6mm / 120mm
Seat	Syncros XM2.5	Syncros XM2.5
Hub front	Shimano HB-M618	Shimano HB-M618
Hub rear	Shimano FH-M618	Shimano FH-M618
Chain	Sram CN-PC1110	KMC X10
Cassette	Sram PG1130 11-42 T	Shimano CS-HG50-10 11-36 T
Spokes	DT Swiss Champion	DT Swiss Champion
Rims	Syncros X-25 / 32H / Tubeless ready	Syncros X-25 / 32H / Tubeless ready
Tires	Maxxis Forekaster / 2.35 / 60TPI Kevlar Bead Dual compound	Maxxis Forekaster / 2.35 / 60TPI

	<i>E-Scale 700 Plus Ultimate</i>	<i>E-Scale 710 Plus</i>	<i>E-Scale 720 Plus</i>
new for MY17	NEW E-Scale plus Frame with semi int. Battery Kickstand and bottle cage mount Inner cable routing NEW Sram EX1 group set	NEW E-Scale plus Frame with semi int. Battery Kickstand and bottle cage mount Inner cable routing	NEW E-Scale plus Frame with semi int. Battery Kickstand and bottle cage mount Inner cable routing
Frame	E-Scale 700 plus / 6061 Alloy custom butted tubing / internal cable routing 148/12 IDS SL drop out	E-Scale 700 plus / 6061 Alloy custom butted tubing / internal cable routing 148/12 IDS SL drop out	E-Scale 700 plus / 6061 Alloy custom butted tubing / internal cable routing 148/12 IDS SL drop out
Travel			
Fork	FOX 34 Float Performance Air Grip3 / 3-Modes / 15x110mm QR axle / tapered steerer Lockout / Reb. Adj. / 120mm travel	FOX 32 Float Performance Air Grip3 / 3-Modes / 15x110mm QR axle / tapered steerer Lockout / Reb. Adj. / 120mm travel	Rock Shox Recon Silver RL Solo Air 15x110mm QR axle / Tapered Steerer / Reb. Adj. Remote Lockout / 120mm travel
Rear Shock			
E.Drive System	Bosch Performance CX 250w System w/500wh Battery, new Purion Display	Bosch Performance CX 250w System w/500wh Battery, new Purion Display	Bosch Performance CX 250w System w/500wh Battery, new Purion Display
Remote System			
Headset	Syncros Pro / Tapered 1.5" - 1 1/8" semi integ. OD 50/61mm / ID 44/55mm	Syncros Pro / Tapered 1.5" - 1 1/8" semi integ. OD 50/61mm / ID 44/55mm	Syncros OE / Tapered 1.5" - 1 1/8" semi integ. OD 50/61mm / ID 44/55mm
Rear Derailleur	Sram EX1 11-48 8 Speed	Shimano XT RD-M8000-GS DM / Shadow Plus / 11 Speed	Shimano RD-M7000-SGS DM / Shadow Plus / 10 Speed
Front Derailleur			
Shifters	Sram EX1 8 Speed E Bike	Shimano SLX SL-M7000 / Rapidfire Plus 2 way release / Ispec 2 clamp	Shimano Deore SL-M610 / Rapidfire Plus 2 way release w/gear indicator
Brake levers			
Brakes	Sram Guide-RE Disc 200/F and 200/R Centerline Rotor	Shimano SLX-M7000 Disc 200/F and 200/R SM-RT64 CL Rotor	Shimano M506 Disc 180/F and 180/R SM-RT54 CL Rotor
Crankset	Miranda Delta Boost 15T	Miranda Boost 15T	Miranda Boost 15T
BB-Set			
Handlebar	Syncros FL1.5 mini Riser / Alloy 7050 D.B. 12mm rise / 9° / 740mm Syncros Pro lock-on grips	Syncros FL2.0 mini Riser / Alloy 6061 12mm rise / 9° / 740mm Syncros Pro lock-on grips	Syncros FL2.0 T-Bar Alloy 6061 D.B. / T shape Flat / 9° / 740mm
H'stem	Syncros FL1.5 / Alloy 2014 integrated Top Cup / 31.8mm / 6° / 1 1/8" Garmin mount	Syncros FL2.0 6061 Alloy oversize 31.8mm / 1 1/8" / -6°	Syncros FL2.0 6061 Alloy oversize 31.8mm / 1 1/8" / -6°
Pedal			
Seatpost	Syncros Dropper 2.0 / YSP12 ICR / Remote 31.6mm / S size 100mm / M, L, XL 120mm	Syncros Dropper 2.5 / YSP15 ICR / Remote 31.6mm / 120mm	Syncros Dropper 2.5 / YSP15 ICR / Remote 31.6mm / 120mm
Seat	Syncros XM1.5 / Titanium rails	Syncros XM2.0 / CROM rails	Syncros XM2.5
Hub front	Syncros E-TR1.5 CL 110x15mm Boost / made by DT Swiss	Formula CL 811	Shimano Deore HB-M618-B
Hub rear	Syncros E-TR1.5 CL 148x12mm Boost / RWS axle 36T Ratchet System / made by DT Swiss	Formula CL 148S	Shimano Deore FH-M618-B
Chain	Sram PC 1051	Shimano CN-HG601-11	KMC X10
Cassette	Sram EX1-8 11-48 T	Shimano CS-M8000-11 11-46 T	Shimano CS-HG50-10 11-36 T
Spokes	DT Swiss Comp	DT Swiss Champion	DT Swiss Champion
Rims	Syncros E-TR1.5 PLUS CL Boost 148x12mm / RWS axle / 36T Ratchet System made by DT Swiss	Syncros X35 / 32H / 35mm Tubeless ready	Syncros X35 / 32H / 35mm Tubeless ready
Tires	Maxxis Rekon / 2.80 x 27.5 / 120TPI Kevlar Bead EXO / TR Tubeless ready Front: 3C Maxx Terra / Rear: 3C Maxx Speed	Maxxis Rekon / 2.80 x 27.5 / 120TPI Kevlar Bead / TR Tubeless ready Front: 3C Maxx Terra / Rear: 3C Maxx Speed	Maxxis Rekon / 2.80 x 27.5 / 60TPI TR Tubeless ready

	E-Scale 710 / 910	E-Scale 720 / 920	E-Scale 730 / 930
new for MY17	NEW Frame / Botlecage mount IDS SL Drop Out 148/12 Shimano XT 11 Speed Bosch System	NEW Frame / Botlecage mount IDS SL Drop Out 148/12 Bosch System	NEW Frame / Botlecage mount IDS SL Drop Out 148/12 Bosch System
Frame	E-Scale / 6061 Alloy custom butted tubing internal cable routing / 148/12 IDS SL drop out	E-Scale / 6061 Alloy custom butted tubing internal cable routing / 148/12 IDS SL drop out	E-Scale / 6061 Alloy custom butted tubing internal cable routing / 148/12 IDS SL drop out
Travel			
Fork	FOX 32 Float Performance Air Grip 3 / 3-Modes / 15x100mm QR axle / tapered steerer Lockout / Reb. Adj. / 100mm travel	Rock Shox Recon Silver TK Solo Air 15x100mm / Tapered Steerer / Poploc Lockout Reb. Adj. / 100mm travel	Rock Shox 30 Silver TK Solo Air Tapered Steerer / Reb. Adj. Remote Lockout / 100mm travel
Rear Shock			
E-Drive System	Bosch Performance CX 250w System w/500wh Battery / new Purion Display	Bosch Performance CX 250w System w/500wh Battery / new Purion Display	Bosch Performance CX 250w System w/500wh Battery / new Purion Display
Remote System			
Headset	Syncros Pro / Tapered 1.5" - 1 1/8" semi integ. OD 50/61mm / ID 44/55mm	Syncros OE / Tapered 1.5" - 1 1/8" semi integ. OD 50/61mm / ID 44/55mm	Syncros OE / Tapered 1.5" - 1 1/8" semi integ. OD 50/61mm / ID 44/55mm
Rear Derailleur	Shimano XT RD-M8000-GS DM Shadow Plus / 11 Speed	Shimano RD-M7000-SGS DM Shadow Plus / 10 Speed	Shimano RD-M7000-SGS DM Shadow Plus / 10 Speed
Front Derailleur			
Shifters	Shimano SLX SL-M7000 / Rapidfire Plus 2 way release / Ispec 2 clamp	Shimano Deore SL-M610 / Rapidfire Plus 2 way release	Shimano Deore SL-M610 / Rapidfire Plus 2 way release
Brake levers			
Brakes	Shimano SLX-M7000 Disc 200/F and 180/R SM-RT64 CL Rotor	Shimano M506 Disc 180/F and 180/R SM-RT54 CL Rotor	Shimano M425 Disc 180/F and 180/R SM-RT10 CL Rotor
Crankset	FSA CK-745 MTB 15T	FSA CK-745 MTB 15T	FSA CK-745 MTB 15T
BB-Set			
Handlebar	Syncros FL2.0 mini Riser / Alloy 6061 12mm rise / 9° / 740mm Syncros Pro lock-on grips	Syncros FL2.0 mini Riser / Alloy 6061 12mm rise / 9° / 740mm Syncros Pro lock-on grips	Syncros FL2.0 mini Riser / Alloy 6061 12mm rise / 9° / 740mm Syncros Pro lock-on grips
H'stem	Syncros FL2.0 6061 Alloy oversize 31.8mm / 1 1/8"-6°	Syncros FL2.0 6061 Alloy oversize 31.8mm / 1 1/8"-6°	Syncros FL2.0 6061 Alloy oversize 31.8mm / 1 1/8"-6°
Pedal	Wellgo M-248DU	Wellgo M-248DU	Wellgo M-248DU
Seatpost	Syncros / 31.6mm	Syncros / 31.6mm	Syncros / 31.6mm
Seat	Syncros M3.0	Syncros M3.0	Syncros M3.0
Hub front	Formula CL 811	Formula CL 71	Formula CL 51
Hub rear	Formula CL148S	Shimano Deore FH-M618-B	Formula CL 1702
Chain	Shimano CN-HG601-11	KMC X10	KMC X10
Cassette	Shimano CS-M8000-11 11-46 T	Shimano CS-HG50-10 11-36 T	Shimano CS-HG50-10 11-36 T
Spokes	DT Swiss Champion	DT Swiss Champion	DT Swiss Champion
Rims	Syncros X-25 / 32H / Tubeless ready	Syncros X-25 / 32H / Tubeless ready	Syncros X-25 / 32H / Tubeless ready

	<i>E-Aspect 710 / 910</i>	<i>E-Aspect 720 / 920</i>
<i>new for MY17</i>	NEW Frame with integrated Battery Fender and Botlecage mount IDS SL Drop Out 142/12 Shimano XT / SLX 11 Speed 250WBrose e-bikeSystem w. integ. 508wh Battery	New Frame with integrated Battery Fender and Botlecage mount IDS SL Drop Out 142/12 Shimano Deore 10 Speed 250WBrose e-bikeSystem w. integ. 508wh Battery
<i>Frame</i>	E-Aspect 700 / 6061 Alloy custom butted tubing integrated Battery / internal cable routing / IDS SL dropout	E-Aspect 700 / 6061 Alloy custom butted tubing integrated Battery / internal cable routing / IDS SL dropout
<i>Travel</i>		
<i>Fork</i>	FOX Fork 32 Float Performance Air Grip3 / 3 Modes / Remote lockout / Tapered Steerer 100mm travel / SCOTT Ride Loc Remote	Rock Shox 30 Silver TK Solo Air Tapered Steerer / Reb. Adj. Remote Lockout / 100mm travel
<i>Rear Shock</i>		
<i>E.Drive System</i>	Brose System 250W 508wh integrated Battery / remote Display	Brose System 250W 508wh integrated Battery / remote Display
<i>Remote System</i>		
<i>Headset</i>	Syncros OE / Tapered 1.5" - 1 1/8" semi integ. OD 50/61mm / ID 44/55mm	Syncros OE / Tapered 1.5" - 1 1/8" semi integ. OD 50/61mm / ID 44/55mm
<i>Rear Derailleur</i>	Shimano XT RD-M8000-GS DM / Shadow Plus / 11 Speed	Shimano RD-M7000-SGS Shadow Plus / 10 Speed
<i>Front Derailleur</i>		
<i>Shifters</i>	Shimano SLX SL-M7000 / Rapidfire Plus 2 way release / Ispec 2 clamp	Shimano Deore SL-M610 / Rapidfire Plus 2 way release
<i>Brake levers</i>		
<i>Brakes</i>	Shimano SLX-M7000 Disc 200/F and 180/R SM-RT64 CL Rotor	Shimano M506 Disc 180/F and 180/R SM-RT54 CL Rotor
<i>Crankset</i>	FSA CK-746 MTB 36T	FSA CK-746 MTB 36T
<i>BB-Set</i>		
<i>Handlebar</i>	Syncros M3.0 720mm / 31.8mm / 9° / 12mm rise Svcros Lock On Grip	Syncros M3.0 720mm / 31.8mm / 9° / 12mm rise Svcros Lock On Grip
<i>H'stem</i>	Syncros M3.0	Syncros M3.0
<i>Pedal</i>	Wellgo M-248DU	Wellgo M-248DU
<i>Seatpost</i>	Syncros M3.0 / 31.6mm	Syncros M3.0 / 31.6mm
<i>Seat</i>	Syncros M3.0	Syncros M3.0
<i>Hub front</i>	Shimano HB-M618	Formula CL51
<i>Hub rear</i>	Shimano FH-M618	Shimano FH-M4050
<i>Chain</i>	Shimano CN-HG601-11	KMC X10
<i>Cassette</i>	Shimano CS-M8000-11 11-46 T	Shimano CS-HG50-10 11-36 T
<i>Spokes</i>	DT Swiss Champion	DT Swiss Champion
<i>Rims</i>	Syncros X-23 Disc / 32h	Syncros X-23 Disc / 32h

	E-Contessa Spark 710 Plus	E-Contessa Genius 720 Plus	E-Contessa Scale 720 Plus	E-Contessa Scale 730
new for MY17	NEW Frame NEW Shimano STEPS E-Bike System Dedicated for MTB use integrated 500wh Battery FOX 34 / Nude Trunnion XT 11 Speed Maxxis Tires	Sram NX1 1x11 NEW Bosch Purion Display	NEW Frame w/Internal cable routing Bosch Performance CX System / 500wh Battery NEW Purion Display, SCOTT Design Cover IDS SL 148/12 Drop Out bottle cage mount	NEW Frame / Botlecage mount IDS SL Drop Out 148/12 Bosch System
Frame	E-Spark 700 Plus / 6061 Alloy custom butted tubes tapered Headtube	E-Genius 700 Plus / 6061 Alloy custom butted tubes tapered Headtube / BB height adj.	E-Scale 700 Plus, 6061 Alloy custom butted tubing internal cable routing IDS SL dropout	E-Scale / 6061 Alloy custom butted tubing internal cable routing / 148/12 IDS SL drop out
Travel				
Fork	FOX 34 Float Performance Elite Air FIT4 3-Modes with low speed adj. 15x110mm QR axle / tapered steerer Reb. Adj. / Lockout / 130mm travel	FOX 34 Float Performance Air Grip3 / 3-Modes / 15x110mm QR axle / tapered steerer Reb. Adj. / Lockout / 140mm travel	Rock Shox Recon Silver RL Solo Air 15x110mm QR axle / Tapered Steerer / Reb. Adj. Remote Lockout / 120mm travel	Rock Shox 30 Silver TK Solo Air Tapered Steerer / Reb. Adj. Remote Lockout / 100mm travel
Rear Shock	FOX NUDE Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / EVOL / Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm	FOX NUDE SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / Reb. Adj. Travel 130 - 90 - Lockout / 190X50mm		
E-Drive System	Shimano STEPS E8000 250w System w/integr. 500wh Battery	Bosch Performance CX 250w System w/500wh Battery / new Purion Display	Bosch Performance CX 250w System w/500wh Battery / new Purion Display	Bosch Performance CX 250w System w/500wh Battery / new Purion Display
Remote System				
Headset	Syncros Comp Tapered 1.5" - 1 1/8" semi integ. OD 50/61mm / ID 44/55mm	Syncros OE Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros OE Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros OE / Tapered 1.5" - 1 1/8" semi integ. OD 50/61mm / ID 44/55mm
Rear Derailleur	Shimano XT RD-M8000-GS DM / Shadow PlusType / 11 Speed	Sram NX1 11 Speed	Shimano RD-M7000-SGS DM Shadow Plus / 10 Speed	Shimano RD-M7000-SGS DM Shadow Plus / 10 Speed
Front Derailleur				
Shifters	Shimano SL-M7000 Rapidfire Plus 2 way release	Sram NX1 Trigger	Shimano SL-M610 Rapidfire Plus 2 way release	Shimano Deore SL-M610 / Rapidfire Plus 2 way release
Brake levers				
Brakes	Shimano BR-M8000 XT Disc 200/F and 200/R SM-RT64 CL Rotor	Shimano BR-M615 Disc 200/F and 200/R SM-RT64 CL Rotor	Shimano BR-M506 Disc 180/F and 180/R SM-RT54 CL Rotor	Shimano M425 Disc 180/F and 180/R SM-RT10 CL Rotor
Crankset	Shimano STEPS FC-E8050 34T	Miranda Delta 15T +8.65mm	Miranda Delta Boost 15T	FSA CK-745 MTB 15T
BB-Set				
Handlebar	Syncros FL1.5 mini Riser bar Alloy 7075 D.B. / 9° / 740mm / 12mm rise Syncros Women Pro Lock-On grips	Syncros FL2.0 mini Riser bar Alloy 7050 D.B. / 9° / 740mm / 12mm rise Syncros Women Pro Lock-On grips	Syncros FL2.0 mini Riser bar Alloy 7050 D.B. / 9° / 720mm / 12mm rise Syncros Women Pro Lock-On grips	Syncros FL2.0 mini Riser bar Alloy 7050 D.B. / 9° / 720mm / 12mm rise Syncros Women Pro Lock-On grips
H'stem	Syncros FL1.5 2014 Alloy integr. Top Cup / 31.8mm / 6° / 1 1/8"	Syncros TR2.0 6061 Alloy / 3D forged / oversize 31.8mm 1 1/8" / +6° angle	Syncros FL2.0 6061 Alloy / 6° / 31.8mm integr. Top Cup / 1 1/8"	Syncros M3.0 6061 Alloy / 31.8mm / 7° / FlipFlop
Pedal				Wellgo C 128
Seatpost	FOX Transfer Dropper Remote 31.6mm size S 100mm / M, L 125mm	Syncros Dropper 2.0 / YSP12 ICR / Remote 31.6mm / S size 100mm / M, L 120mm	Syncros Dropper 2.5 / YSP15 ICR / Remote 31.6mm / 120mm	Syncros / 31.6mm
Seat	Syncros XR2.0 Women	Syncros XR2.5 Women	Syncros XR2.5 Women	Syncros XR2.5 Women
Hub front	Formula CL 811	Formula CL 811	Shimano HB-M618-B	Formula CL 51
Hub rear	Formula CL148S	Shimano ZEE FH-M645	Shimano Deore FH-M618-B	Formula CL 1702
Chain	Shimano CN-HG601-11	Sram CN-PC1110	KMC X10	KMC X10
Cassette	Shimano XT CS-M8000 / 11-46 T	Sram PG1130 / 11-42 T	Shimano CS-HG500-10 / 11-36 T	Shimano CS-HG50-10 11-36 T
Spokes	DT Champion	DT Champion	DT Champion	DT Swiss Champion
Rims	Syncros X-35 / 32H / 35mm Tubeless ready	Syncros X-40 / 32H / 40mm Tubeless ready	Syncros X-35 / 32H / 35mm Tubeless ready	Syncros X-25 / 32H / Tubeless ready
Tires	Maxxis Front: Minion DHF 2.80 x 27.5 / 3C Maxx Terra Rear: Rekon 2.80 x 27.5 3C / Maxx Sterra 120TPI Kevlar Bead / EXO / TR Tubeless ready Schwalbe Tubes SV21F	Maxxis Front Maxxis Minion DHF Rear: Maxxis Rekon / 2.80 x 27.5 / 60TPI Kevlar Bead / TR Tubeless ready	Maxxis Rekon / 2.80 x 27.5 / 60TPI Kevlar Bead / TR Tubeless ready	Maxxis Forekaster / 2.35 / 60TPI Kevlar Bead

	E-Silence EVO	E-Silence 10 Men	E-Silence 20 Men	E-Silence Speed 10 Men	E-Silence Speed 20 Men
new for MY17	New E-Silence Rigid Frame with integrated 508Wh Brose battery Internal cable routing	New E-Silence Rigid Frame with integrated 508Wh Brose battery Internal cable routing	New E-Silence Rigid Frame with integrated 508Wh Brose battery Internal cable routing	New E-Silence Rigid Frame with integrated 508Wh Brose battery Internal cable routing	New E-Silence Rigid Frame with integrated 508Wh Brose battery Internal cable routing
Frame	E-SUB 6061 Alloy, rigid	E-SUB 6061 Alloy	E-SUB 6061 Alloy	E-SUB 6061 Alloy	E-SUB 6061 Alloy
Travel					
Fork	NEW SUB rigid	Rock Shox Paragon Gold 60mm travel	Rock Shox Silver 60mm travel	NEW SUB rigid	NEW SUB rigid
Rear Shock					
E-Drive System	Brose System 508Wh integrated Battery	Brose System 508Wh integrated Battery	Brose System 508Wh integrated Battery	Brose System 508Wh integrated Battery	Brose System 508Wh integrated Battery
Remote System					
Headset	Glory Wheel / Tapered 1.5" - 1 1/8" semi integ. OD 50/61mm / ID 44/55mm	Glory Wheel / Tapered 1.5" - 1 1/8" semi integ. OD 50/61mm / ID 44/55mm	Glory Wheel / Tapered 1.5" - 1 1/8" semi integ. OD 50/61mm / ID 44/55mm	Glory Wheel / Tapered 1.5" - 1 1/8" semi integ. OD 50/61mm / ID 44/55mm	Glory Wheel / Tapered 1.5" - 1 1/8" semi integ. OD 50/61mm / ID 44/55mm
Rear Derailleur		Shimano XT RD-M8000-GS / 11 Speed	Shimano Deore RD-M7000-GS Shadow Plus / 10 Speed	Shimano XT RD-M8000-GS / 11 Speed	Shimano LX RD-M7000-GS / 10 Speed
Front Derailleur					
Shifters	H8	Shimano SLX SL-M7000	Shimano Deore SL-T610	Shimano SLX SL-M7000	Shimano Deore SL-T610
Brake levers					
Brakes	Shimano BR-T8000 Disc	Shimano BR-M7000 Disc	Shimano BR-M365 Disc	Shimano BR-M7000 Disc	Shimano BR-M365 Disc
Crankset	FSA CK746 39T Conti	FSA CK746 44T	FSA CK746 44T	FSA CK746 44T	FSA CK746 44T
BB-Set					
Handlebar	Syncros UC1.5 620mm / 15° bend	Syncros UC1.5 620mm / 15° bend	Syncros UC1.5 620mm / 15° bend	Syncros UC1.5 620mm / 15° bend	Syncros UC1.5 620mm / 15° bend
H'stem	Syncros UC1.5 adjustable with integrated Light	Syncros UC1.5 adjustable with integrated Light	Syncros UC1.5 adjustable with integrated Light	Syncros UC1.5 with integrated Light	Syncros UC1.5 with integrated Light
Pedal	VP 615	VP 615	VP 615	VP 615	VP 615
Seatpost	Syncros UC1.5 / 31.6 w. Int. Light	Syncros UC1.5 / 31.6	Syncros UC1.5 / 31.6	Syncros UC1.5 / 31.6 w. Int. Light	Syncros UC1.5 / 31.6 w. Int. Light
Seat	Syncros UC1.5	Syncros UC1.5	Syncros UC1.5	Syncros UC1.5	Syncros UC1.5
Hub front	Shimano HB-M525	Formula CL92	Formula CL51	Formula CL92	Formula CL51
Hub rear	Nuvinci N330 Harmony	Shimano FH-M615 CL	Shimano FH-M3050 CL	Shimano FH-M615 CL	Shimano FH-M3050 CL
Chain	Conti belt 1344	Shimano HG700	KMC X10	Shimano HG700	KMC X10
Cassette	20 T Conti sprocket	Shimano CS-M7000 11-42T	Shimano CS-HG50-10 11-36T	Shimano CS-M7000 11-42T	Shimano CS-HG50-10 11-36T
Spokes	Sapim double butted	Sapim double butted	Sapim double butted	Sapim double butted	Sapim double butted
Rims	Rodi	Rodi	Rodi	Rodi	Rodi
Tires	Schwalbe Marathon Supreme Performacne 700x50c	Schwalbe Marathon Supreme Performacne 700x50c	Schwalbe Marathon Supreme Performacne 700x50c	Schwalbe Marathon Supreme Performacne 700x50c	Schwalbe Marathon Supreme Performacne 700x50c
Lights	Front Integrated Supernova E3 Rear Integrated in Seatpost Supernova Tail Light 2	Front Integrated Spanninga Rear B&M Top Light Line Small steady	Front Integrated Spanninga Rear B&M Top Light Line Small steady	Front Integrated Supernova E3 Rear Integrated in Seatpost Supernova Tail Light 2	Front Integrated Spanninga Rear Integrated in Seatpost Supernova Tail Light 2
Rack & Fenders	Carrier with spring / Curana wide fenders Ursus kickstand	Carrier with spring / Curana wide fenders Ursus kickstand	Carrier with spring / Curana wide fenders Ursus kickstand	Curana wide fenders / Ursus kickstand	Curana wide fenders / Ursus kickstand
Extras	Abus Lock Holder	Abus Lock Holder	Abus Lock Holder	w.o.	w.o.

	E-Sub Sport 10 Men & Lady	E-Sub Sport 20 Men & Lady	E-Sub Tour Men, Unisex & Lady	E-Sub Active Unisex
new for MY17	New E-SUB Rigid Frame with 500Wh Bosch battery Internal cable routing Wider rims & tires, stem with integrated Front light	New E-SUB Rigid Frame with 500Wh Bosch battery Internal cable routing Wider rims & tires, stem with integrated Front light	New E-SUB Rigid Frame with 500Wh Bosch battery Internal cable routing Wider rims & tires	New E-SUB Rigid Frame with rear carrier New Unisex Frame with seat tube battery Internal cable routing
Frame	E-SUB 6061 Alloy	E-SUB 6061 Alloy	E-SUB 6061 Alloy	E-SUB 6061 Alloy with integrated carrier
Travel				
Fork	Suntour NCX DLO, w/ Remote Lockout	Suntour NEX HLO, w/ Lockout	Suntour NEX HLO, w/ Lockout	Suntour NEX HLO, w/ Lockout
Rear Shock				
E-Drive System	Bosch Performance CX 250w System w/ 500wh battery / Intuvia display	Bosch Performance 250w System w/ 500wh battery / Intuvia display	Bosch Active 250w System w/ 400wh battery pack / Intuvia display	Bosch Active 250w System w/ 400wh battery pack / Intuvia display
Remote System				
Headset	VP semi integrated	VP semi integrated	VP semi integrated	VP semi integrated
Rear Derailleur	Shimano XT RD-T8000-SGS 10 Speed	Shimano LX RD-T670-SGS 10 Speed	Shimano Deore RD-T610-SGS 10 Speed	Shimano Deore RD-T610-SGS 10 Speed
Front Derailleur				
Shifters	Shimano Deore SL-T610	Shimano Deore SL-T610	Shimano Deore SL-T610	Shimano Deore SL-T610
Brake levers	Shimano BR-M365 Disc	Shimano BR-M315 Disc	Shimano BR-M315 Disc	Shimano BR-M315 Disc
Brakes	Shimano BR-M365 Disc	Shimano BR-M315 Disc	Shimano BR-M315 Disc	Shimano BR-M315 Disc
Crankset	FSA Metropolis 18T	FSA Metropolis 18T	FSA Metropolis 18T	FSA Metropolis 18T
BB-Set				
Handlebar	Syncros UC3.0 620mm / 15° bend	Syncros UC3.0 620mm / 15° bend	NR AL 196 BT	Syncros UC3.0 / 35° / 25mm rise
H'stem	Syncros UC1.5 adjustable with integrated Light	Syncros UC1.5 adjustable with integrated Light	JD-ST103 Aadjustable angle	JD-ST103 Aadjustable angle
Pedal	VP 615	VP 615	VP 573	VP 613
Seatpost	Syncros UC3.0 / 31.6mm	Syncros UC3.0 / 31.6mm	SP 297 N	HL SP-371 Suspension Seatpost
Seat	Syncros Urban Solution 2.5	Syncros Urban Commuter 2.5	Syncros Urban Commuter 2.5	Velo VL-6339
Hub front	Formula CL51	Formula CL51	Formula CL51	Shimano HB-TX50 CL
Hub rear	Shimano FH-M615 CL	Shimano FH-M615 CL	Shimano FH-RM35 Disc	Shimano FH-TX50 CL
Chain	KMC X10	KMC X10	KMC X10	KMC X10
Cassette	Shimano CS-HG50-10 11-36 T	Shimano CS-HG50-10 11-36 T	Shimano CS-HG50-10 11-36 T	Shimano CS-HG50-10 11-36 T
Spokes	Sapim double butted	Sapim double butted	Sapim double butted	Sapim double butted
Rims	Rodi	Rodi	Rodi	Rodi
Tires	Continental Cruise Contact 700x47c	Continental Cruise Contact 700x47c	Continental Cruise Contact 700x47c	Schwalbe Road Cruiser 700x42c
Lights	Front Spanninga integrated Rear B&M Jr Integrated	Front Spanninga integrated Rear B&M Jr Integrated	Front: AXA Blueline Rear: B&M Jr Integrated	Front: AXA Blueline Rear: AXA Blueline Steady
Rack & Fenders	Racktime w/ spring clamp, Curana wide fenders Ursus Mooi kickstand	Racktime w/ spring clamp, Curana wide fenders Ursus Mooi kickstand	Racktime w/ spring clamp, Curana wide fenders Ursus Mooi kickstand	Spring clamp, Metasol wide fenders Ursus kickstand
Extras	Abus Pro Tectic Frame / Battery Lock	Abus Pro Tectic Frame / Battery Lock	Abus Pro Tectic Frame / Battery Lock	Abus Pro Tectic Frame / Battery Lock

	SILENCE EVO Men	SILENCE 10 Men & Lady	SILENCE 20 Men & Lady	SILENCE 30 Men & Lady
new for MY17	New Silence rigid frame / 42c Tires	New Silence rigid frame / 42c Tires	New Silence rigid frame / 42c Tires	New Silence rigid frame / 42c Tires
Frame	New SUB Alloy / 700C / disc only	New SUB Alloy / 700C / disc only	New SUB Alloy / 700C / disc only	New SUB Alloy / 700C / disc only
Travel				
Fork	New SUB Alloy / 700C / disc only	New SUB Alloy / 700C / disc only	New SUB Alloy / 700C / disc only	New SUB Alloy / 700C / disc only
Rear Shock				
E-Drive System				
Remote System				
Headset	Glory Wheel semi integrated	Glory Wheel semi integrated	Glory Wheel semi integrated	Glory Wheel semi integrated
Rear Derailleur		Shimano RD-T8000	Shimano RD-T610-SGS 10 Speed	Shimano Acera RD-T3000 8 Speed Black
Front Derailleur		Shimano FD-T8000	Shimano Deore FD-T610	Shimano FD-TY710
Shifters	Shimano Alfine SL-S7000-11 Rapidfire Plus w/ gear indicator	Shimano SL-T8000	Shimano SL-T610	Shimano SL-M310
Brake levers	Shimano BL-S700 Disc	Shimano BL-M365 Disc	Shimano BL-M315 Disc	Shimano BL-M315 Disc
Brakes	Shimano BR-S700 Disc	Shimano BR-M365 Disc	Shimano BR-M315 Disc	Shimano BR-M315 Disc
Crankset	Lasco / Conti 42T Sprocket	Shimano XT T8000	Shimano FC-T611 Black 48x36x26T	Shimano FC-TY301 Black 48x36x26T
BB-Set	Shimano BB-UN100	included	Included with crankset	VP-BC73C
Handlebar	Syncros UC1.5 620mm / 15° bend	Syncros UC1.5 620mm / 15° bend	Syncros UC1.5 620mm / 15° bend	Syncros UC1.5 620mm / 15° bend
H'stem	Syncros UC1.5 adjustable with integrated Light	Syncros UC1.5 adjustable with integrated Light	Syncros UC1.5 adjustable with integrated Light	Syncros UC1.5 adjustable with integrated Light
Pedal	VP 856	VP 856	VP 856	VP 856
Seatpost	Syncros 130T 31.6mm	Syncros 130T 31.6mm	Syncros 130T 31.6mm	Syncros 130T 31.6mm
Seat	Syncros UC1.5	Syncros UC1.5	Syncros UC1.5	Syncros UC1.5
Hub front	Shimano DH-S7011BL	Shimano DEORE XT DH-T785BL 32H CL 1,5 W * BLACK	Shimano Deore DH-3D37 dynamo CL 32h	Shimano Deore DH-3D37 dynamo CL 32h
Hub rear	Shimano Alfine SG-S700-11S / 11 spd	Shimano FH-M615 32H CL QR * BLACK	Shimano FH-M4050 CL 32h	Shimano FH-TX50 CL 32h
Chain	Continental belt	KMC X10	KMC X10	KMC Z72
Cassette	Continental 21T Sprocket	Shimano HG-500-10 11-34T	Shimano HG-500-10 11-34T	Shimano CS-HG31-8 11-32T
Spokes	Stainless black / 15G/2mm	Stainless black / 14G/2mm	Stainless black / 14G/2mm	Stainless black / 14G/2mm
Rims	X15 Disc / 32h	X15 Disc / 32h	X15 Disc / 32h	X15 Disc / 32h
Tires	Continental Sport Contact II 700x42c	Continental Sport Contact II 700x42c	Schwalbe Spicer 700x40c	Schwalbe Spicer 700x40c
Lights	Front: Spanninga integrated Rear: B&M Top Light Line Small steady	Front: Spanninga integrated Rear: B&M Top Light Line Small steady	Front: Spanninga integrated Rear: B&M Top Light Line Small steady	Front: Spanninga integrated Rear: B&M Top Light Line Small steady
Rack & Fenders	Carrier with spring / Metasol wide fenders Ursus Mooi kickstand	Carrier with spring / Metasol wide fenders Ursus Mooi kickstand	Carrier with spring / Metasol wide fenders Ursus Mooi kickstand	Carrier with spring / Metasol wide fenders Ursus Mooi kickstand
Extras				
Drivetrain	Shimano Alfine 11 speed Disc Brakes	Shimano XT 30 speed Disc Brakes	Shimano Deore 30 Speed Disc Brakes	Shimano Acera 24 speed Disc Brakes
Components	Syncros Components	Syncros Components	Syncros Components	Syncros Components

	SILENCE SPEED 10 Men	SILENCE SPEED 20 Men
<i>new for MY17</i>	New Silence rigid frame / 42c Tires	New Silence rigid frame / 42c Tires
Frame	New SUB Alloy / 700C / disc only	New SUB Alloy / 700C / disc only
Travel		
Fork	New SUB Alloy / 700C / disc only	New SUB Alloy / 700C / disc only
Rear Shock		
E-Drive System		
Remote System		
Headset	Glory Wheel semi integrated	Glory Wheel semi integrated
Rear Derailleur		Shimano Acera RD-T3000 8 Speed Black
Front Derailleur		Shimano FD-TY710
Shifters	Shimano SL-S700	Shimano SL-M310
Brake levers	Shimano BL-M365 Disc	Shimano BL-M315 Disc
Brakes	Shimano BR-M365 Disc	Shimano BR-M315 Disc
Crankset	Lasco / Conti 42T Sprocket	Shimano FC-TY501 Black 48x36x26T
BB-Set	Shimano BB-UN100	VP-BC73C
Handlebar	Syncros UC1.5 620mm / 15° bend	Syncros UC1.5 620mm / 15° bend
H'stem	Syncros UC1.5	Syncros UC1.5
Pedal	VP 856	VP 856
Seatpost	Syncros 130T 31.6mm	Syncros 130T 31.6mm
Seat	Syncros UC1.5	Syncros UC1.5
Hub front	Shimano HB-TX50 CL	Shimano HB-TX50 CL
Hub rear	Shimano Alfine / 8 spd IGH SG-S700-8BL	Shimano FH-TX50 CL 32h
Chain	Continental belt	KMC Z72
Cassette	Continental 21T Sprocket	Shimano CS-HG31-8 11-32T
Spokes	Stainless black / 14G/2mm	Stainless black / 14G/2mm
Rims	X15 Disc / 32h	X15 Disc / 32h
Tires	Schwalbe Spicer 700x40c	Schwalbe Spicer 700x40c
Lights		
Rack & Fenders	Metasol wide fenders / Ursus kickstand	Metasol wide fenders / Ursus kickstand
Extras		
Drivetrain	Shimano Alfine 8 speed Disc Brakes	Shimano Acera 24 speed Disc Brakes
Components	Syncros Components	Syncros Components

	Sub Sport 10 Men & Lady	Sub Sport 20 Men & Lady	Sub Sport 30 Men & Lady	Sub Sport 40 Men & Lady
new for MY17	Sport Trekking frame, XT/ Deore 30 speed Disc Brakes Custom Urban accessories from Racktime	Sport Trekking frame Deore/Alivio 27 speed Disc Brakes Custom Urban accessories from Racktime	Sport Trekking frame Acera 24 speed V Brakes Custom Urban accessories from Racktime	Sport Trekking frame TX 21 speed V Brakes Custom Urban accessories from Racktime
Frame	SUB Sport 6061 Tig welding	SUB Sport 6061 Tig welding	SUB Sport 6061 Tig welding	SUB Comfort 6061 Tig welding
Travel				
Fork	Suntour SF14 NCX D LO PM 700C	Suntour SF14 NEX DS HLO PM 700C	Suntour M3010 / 50mm travel / coil	Suntour M3010 / 50mm travel / coil
Rear Shock				
E.Drive System				
Remote System				
Headset	Glory Wheel	Glory Wheel	Glory Wheel	Glory Wheel
Rear Derailleur	Shimano XT-T8000 10 Speed	Shimano Deore RD-T591 9 Speed	Shimano Acera RD-M360 8 Speed	Shimano RD-TX800-SGS
Front Derailleur	Shimano Deore FD-T610	Shimano Alivio FD-T4000	Shimano FD-TY710	Shimano FD-TY510
Shifters	Shimano Deore SL-M610	Shimano Deore SL-M4000	Shimano ST-EF500	Shimano SL-RS35
Brake levers	Shimano BL-M315	Shimano BL-M315	Shimano ST-EF500	Promax BL 46G
Brakes	Shimano BR-M315	Shimano BR-M315	Shimano BR-T4000	Promax TX123
Crankset	Shimano FC-M611 Black 48x36x26T	Shimano Acera FC-T371 Black 48x38x26T	Shimano FC-TX801 Black 48x36x26T	Shimano FC-TY301 C Black 48x38x28T
BB-Set	Included with crankset	VP-BC73C	VP-BC73C	VP-BC73C
Handlebar	Syncros UC3.0 620mm / 15° bend	Syncros UC3.0 620mm / 15° bend	Syncros UC3.0 620mm / 15° bend	Syncros UC3.0 620mm / 15° bend
H'stem	Syncros UC1.5 adjustable with integrated Light	Syncros UC1.5 adjustable with integrated Light	HL-TDS-D299N	HL-TDS-D299N
Pedal	VP 856	VP 856	VP 856	VP 856
Seatpost	Syncros 130T 31.6mm	Syncros 130T 31.6mm	Syncros 130T 31.6mm	Syncros 130T 31.6mm
Seat	Syncros Urban Commuter 2.5	Syncros Urban Commuter 2.5	Syncros Urban Commuter 2.5	Syncros Urban Commuter 2.5
Hub front	Shimano Deore DH-3D37 dynamo CL 32h	Shimano Deore DH-3D37 dynamo CL 32h	Shimano DH-C3000 Dynamo 32h	Shimano DH-C3000 Dynamo 32h
Hub rear	Shimano FH-M615 32H CL QR * BLACK	Shimano FH-TX50 CL 32h	Shimano FH-TX800 32h	JOY TECH JY754 32h * BLACK
Chain	KMC X10	KMC X9	KMC Z72	KMC Z51
Cassette	Shimano CS-HG500-10 11-34T	Shimano CS-HG200-9 11-34T Black	Shimano CS-HG31 11-32T	Shimano MF-TZ21 14-28T
Spokes	Pillar Steel 14G	Pillar Steel 14G	Pillar Steel 14G	Pillar Steel 14G
Rims	X15 Disc, 32h	X12 Disc, 32h	Cross X14, 32h	Cross X14, 32h
Tires	Schwalbe Spicer 700x42c	Schwalbe Spicer 700x42c	Schwalbe Spicer 700x40c	Schwalbe Spicer 700x40c
Lights	Front: Spanninga integrated Rear: AXA Blue Line	Front: Spanninga integrated Rear: AXA Blue Line	Front: AXA Echo Rear: AXA Blueline Steady	Front: AXA Echo Rear: AXA Blueline Steady
Rack & Fenders	Racktime Standit w/ spring clamp Metasol wide fenders Ursus Mooi kickstand	Racktime Standit w/ spring clamp Metasol wide fenders Ursus Mooi kickstand	Racktime Standit w/ spring clamp Metasol wide fenders Ursus Mooi kickstand	Racktime Standit w/ spring clamp Metasol wide fenders Ursus Mooi kickstand
Extras				

SUB EQUIPPED

	Sub Comfort 10 Men & Lady & Unisex	Sub Comfort 20 Men & Lady & Unisex
<i>new for MY17</i>	<i>Comfort Trekking frame Acera / Altus 24 speed V Brakes Custom Urban accessories from Racktime</i>	<i>Comfort Trekking frame TX21 speed V Brakes Custom Urban accessories from Metasol and Racktime</i>
Frame	SUB Comfort 6061 Tig welding	SUB Comfort 6061 Tig welding
Travel		
Fork	Suntour M3010 / 50mm travel / coil	Suntour M3010 / 50mm travel / coil
Rear Shock		
E.Drive System		
Remote System		
Headset	Glory Wheel	VP-A41AC Semi integrated
Rear Derailleur	Shimano Acera RD-T3000-SGS	Shimano RD-TX800-SGS
Front Derailleur	Shimano Altus FD-TY710	Shimano FD-TY510
Shifters	Shimano ST-EF500	Shimano SL-R35
Brake levers	Promax BL 46G	Promax BL 46G
Brakes	Promax TX123	Promax TX123
Crankset	Shimano FC-TY501 Black 48x36x26T	Shimano FC-TY301 C Black 48x38x28T
BB-Set	VP-BC73C	VP-BC73C
Handlebar	HL NR-AL-16	HL NR-AL-16
H'stem	HL TDS-C269C 110mm	JD ST143
Pedal	VP 856	VP 856
Seatpost	HL-SP 80N Suspension Seatpost	HL SP-C207
Seat	Velo VL-6339	Velo VL-6339
Hub front	Shimano DH-C3000 Dynamo 32h	Shimano DH-C3000 Dynamo 32h
Hub rear	Shimano FH-TX800 32h	JOY TECH JY754 32h * BLACK
Chain	KMC Z72	KMC Z51
Cassette	Shimano CS-HG31 11-32T	Shimano MF-TZ21 14-28T
Spokes	Pillar Steel 14G	Pillar Steel 14G
Rims	Cross X2 622	Cross X2 622
Tires	Schwalbe Road Cruiser 700x40c	Schwalbe Road Cruiser 700x40c
Lights	Front: AXA Echo Rear: AXA Blueline Steady	Front: AXA Echo Rear: AXA Blueline Steady
Rack & Fenders	Racktime Standit w/ spring clamp Metasol wide fenders Ursus Mooi kickstand AXA Ren Lock	Racktime Standit w/ spring clamp Metasol wide fenders Ursus Mooi kickstand AXA Ren Lock
Extras		

	Sub Cross 10	Sub Cross 20 Men & Lady	Sub Cross 30 Men & Lady	Sub Cross 40 Men & Lady
new for MY17	New Frame / internal cable routing / Syncros Comfort grips	New Frame / internal cable routing / Syncros Comfort grips	New Frame / Syncros Comfort Grips	New Frame / Syncros Comfort Grips
Frame	New SUB Cross Alloy 6061 D.B. / Sub Cross Men geometry / Internal cable routing / SCOTT urban kit ready	New SUB Cross Alloy 6061 D.B. / Sub Cross Men/Lady geometry / Internal cable routing / SCOTT urban kit ready	New SUB Cross Alloy 6061 / Sub Cross Men/Lady geometry / External cable routing / SCOTT urban kit ready	New SUB Cross Alloy 6061 / Sub Cross Men/Lady geometry / External cable routing / SCOTT urban kit ready
Travel				
Fork	Rock Shox Paragon Silver TK / Remote Lockout / 65mm travel	Suntour Nex HLO / Hyd. Lockout / 63mm travel	Suntour Nex HLO / Hyd. Lockout / 63mm travel	Zoom 189 D / 63mm travel
Rear Shock				
E.Drive System				
Remote System				
Headset	GW 1SI110 OE integ.	GW 1SI110 OE integ.	GW 1SI110 OE integ.	GW 1SI110 OE integ.
Rear Derailleur	Shimano XT RD-T8000-SGS / Shadow Type / 30 Speed	Shimano Deore RD-T610-SGS / Shadow Type / 30Speed	Shimano Alivio RD-M4000 / 27 Speed	Shimano Altus RD-M370 / 24 Speed
Front Derailleur	Shimano Deore FD-T610 / 34.9mm	Shimano Deore FD-T610 / 34.9mm	Shimano FD-M370 / 34.9mm	Shimano FD-TY710 / 34.9mm
Shifters	Shimano Deore SL-M610-10 / R-fire plus 2 / w/gear indicator	Shimano Deore SL-M610-10 / R-fire plus 2 / w/gear indicator	Shimano SL-M370-9 / R-fire plus / w/gear indicator	Shimano SL-M310-8 / R-fire plus / w/gear indicator
Brake levers	Shimano BL-M425	Shimano BL-M315	Shimano BL-M315	Tektro SCH-F17
Brakes	Shimano BR-M395 / Hydr. Disc / SM-RT54 CL Rotor / 160F/160R	Shimano BR-M315 / Hydr. Disc / SM-RT10 CL Rotor / 160F/160R	Shimano BR-M315 / Hydr. Disc / SM-RT10 CL Rotor / 160F/160R	Tektro SCH-F17 / Hydr. Disc / 160F/160R Rotor
Crankset	Shimano FC-T8000 / 48x36x26 / w/CG	Shimano FC-T611 / 48x36x26 / w/CG	Shimano FC-T3010 / 48x36x26 / w/CG	Shimano FC-TY501 / 48x38x28 / w/CG
BB-Set	Shimano BB-MT800 / 68mm shell	Shimano SM-BB52 / 68mm shell	Shimano BB-UN-26 / Cartridge Type	Shimano BB-UN-100 / Cartridge Type
Handlebar	Syncros UC3.0 Tbar / 31.8 / 620mm / 9° Bend	Syncros UC3.0 / 31.8 / Men: Tbar/620mm/9° bend / Lady: 680mm/15° bend	Syncros UC3.0 / 31.8 / Men: Tbar/620mm/9° bend / Lady: 680mm/15° bend	Syncros UC3.0 / 31.8 / Men: Tbar/620mm/9° bend / Lady: 680mm/15° bend
H'stem	Syncros UC3.0 / 7° / Black	Syncros UC3.0 / 7° / Black	Syncros UC3.0 / 7° / Black	Syncros UC3.0 / 7° / Black
Pedal	Wellgo M-248DU	Wellgo M-248DU	Wellgo M-141SDU	Wellgo M-141SDU
Seatpost	Syncros UC3.0 / 31.6mm / 350mm / Black	Syncros UC3.0 / 31.6mm / 350mm / Black	Syncros UC3.0 / 31.6mm / 350mm / Black	Syncros UC3.0 / 31.6mm / 350mm / Black
Seat	SUB Cross Men EVO	SUB Cross Men EVO / lady EVO	SUB Cross Men EVO / lady EVO	SUB Cross Men EVO / lady EVO
Hub front	Formula CL51	Shimano HB-TX505	Shimano HB-TX505	Formula DC-19 FQR disc
Hub rear	Shimano FH-M4050 CL	Shimano FH-TX5058	Shimano FH-TX5058	Formula DC-25 RQR disc
Chain	KMC X10	KMC X10	KMC X9	KMC Z7
Cassette	Shimano CS-HG500-10 11-34 T	Shimano CS-HG500-10 11-34 T	Shimano CS-HG200-9 11-34 T	Shimano CS-HG31-8 11-32 T
Spokes	Stainless black / 15G / 1.8mm	Stainless black / 14G / 2mm	Stainless black / 14G / 2mm	Stainless black / 14G / 2mm
Rims	Syncros X-20 Disc / 32H / black	Syncros X-20 Disc / 32H / black	Syncros X-20 Disc / 32H / black	Syncros X-20 Disc / 32H / black
Tires	Schwalbe Smart Sam / 700x42C / 50 TPI	Schwalbe Smart Sam / 700x42C / 50 TPI	Impac SmartPac / 700x42C / 50 TPI	Impac SmartPac / 700x42C / 50 TPI

	Scale JR 26	Voltage JR 26	Contessa JR 26	Scale RC JR 24	Scale JR 24 disc	Scale JR 24
new for MY17	24 Speed Hyd. Disc Brakes Shimano FC-TY701	21 Speed V-Brakes Shimano FC-TY301	21 Speed V-Brakes Shimano FC-TY302			
Frame	SCOTT Alloy 6061 / Superlite D.B Frame	Voltage C-frame 26 Hydroformed tubing / new SST Super Stiff 6061 Alloy frame Size: S	SCOTT Alloy 6061 / Superlite D.B Frame	SCOTT Alloy 6061 / Superlite D.B Frame / SCOTT dropouts / IS	SCOTT Racing 24 Junior Alloy 6061 P.G. Pressed dropouts / IS	SCOTT Racing 24 Junior Alloy 6061 P.G. Pressed dropouts
Travel						
Fork	Suntour XCM HLO 100mm travel Softer spring setup	Zoom 565 100mm travel	Zoom 565 100mm travel	AL-6061 rigid fork / disc	SR Suntour XCT-JR Suspension fork / 50mm Softer spring setup	SR Suntour XCT-JR Suspension fork / 50mm Softer spring setup
Rear Shock						
E.Drive System						
Remote System						
Headset	GW 1SI110	GW 1SI110	GW 1SI110	GW 1SI110T043001	GW 1SI110T043001	GW 1SI110T043001
Rear Derailleur	Shimano Altus RD-M370 24 Speed	Shimano RD-TY300 / 21 Speed	Shimano RD-TY300 / 21 Speed	Sram GX 10 Speed	Shimano RD-TY300 21 Speed	Shimano RD-TY300 21 Speed
Front Derailleur	Shimano FD-TY700 / 34.9mm	Shimano FD-TY500 / 34.9mm	Shimano FD-TY500 / 34.9mm		Shimano FD-TY300	Shimano FD-TY300
Shifters	Shimano SL-M310-8R R-fire plus	Shimano ST-EF 41 L / 7R / EZ-fire plus	Shimano ST-EF 41 L / 7R / EZ-fire plus	Sram X5	Shimano SL-RS36-7 Revo Shifter	Shimano SL-RS36-7 Revo Shifter
Brake levers	Tektro Disc Brake SCH-F18	incl.	incl.	Tektro SCH-F18	LEE CHI BL-81G	LEE CHI BL-81G
Brakes	Tektro Disc Brake SCH-F18 160mm rotor	Promax TX-107L V-Brake	Promax TX-107L V-Brake	Tektro SCH-F18 160mm rotor	Tektro SCM-02 Mech. Disc Brake / 160mm Rotor	LEE CHI MV295 C2
Crankset	Shimano FC-TY701 42x34x24 w/CG	Shimano FC-TY301 42x34x24 w/CG	Shimano FC-TY301 42x34x24 w/CG	Sram S1000 / X-Sync / 32T	Suntour XCC-T102PB(G) 42x34x24 / 152mm / black	Suntour XCC-T102PB(G) 42x34x24 / 152mm / black
BB-Set	Shimano BB-UN-100	Shimano BB-UN-100	Shimano BB-UN-100	Sram BB GXP XR MTB68	NECO B906BK	NECO B906BK
Handlebar	JD-MTB11AFS 640mm / 10° back sweep	JD-MTB499A / Alloy 640mm / 12mm uprise	JD-MTB499A / Alloy 640mm / 12mm uprise	Syncros Flat-Bar 620mm	Junior Flat-Bar Alloy 560mm	Junior Flat-Bar Alloy 560mm
H'stem	JD-ST161A 70mm	JD-ST161A 1 1/8" / +/-7°	JD-ST161A 1 1/8" / +/-7°	Syncros 1 1/8" / 6° / 70mm	LEADTEC LCS-7126 50mm	LEADTEC LCS-7126 50mm
Pedal	Wellgo M-141SDU	Wellgo LU-895DU	Wellgo LU-895DU	MARWI SP-700	MARWI SP-700	MARWI SP-700
Seatpost	HL SP-C212 Alloy / 31.6	HL SP-C212 Alloy / 31.6	HL SP-C212 Alloy / 31.6	Alloy 26.8x350mm	Alloy 26.8x300mm	Alloy 26.8x300mm
Seat	Syncros 2.5	Voltage DJ VL-7104	Syncros W3.0	Syncros JR2.5	Syncros JR2.5	Syncros JR2.5
Hub front	Formula DC-19FQR	Formula FM-21-FQR	Formula FM-21-FQR	KT-SN3F / QR	Formula DC-19F / QR	KT-A55F / QR
Hub rear	Formula DC-25RQR	Formula FM-31-RQR	Formula FM-31-RQR	KT-SN3R / QR	Formula DC-31R / QR	KT-A52R / QR
Chain	KMC Z-7	KMC Z-50	KMC Z-50	KMC X10	KMC Z-51	KMC Z-51
Cassette	Shimano CS-HG31-8 11-32T	Shimano MF-TZ 21-7 14-28T	Shimano MF-TZ 21-7 14-28T	Sram CS PG 1020 11-36T	Shimano MF-TZ21 14-28T	Shimano MF-TZ21 14-28T
Spokes	14G / stainless / black	HTI STD Spoke 14C / black / 2.0mm	HTI STD Spoke 14C / black / 2.0mm	Stainless 15G / black	15G UCP / black	15G UCP / black
Rims	Syncros X-20 Disc 32H, black	Syncros X-18 / 32H / black	Syncros X-18 / 32H / black	Alex ACE-20	Alex C-1000	Alex C-1000
Tires	Kenda Slant 6 26x2.1 / 30TPI	Kenda K-905 26x2.125 / 22 TPI	Kenda Slant 6 26x2.1 / 30TPI	Schwalbe Smart Sam Performance / 50EPI 24x2.1 / Kevlar Bead	K1166 / 24x1.95 / 22TPI	K1166 / 24x1.95 / 22TPI
Lights						
Rack						
Extras						

	Scale JR 24 rigid fork	Scale JR 24 Plus	Voltage JR 24 disc	Voltage JR 24	Contessa JR 24	Speedster JR 24	Scale JR 20
new for MY17		New Model for MY17					
Frame	SCOTT Racing 24 Junior Alloy 6061 P.G. Pressed dropouts	SCOTT Racing 24 Junior Plus Alloy 6061 P.G. Pressed dropouts	SCOTT Junior 24 Voltage Octagon tubing Alloy 6061 P.G. / IS	SCOTT Junior 24 Voltage Octagon tubing Alloy 6061 P.G.	SCOTT Junior 24 Contessa Low standover height Alloy 6061 P.G.	D.Buttet 6061 Alloy Tubing / FB Road geometry / Integrated headtube	SCOTT Racing 20 Junior Alloy 6061 P.G. Pressed dropouts
Travel							
Fork	AL-6061 rigid fork / v-brake	AL-6061 rigid fork / disc	SR Suntour XCT-JR Suspension fork / 50mm Softer spring setup	SR Suntour XCT-JR Suspension fork / 50mm Softer spring setup	SR Suntour XCT-JR Suspension fork / 50mm Softer spring setup	Speedster Alloy 1 1/8" Alloy steerer Integrated	SR Suntour XCT-JR Suspension fork / 40mm Softer spring setup
Rear Shock							
E.Drive System							
Remote System							
Headset	GW 1S110T043001	GW 1S110T043001	NECO H852EDIM	NECO H852EDIM	NECO H852EDIM	FSA IS-3E	GW 1S110T043001
Rear Derailleur	Shimano RD-TY300 21 Speed	Shimano RD-TY300 7 Speed	Shimano RD-TY300 21 Speed	Shimano RD-TY300 21 Speed	Shimano RD-TY300 21 Speed	Shimano Sora RD-3500 / 16 Sp	Shimano RD-TY300 7 Speed
Front Derailleur	Shimano FD-TY300		Shimano FD-TY300	Shimano FD-TY300	Shimano FD-TY300	Shimano FD 2400 Claris	
Shifters	Shimano SL-RS36-7 Revo Shifter	Shimano SL-RS36-7 Revo Shifter	Shimano SL-RS36-7 Revo Shifter	Shimano SL-RS36-7 Revo Shifter	Shimano SL-RS36-7 Revo Shifter	Shimano ST-2400 Claris Dual control 16 Speed	Shimano SL-RS36-7 Revo Shifter
Brake levers	LEE CHI BL-81G	LEE CHI BL-81G	LEE CHI BL-81G	LEE CHI BL-81G	LEE CHI BL-81G	Tektro RL-721	Tektro JL-510 TS
Brakes	LEE CHI MV295 C2	Tektro SCM-02 Mech. Disc Brake / 160mm Rotor	Tektro SCM-02 Mech. Disc Brake / 160mm Rotor	Promax SCB 209 P Kids specific	Promax SCB 209 P Kids specific	SCOTT Comp SCBR 312 39-49mm	Promax SCB 209 P Kids specific
Crankset	Suntour XCC-T102PB(G) 42x34x24 / 152mm / black	Prowheel A105PP / 32T 152mm / w/ChainCover / black	Prowheel TA-CQ01 42x34x24 / 152mm / black	Prowheel TA-CQ01 42x34x24 / 152mm / black	Prowheel TA-CQ01 42x34x24 / 152mm / black	Lasco Alloy road crank 46/34T Alloy, 145mm	Prowheel A105PP 36T 140mm
BB-Set	NECO B906BK	NECO B906BK	NECO B906BK	NECO B906BK	NECO B906BK	VP-BC73C Square BB	NECO B906BK
Handlebar	Junior Flat-Bar Alloy 560mm	Junior Flat-Bar Alloy 560mm	Junior Riserbar 560mm / 40mm Rise	Junior Riserbar 560mm / 40mm Rise	Junior Riserbar 560mm / 40mm Rise	SCOTT Road Pilot JR Anatomic 25.4mm 380mm width	Junior Flat-Bar / Alloy 540mm
H'stem	LEADTEC LCS-7126 50mm	LEADTEC LCS-7126 50mm	LEADTEC LCS-7126 50mm	LEADTEC LCS-7126 50mm	LEADTEC LCS-7126 50mm	SCOTT Road Pilot JR 1 1/8" / four Bolt 31.8mm 60mm	LEADTEC LCS-7126 50mm
Pedal	MARWI SP-700	MARWI SP-700	MARWI SP-700	MARWI SP-700	MARWI SP-700	VP-383S	MARWI SP-700
Seatpost	Alloy 26.8x300mm	Alloy 26.8x300mm	Alloy 26.8x300mm	Alloy 26.8x300mm	Alloy 26.8x300mm	SCOTT Alloy 27.2 / 250mm	Alloy 26.8x200mm
Seat	Syncros JR2.5	Syncros JR2.5	VC-SCT-22	VC-SCT-22	VC-SCT-22	Syncros JR2.5	Syncros JR2.5
Hub front	KT-A55F / QR	Formula DC-19F / QR	Formula DC-19F / QR	KT-122FQR	KT-122FQR	Formula RB-31-FQR	KT-122F / Nutted
Hub rear	KT-A52R / QR	Formula DC-31R / QR	Formula DC-31R / QR	KT-122RQR	KT-122RQR	Formula RB-32-8QR	KT-122R / Nutted
Chain	KMC Z-51	KMC Z-51	KMC Z-51	KMC Z-51	KMC Z-51	KMC Z-8	KMC Z-51
Cassette	Shimano MF-TZ21 14-28T	Shimano MF-TZ21 14-28T	Shimano MF-TZ21 14-28T	Shimano MF-TZ21 14-28T	Shimano MF-TZ21 14-28T	Shimano CS-HG50-8 11-30T	Shimano MF-TZ21 14-28T
Spokes	15G UCP / black	15G UCP / black	15G UCP / black	15G UCP / black	15G UCP / black	CN - Standard Black 2mm	15G UCP / black
Rims	Alex C-1000	Shining MP-32	Alex C-1000	Alex C-1000	Alex C-1000	Alex Race-28	Alex C-1000
Tires	K1166 / 24x1.95 / 22TPI	K1080 / 24x2.6 / 30TPI	K1166 / 24x1.95 / 22TPI	K1166 / 24x1.95 / 22TPI	K1166 / 24x1.95 / 22TPI	Kenda K-191 / 24x1 / 60TPI	K1166 / 20x1.95 / 22TPI
Lights							
Rack							
Extras							

	Scale JR 20 rigid fork	Scale JR 20 Plus	Voltage JR 20	Contessa JR 20	Voltage JR 16	Contessa JR 16	Voltage JR 12
new for MY17		New Model for MY17					
Frame	SCOTT Racing 20 Junior Alloy 6061 P.G. Pressed dropouts	SCOTT Racing 20 Junior Plus Alloy 6061 P.G. Pressed dropouts	SCOTT Junior 20 Voltage / Octagon tubing / Alloy 6061 P.G.	SCOTT Junior 20 Contessa Low standover height Alloy 6061 P.G.	SCOTT Junior 16 Voltage Octagon tubing Alloy 6061 P.G.	SCOTT Junior 16 Contessa Low standover height Alloy 6061 P.G.	SCOTT Junior 12 Voltage Octagon tubing Alloy 6061 P.G.
Travel							
Fork	AL-6061 rigid fork / v-brake	AL-6061 rigid fork / disc	SR Suntour XCT-JR Suspension fork / 40mm Softer spring setup	SR Suntour XCT-JR Suspension fork / 40mm Softer spring setup	BMX Type / rigid Hi-ten	BMX Type / rigid Hi-ten	BMX Type / rigid Hi-ten
Rear Shock							
E.Drive System							
Remote System							
Headset	GW 1S110T043001	GW 1S110T043001	NECO H852EDIM	NECO H852ED1M	NECO H802AKEDM-S10	NECO H802AKEDM-S10	NECO H802AKEDM-S10
Rear Derailleur	Shimano RD-TY300 7 Speed	Shimano RD-TY300 7 Speed	Shimano RD-TY300 7 Speed	Shimano RD-TY300 7 Speed			
Front Derailleur							
Shifters	Shimano SL-RS36-7 Revo Shifter	Shimano SL-RS36-7 Revo Shifter	Shimano SL-RS36-7 Revo Shifter	Shimano SL-RS36-7 Revo Shifter	Single Speed	Single Speed	Single Speed
Brake levers	Tektro JL-510 TS	LEE CHI BL-81G	Tektro JL-510 TS	Tektro JL-510 TS	FS-323A	FS-323A	Tektro JL352RS
Brakes	Promax SCB 209 P Kids specific	Tektro SCM-02 Mech. Disc Brake / 160mm Rotor	Promax SCB 209 P Kids specific	Promax SCB 209 P Kids specific	LEE CHI JC301	LEE CHI JC301	LEE CHI JC301
Crankset	Prowheel A105PP 36T 140mm	Prowheel A105PP 36T 140mm	Prowheel A105PP 36T 140mm	Prowheel A105PP 36T 140mm	SHUN SHING / 28T	SHUN SHING / 28T	SHUN SHING / 28T
BB-Set	NECO B906BK	NECO B906BK	NECO B906BK	NECO B906BK	SHUN SHING SS-906	SHUN SHING SS-906	SHUN SHING SS-906
Handlebar	Junior Flat-Bar / Alloy 540mm	Junior Flat-Bar / Alloy 540mm	Junior Riser bar 540mm	Junior Riser bar 540mm	Junior Riser bar 520mm / 60mm Rise	Junior Riser bar 520mm / 60mm Rise	Junior Riser bar 460mm / 60mm Rise
H'stem	LEADTEC LCS-7126 50mm	LEADTEC LCS-7126 50mm	LEADTEC LCS-7126 50mm	LEADTEC LCS-7126 50mm	HL AS-M503S-2	HL AS-M503S-2	HL AS-M503S-2
Pedal	MARWI SP-700	MARWI SP-700	MARWI SP-700	MARWI SP-700	MARWI SP-201	MARWI SP-201	MARWI SP-201
Seatpost	Alloy 26.8x200mm	Alloy 26.8x200mm	Alloy 26.8x200mm	Alloy 26.8x200mm	Alloy 26.8x200mm	Alloy 26.8x200mm	Alloy 22.2x200mm
Seat	Syncros JR2.5	Syncros JR2.5	VC-SCT-22	VC-SCT-22	VC-SCT-24	VC-SCT-24	VL-5100
Hub front	KT-122F / Nutted	KT-122F / Nutted	KT-122F / Nutted	KT-122F / Nutted	KT-183F / 20H / Nutted	KT-183F / 20H / Nutted	KT-183F / 16H / Nutted
Hub rear	KT-122R / Nutted	KT-122R / Nutted	KT-122R / Nutted	KT-122R / Nutted	KT-305RB / 28H / Nutted coaster brake	KT-305RB / 28H / Nutted coaster brake	KT-305RB / 16H / Nutted coaster brake
Chain	KMC Z-51	KMC Z-51	KMC Z-51	KMC Z-51	KMC Z410A	KMC Z410A	KMC Z410A
Cassette	Shimano MF-TZ21 14-28T	Shimano MF-TZ21 14-28T	Shimano MF-TZ21 14-28T	Shimano MF-TZ21 14-28T	18T	18T	18T
Spokes	15G UCP / black	15G UCP / black	15G UCP / black	15G UCP / black	14G UCP / silver	14G UCP / silver	14G UCP / silver
Rims	Alex C-1000	Shining MP-32	Alex C-1000	Alex C-1000	Alloy / black	Alloy / black	Alloy / black
Tires	K1166 / 20x1.95 / 22TPI	K1080 / 20x2.6 / 30TPI	K1166 / 20x1.95 / 22TPI	K1166 / 20x1.95 / 22TPI	Kenda K-50 / 16x2.125 Training wheels	Kenda K-50 / 16x2.125 Training wheels	Kenda K-50 / 12-1/2x2-1/4 Training wheels
Lights							
Rack							
Extras							

	<i>Contessa JR 12</i>	<i>Voltage Walker</i>	<i>Contessa Walker</i>
new for MY17			
Frame	SCOTT Junior 12 Contessa / Low standover height / Alloy 6061 P.G.	SCOTT Walker 12 / Alloy 6061 P.G.	SCOTT Walker 12 / Alloy 6061 P.G.
Travel			
Fork	BMX Type / rigid Hi-ten	BMX Type / rigid Hi-ten	BMX Type / rigid Hi-ten
Rear Shock			
E.Drive System			
Remote System			
Headset	NECO H802AKEDM-S10	VP-H733D	VP-H733D
Rear Derailleur			
Front Derailleur			
Shifters	Single Speed		
Brake levers	Tektro JL352RS		
Brakes	LEE CHI JC301		
Crankset	SHUN SHING / 28T		
BB-Set	SHUN SHING SS-906		
Handlebar	Junior Riser bar 460mm / 60mm Rise	Junior Riser bar 400mm / 30mm Rise	Junior Riser bar 400mm / 30mm Rise
H'stem	HL AS-M503S-2	Datong / Y2	Datong / Y2
Pedal	MARWI SP-201		
Seatpost	Alloy 22.2x200mm	Alloy 25.4x200mm	Alloy 25.4x200mm
Seat	VL-5100	VL-5114	VL-5114
Hub front	KT-183F / 16H / Nutted	KT-A86F / 16H / Nutted	KT-A86F / 16H / Nutted
Hub rear	KT-305RB / 16H / Nutted coaster brake	KT-A86F / 16H / Nutted	KT-A86F / 16H / Nutted
Chain	KMC Z410A		
Cassette	18T		
Spokes	14G UCP / silver	14G UCP / silver	14G UCP / silver
Rims	Alloy / black	Alloy / black	Alloy / black
Tires	Kenda K-50 / 12-1/2x2-1/4 Training wheels	Wanda P-1023 / 12-1/2x2-1/4	Wanda P-1023 / 12-1/2x2-1/4
Lights			
Rack			
Extras			

	Volt-X10	Volt-X20	Volt-X30
new for MY17	Kenda K893 20x1.95 / Skinwall		
sales arguments Workbook	Cool BMX bike made for tricks and riding dirt trails.	Cool BMX bike made for tricks and riding dirt trails.	Cool BMX bike made for tricks and riding dirt trails.
Frame	BMX frame 20 freestyle / DT & TT Cr-Mo / Hi-Ten / Mid size BB, internal headset / U-brake bosses / Single speed	BMX frame 20 freestyle / DT & TT Cr-Mo / Hi-Ten / Mid size BB, internal headset / U-brake bosses / Single speed	BMX frame 18.5 Trail / DT Cr-Mo / Hi-Ten / US BB / U-brake bosses / Single speed
Travel			
Fork	SCOTT Cr-Mo 20 / rigid	BMX Type / rigid	BMX Type / rigid
Rear Shock			
E.Drive System			
Remote System			
Headset	FSA Impact 8D internal 1 1/8"	FSA Impact 8D internal 1 1/8"	FSA 888 1 1/8"
Rear Derailleur			
Front Derailleur			
Shifters			
Brake levers	Tektro XL	Tektro XL	Tektro XL
Brakes	Tektro 985A / caliper Tektro 907AD U-brake	Tektro 985A / caliper Tektro 907AD U-brake	Tektro 985A / caliper Tektro 907AD U-brake
Crankset	Cr-Mo 3-piece cranks / 175mm 25T Alloy BMX	Cr-Mo 3-piece cranks / 175mm 28T steel BMX	CW-160 Hi-Ten one-piece cranks / 160mm 38T steel BMX
BB-Set	JY Mid-size BB 73mm 8T spline, Cr-Mo axle	JY Mid-size BB 73mm 8T spline, Cr-Mo axle	VP-B35 US BB loose ball 24T spline, Hi-Ten axle
Handlebar	Comp BMX Hi-Ten Crossbar 690x195mm / 8° backsweep	Comp BMX Hi-Ten Crossbar 690x195mm / 8° backsweep	Comp BMX Hi-Ten Crossbar 690x195mm / 8° backsweep
H'stem	BMX Type, 1 1/8" / 48mm	BMX Type, 1 1/8" / 48mm	BMX Type, 1 1/8" / 48mm
Pedal	Wellgo B107P transparent	Wellgo B107P transparent	Wellgo B107P transparent
Seatpost	Syncros Volt-X Bounded saddle combo / 25.4mm	Syncros Volt-X Bounded saddle combo / 25.4mm	Leadtech SP-8 / 25.4x230mm
Seat	Syncros Volt-X	Syncros Volt-X	Voltage DJ
Hub front	Joy-Tech A075SE-14 Alloy / 14mm Cr-mo axle w/19mm nuts / 36H	Joy-Tech A075SE-14 Alloy / 10mm Cr-mo axle w/19mm nuts / 36H	Joy-Tech S01E-10 steel 3pcs / 10mm axle w/19mm nuts / 36H
Hub rear	Joy-Tech F036DSE-14-9T Alloy / 14mm Cr-mo axle w/19mm nuts / 36H / with 9T driver	Joy-Tech F036DSE-14-9T Alloy / 14mm Cr-mo axle w/19mm nuts / 36H / with 9T driver	Joy-Tech F01F-14/M30 steel 3pcs / 14mm axle w/19mm nuts / 36H
Chain	KMC Z410	KMC Z410	KMC Z410
Cassette	9T driver	9T driver	Lida LMA-0 1/2x1/8" 14 T
Spokes	HTI 14G black ED	HTI 14G UCP	HTI 14G UCP
Rims	Alex J303 / 36H	Alex J303 / 36H	Alex J303 / 36H
Tires	Kenda K893 Dirt tire 20x1.95 / Skinwall	Kenda K907 Dirt tire 20x1.95 / full black	Kenda K905 Dirt tire 20x2.125 / full black
Lights			
Rack			
Extras	2 pairs of Axle pegs AP-16 / forged steel / 32mm OD 115mm length	2 pairs of Axle pegs AP-16 / forged steel / 32mm OD 115mm length	2 pairs of Axle pegs AP-16 / forged steel / 32mm OD 115mm length